

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** L01R-01-BAC Roanoke River, South Fork and Goose Creek

**Cause Location:** South Fork Roanoke River mainstem from the mouth of Elliott Creek extending downstream to the confluence of the North and South Forks of the Roanoke River. And Goose Creek from the Lick Fork mouth downstream to its confluence with the South Fork Roanoke River.

**Cause City/County:** Floyd County; Montgomery County

**Use(s):** Recreation

**Causes(s)/VA Category:** Escherichia coli (E. coli)/4A

**Cause Description:** The 2004 assessment initially 303(d) Listed the 12.61 mile fecal coliform (FC) bacteria impairment. Two stations on the S.F. Roanoke River, 4ARSF011.73 located on the Rt. 637 Bridge and 4ARSF002.20 above the old Green Hill industrial site near Rt. 11/460, find the Recreational Use is not supported. The 2012 assessment extends the bacteria impairment upstream 6.27 miles based on data from station 4ARSF014.02. The 2012 assessment also incorporates the Goose Creek 2012 bacteria impairment. The South Fork Roanoke River nested extension of 6.43 miles and Goose Creek nested addition of 2.30 miles brings the total impaired miles to 19.61.

The Roanoke River Bacteria Total Maximum Daily Load (TMDL) is U.S. EPA approved on 8/02/2006 [Fed ID 24538] with SWCB approval on 6/27/2006. Assessment Units below are nested within the approved Roanoke River TMDL Watershed. Allocation scenario development is for the entire drainage to provide pollutant reductions for all watersheds contributing to the bacteria impairment. The entirety of the approved TMDL and allocations can be viewed at <http://www.deq.virginia.gov>. 1996 & 2002 fecal coliform (FC) observations are the basis for the original Roanoke bacteria impaired listing. The 2016 total bacteria impaired length on the Roanoke River is 29.56 miles and 165.29 acres in Smith Mountain Lake. The approved TMDL did not specifically address the South Fork Roanoke River or Goose Creek bacteria impairments but are nested within the overall Roanoke River Bacteria TMDL Watershed and allocations.

South Fork Roanoke River:

4ARSF014.02 (Persimmon Road Bridge) No new data since the 2018 Integrated Report found four of 12 E.Coli samples in excess of the 235 cfu/100 ml instantaneous criterion. Exceedances occurred in 2016: 315, 697, 318, and 301 cfu/100ml. The 2012, 2014 and 2016 Integrated Reports (IRs) find two escherichia coli (E.coli) samples exceed the 235 cfu/100 ml instantaneous criterion from 12 observations at 650 & 1500 cfu/100 ml.

4ARSF011.73 ( Rt. 637 Bridge) The 2004 Integrated Report (IR) reveals three excursions from 12 fecal coliform (FC) observations in excess of the former instantaneous criterion of 400 cfu/100 ml. 2004 exceedances range from 600 to 3000 cfu/100 ml. 2010 and 2008 E.coli observations are insufficient to delist where no excursions of the E.coli criterion are found in eight samples. Therefore the 2004 FC impaired status remains.

4ARSF002.20- (Private Bridge above Green Hill) There are no additional data beyond the 2004 IR. Three of 18 FC observations exceed the instantaneous criterion in 2004. 2004 IR exceedances range from 600 to 5300 cfu/100 ml. The waters remain impaired for FC. There are no E.coli data to assess.

4ARSF000.88- (Rt. 11 Bridge - below Green Hill) The 2016 and 2018 Integrated Reports (IRs) find two of 12 E.coli collections exceed the WQS instantaneous criterion of 235 cfu/100 ml. The exceeding values are 450 and 1350 cfu/100 ml. Prior E.coli data were insufficient to assess for each of the 2008,2010 and 2012 data windows with one of nine samples exceeding at 300 cfu/100 ml. There were no additional data within the 2014 data window.

Goose Creek:

4AGOS000.71 (Along Rt. 653) The 2018 Integrated Report shows one E.Coli sample (292 cfu/100 ml) out of 12 exceeds the 235 cfu/100 ml instantaneous criterion. The 2012, 2014 and 2016 assessments report three of 12 escherichia coli (E.coli) samples exceed the 235 cfu/100 ml instantaneous criterion at 400, 480 and 780 cfu/100 ml. There are no additional data beyond the 2012 IR.

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L01R_GOS01A02 / Goose Creek / Goose Creek from its confluence with the South Fork Roanoke R. upstream to the mouth of Lick Fork (RU01).	4A	Escherichia coli (E. coli)	2012	L	2.30
VAW-L01R_RSF01A00 / S.F. Roanoke River / South Fork Roanoke River mainstem extends from the PWS WQS upstream ending on downstream to the South Fork's confluence with the North Fork Roanoke River (RU05).	4A	Escherichia coli (E. coli)	2016	L	3.27
VAW-L01R_RSF02A00 / S.F. Roanoke River / South Fork Roanoke River mainstem segment extends from Shawsville STP downstream to the WQS designated PWS upstream ending (RU05).	4A	Escherichia coli (E. coli)	2016	L	3.00
VAW-L01R_RSF03A00 / S.F. Roanoke River / South Fork Roanoke River from the mouth of Elliott Creek downstream to the Shawsville STP (RU05).	4A	Escherichia coli (E. coli)	2012	L	6.43
VAW-L01R_RSF04A02 / S.F. Roanoke River / South Fork Roanoke R. from the confluence of Elliot Creek upstream to the mouth of Bottom Creek (RU03).	4A	Escherichia coli (E. coli)	2012	L	4.61

Roanoke River, South Fork and Goose Creek

**Recreation**

Escherichia coli (E. coli) - Total Impaired Size by Water Type:

Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
		19.61

Sources: Livestock (Grazing or Feeding Operations); Municipal (Urbanized High Density Area); On-site Treatment Systems (Septic Systems and Similar Decentralized Systems); Unspecified Domestic Waste; Wastes from Pets; Wet Weather Discharges (Non-Point Source); Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L01R-01-BEN** **Smith Creek, UT (XMV)**

Cause Location: Smith Creek, UT (XMV) from its mouth on Smith Creek upstream to its headwaters.

Cause City/County: Montgomery County

Use(s): Aquatic Life

Causes(s)/VA Category: Benthic Macroinvertebrates Bioassessments/4A

Cause Description: The 2010 original assessment finds the WQS General Standard contravened with benthic community impairment continuing through the 2012 and 2014 Cycles. There are no additional data beyond the 2010 Integrated Report (IR). The Roanoke River General Standard - Benthic (Sediment) TMDL Study received U.S. EPA approval on 5/10/2006 [Fed. ID 33861] and SWCB approval on 9/07/2006. The Smith Creek unnamed tributary (UT) is nested within the Roanoke River General Standard - Benthic (Sediment) TMDL watershed.

4AXMV000.63 (Off Rt. 615 along Chaucer Lane)- A 2007 Probabilistic site. Two Virginia Stream Condition Index (VSCI) surveys scoring spring 46.6 and fall 62.5 for an average score of 54.6. Taxa richness scores were higher in the spring sample; however, the abundance of pollution-tolerant organisms was high as well resulting in a lower VSCI score. Stream habitat scores were affected by the lack of instream cover for macroinvertebrates and fish, lack of bank vegetation and lack of riparian vegetative buffer. The station is on a 1st order headwater stream. There are ponds upstream of the station and immediate land use is residences with mowed lawns adjacent to the stream.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L01R_XMV01A10 / Smith Creek, UT (XMV) / Smith Creek, UT (XMV) from its mouth on Smith Creek upstream to its headwaters (RU04).	4A	Benthic Macroinvertebrates Bioassessments	2010	L	1.61

Smith Creek, UT (XMV)

**Aquatic Life**

Benthic Macroinvertebrates Bioassessments - Total Impaired Size by Water Type:

Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
		1.61

Sources: Loss of Riparian Habitat

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

**Roanoke and Yadkin River Basins**

**Cause Group Code: L01R-01-TEMP Roanoke River, South Fork**

Cause Location: South Fork Roanoke River mainstem from the mouth of Elliott Creek extending downstream to the confluence of the South and North Forks of the Roanoke River.

Cause City/County: Montgomery County

Use(s): Aquatic Life

Causes(s)/VA Category: Temperature/5C

Cause Description: USGS Gaging Station 02053800 (S.F. Roanoke R. near Shawsville)- There are no additional data beyond the 2010 IR. 2010 assessment reveals two of 12 temperature measurements exceed the Class V 21°C criterion. Measurements in excess of the criterion occur on 8/07/2007 at 24.5°C and 8/29/2007 at 22°C. These data result in the return of 6.43 miles to the temperature 303(d) List that were partially de-listed with the 2008 IR. The temperature impairment is extended upstream for 4.61 miles based on 2012 Cycle data for 4ARSF014.02.

4ARSF014.02 (Persimmon Road Bridge) One excursion of the Class V 21°C criterion occurs within the 2018, 2020, and 2022 data window at 23°C (7/20/2016). The 2012, 2014 and 2016 assessments find three temp measurements from 12 observations exceed the 21°C criterion at 23°C (8/13/2009); 22°C (6/10/2010) and 23°C (8/31/2010).

4ARSF011.73- (Rt. 637 Bridge) There are no additional data beyond the 2008 IR. Observations within the 2010 data window find no excursions of the respective criterion for temperature. The 2008 IR finds only one exceedance of the Class V 21°C criterion from 12 observations. 2008 data resulted in the partial de-list of temperature for 6.43 miles. The 2004 IR reported two of 12 temperature measurements in excess of the criterion. Each exceedance is 22°C occurring on 7/22/99 and 6/06/01. The 2004 Category 5C assessment remains. Low stream flows and drought conditions were observed during both 1999 and 2001.

4ARSF002.20- (above the old Green Hill industrial site near Rt. 11/460) There are no additional data beyond the 2004 IR. The 2004 IR records two of 18 temperature measurements exceed the WQS criterion. Each 2004 exceedance is 22°C occurring on 7/22/99 and 6/06/01. The 6.27 mile waters remain impaired (Category 5C) for temperature.

4ARSF000.88- (Rt. 11 Bridge - below Green Hill) The 2022 data window finds 3/12 excursions at 21°C at (7/10/19), 23°C (8/7/19), and 23°C (9/12/19). Two of 12 temperature measurements exceed the WQS Class V 21°C criterion at 21.8 °C (6/9/2014) and 21.9 °C (7/1/2014) within the 2016 and 2018 data windows.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L01R_RSFO1A00 / S.F. Roanoke River / South Fork Roanoke River mainstem extends from the PWS WQS upstream ending on downstream to the South Fork's confluence with the North Fork Roanoke River (RU05).	5C	Temperature	2004	L	3.27
VAW-L01R_RSFO2A00 / S.F. Roanoke River / South Fork Roanoke River mainstem segment extends from Shawsville STP downstream to the WQS designated PWS upstream ending (RU05).	5C	Temperature	2004	L	3.00
VAW-L01R_RSFO3A00 / S.F. Roanoke River / South Fork Roanoke River from the mouth of Elliott Creek downstream to the Shawsville STP (RU05).	5C	Temperature	2010	L	6.43
VAW-L01R_RSFO4A02 / S.F. Roanoke River / South Fork Roanoke R. from the confluence of Elliot Creek upstream to the mouth of Bottom Creek (RU03).	5C	Temperature	2012	L	4.61

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

Roanoke River, South Fork

**Aquatic Life**

Temperature - Total Impaired Size by Water Type:

Estuary  
(Sq. Miles)

Reservoir  
(Acres)

River  
(Miles)

17.31

---

Sources: Natural Conditions - Water Quality Standards Use Attainability Analyses Needed

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code: L01R-02-TEMP Bottom Creek**

Cause Location: Bottom Creek mainstem from its mouth on the South Fork Roanoke River on upstream to the Rt. 669 crossing.

Cause City/County: Montgomery County

Use(s): Aquatic Life

Causes(s)/VA Category: Temperature/5C

Cause Description: 4ABTM000.04 (Rt. 637 Bridge)- Two 2015 temperature measurements within the 2018 IR data window do not exceed the Class VI criterion, but are insufficient to delist. Temperature measurements within the 2016, 2014 and 2012 data windows result in three exceeding values from 12 observations with no additional data beyond the 2012 IR. Measurements in excess of the Class VI criterion occur on 8/13/2009 at 22.9, 6/10/2010 at 23.0 and 8/31/2010 at 24.0 °C. The 2012 data window reports five of 20 measurements exceeding the 20°C criterion. Exceeding values range from 20.5 to 24°C. Temperature measurements within the 2010 data window find two of nine measurements exceeding the WQS Class VI 20°C criterion. Exceeding values occur on 7/7/2005 at 21 and 7/25/2006 at 20.5 °C. The 2008 IR finds three of 10 temperature measurements exceed the Class VI criterion on 06/04/02 at 24.4 °C; 7/7/2005 at 21 and 7/25/2006 at 20.5 °C.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L01R_BT01A06 / Bottom Creek / Bottom Creek mainstem from its mouth on the South Fork Roanoke River on upstream to the downstream WQS Tier III ending at the southern most Nature Conservancy property boundary (RU02).	5C	Temperature	2008	L	2.33
VAW-L01R_BT02A06 / Bottom Creek / Bottom Creek mainstem from the southern most Nature Conservancy property boundary upstream to the Rt. 669 crossing. WQS designated Tier III waters (RU02).	5C	Temperature	2008	L	2.18

Bottom Creek

<b>Aquatic Life</b>	Temperature - Total Impaired Size by Water Type:	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
				4.51

Sources: Natural Conditions - Water Quality Standards Use Attainability Analyses Needed

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code: L01R-03-TEMP Goose Creek**

Cause Location: Goose Creek from its confluence with the South Fork Roanoke R. upstream to the mouth of Lick Fork (RU01).

Cause City/County: Floyd County; Montgomery County

Use(s): Aquatic Life

Causes(s)/VA Category: Temperature/5C

Cause Description: The 2020 data window records the initial Aquatic Life Use 303(d) listing of Goose Creek based on Temperature data collected in 2015 that exceeds the Class V Stockable Waters criterion of 21 degrees Celsius.

4AGOS000.71 (Along Rt. 653)- Two 2015 Temp measurements exceed the Class V 21 C criterion at 23 C (6/22/15) and 23 C (9/2/15). The 2022 data window adds one observation of 22 (7/13/21).

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L01R_GOS01A02 / Goose Creek / Goose Creek from its confluence with the South Fork Roanoke R. upstream to the mouth of Lick Fork (RU01).	5C	Temperature	2020	L	2.3

Goose Creek

**Aquatic Life**

Temperature - Total Impaired Size by Water Type:

Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
		2.3

Sources: Natural Sources

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L02R-01-BAC** **Roanoke River, North Fork**

Cause Location: North Fork Roanoke River from the mouth of Dry Run on the North Fork Roanoke River downstream to an unnamed tributary in the community of Ironto.

Cause City/County: Montgomery County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: Station 4ARNF013.66 located at Rt. 603 Bridge near Ellett (incorrectly coded 4ARNF015.09 in previous cycles), originally listed for fecal coliform (FC) bacteria in 2002 is now listed for escherichia coli (E.coli). The bacteria impairment is extended upstream with the 2012 assessment by 9.16 miles.

The Roanoke River Bacteria Total Maximum Daily Load (TMDL) is U.S. EPA approved on 8/02/2006 [Fed ID 24538] with SWCB approval on 9/07/2006. The Roanoke Bacteria TMDL watershed encompasses the North Fork Roanoke River. This recreational impairment is nested within the overall Roanoke River Bacteria TMDL Watershed. Allocation scenario development is for the entire drainage to provide pollutant reductions for all watersheds contributing to the bacteria impairment. The entirety of the approved TMDL and allocations can be viewed at <http://www.deq.virginia.gov>. 1996 & 2002 fecal coliform (FC) observations are the basis for the original Roanoke bacteria impaired listing. The 2014 total bacteria impaired length is 29.56 miles and 165.29 acres in Smith Mountain Lake.

4ARNF016.80 (Rt. 712 Bridge) No new data since the 2018 data window recorded nine of 24 Escherichia coli (E.Coli) measurements exceeding the 235 cfu/100 ml instantaneous criterion. E.coli exceed the 235 cfu/100 ml instantaneous criterion in six of 24 observations within the 2016 data window. The range of excessive values is from 250 to 1000 cfu/100 ml. The 2012 and 2014 assessments find four of 12 E.coli samples exceed the 235 cfu/100 ml instantaneous criterion; exceeding values range from 520 to 1000 cfu/100 ml.

4ARNF013.66 (Rt. 603 Bridge) The 2020 data window finds eighteen E.coli excursions from 29 total samples. Fifteen of 35 and Ten of 35 E.coli exceedances are recorded within the 2018 and 2016 data windows, respectively. The range of exceedance is from 272 cfu/100 ml to greater than 2000. The 2014 data window finds seven of 36 E.coli samples exceed the instantaneous criterion of 235 cfu/100 ml. The range of exceeding values is 250 to 1400 cfu/100 ml. 2012 data find E.coli bacteria exceeds in nine of 36 samples with the same range of exceedance. Seventeen of 45 E.coli samples exceed the instantaneous criterion within the 2010 data window. E.coli exceedances range from 280 to 1500 cfu/100 ml. Sufficient data does not exist to determine the new WQS geometric mean. The 2008 Integrated Report (IR) finds E.coli bacteria exceeds the 235 cfu/100 ml instantaneous criterion in 14 of 33 samples with the same range of exceedance as 2010. The former WQS E.coli geomean, minimum two samples/calendar month, of 126 cfu/100 ml is exceeded in three of six calculations. The 2006 IR reports E.coli bacteria exceeds the 235 cfu/100 ml instantaneous criterion in 12 of 21 samples with exceedances also ranging from 280 to 1500 cfu/100 ml. The former E.coli WQS geomean exceeds in three of four calculations.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L02R_RNF03A02 / N.F. Roanoke River / North Fork Roanoke River mainstem from a right bank entry of an unnamed tributary in the community of Ironto upstream to the mouth of Wilson Cr (RU07).	4A	Escherichia coli (E. coli)	2006	L	6.94
VAW-L02R_RNF04A02 / N.F. Roanoke River / North Fork Roanoke River mainstem from the mouth of Wilson Creek upstream to the mouth of Dry Run (RU06).	4A	Escherichia coli (E. coli)	2012	L	9.16

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

Roanoke River, North Fork

**Recreation**

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:			16.1

---

Sources: Livestock (Grazing or Feeding Operations); Municipal (Urbanized High Density Area); Unspecified Domestic Waste; Wastes from Pets; Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** L02R-01-PH Bradshaw Creek

Cause Location: Bradshaw Creek from its mouth on the N.F. Roanoke River upstream to its headwaters.

Cause City/County: Montgomery County; Roanoke County

Use(s): Aquatic Life

Causes(s)/VA Category: pH/5C

Cause Description: 4ABDC002.36 (Rt. 629 Bridge)- The aquatic life use is impaired based on 2010 pH data. Four of 16 pH observations exceed the minimum pH criterion of 6.5. The range of exceeding values are 6.1 to 6.3 SU. There are no additional data beyond the 2010 Integrated Report (IR).

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L02R_BDC01A04 / Bradshaw Creek / Bradshaw Creek from the upstream end of the WQS PWS designation downstream to its mouth on the North Fork Roanoke River (RU08).	5C	pH	2010	L	0.85
VAW-L02R_BDC02A04 / Bradshaw Creek / Bradshaw Creek mainstem from near its headwaters downstream to the upstream ending of the WQS PWS designation (RU08).	5C	pH	2010	L	9.52

Bradshaw Creek

**Aquatic Life**

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
pH - Total Impaired Size by Water Type:			10.37

Sources: Natural Conditions - Water Quality Standards Use Attainability Analyses Needed

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code: L02R-02-BAC Wilson Creek and Wilson Creek, UT**

Cause Location: Wilson Creek to include a northern unnamed tributary from its headwaters downstream to the Wilson Creek confluence on the North Fork Roanoke River.

Note: The northern arm extends upstream from mainstem Wilson Creek to near the Rt. 114 & Rt. 460 intersection behind a commercially developed area near New River Valley Mall.

Cause City/County: Montgomery County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: The Wilson Creek Bacteria Total Maximum Daily Load (TMDL) is U.S. EPA approved 8/02/2006 [Fed ID 23395] and SWCB approved 6/27/2007. Wilson Creek is originally 303(d) listed for bacteria (fecal coliform) with the 2002 assessment. Escherichia coli (E.coli) replaces fecal coliform (FC) bacteria as the indicator as per Water Quality Standards [9 VAC 25-260-170. Bacteria; other waters]. The 6.99 mile bacteria impairment remains.

4AWLN000.40 - There are no additional data since the 2010 data window. E.coli data within the 2010 data window find 11 of 23 samples exceed the WQS 235 cfu/100 ml instantaneous criterion. There are no additional data beyond the 2008 assessment where 13 of 27 E. coli samples exceed the instantaneous criterion. The minimum exceedance is 300 cfu/100 ml with a maximum of 2,200. In 2006 twelve of 23 E. coli samples exceed the instantaneous criterion of 235 cfu/100 ml with the same range of exceedance.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L02R_WLN01A00 / Wilson Creek / Wilson Creek mainstem segment extends from WLN02A00 downstream to the Wilson Creek mouth on the North Fork Roanoke River (RU07).	4A	Escherichia coli (E. coli)	2004	L	2.77
VAW-L02R_WLN02A00 / Wilson Creek / This northern arm extends upstream from mainstem Wilson Creek to the Rt. 114 & Rt. 460 intersection behind major developed area near New River Valley Mall (RU07).	4A	Escherichia coli (E. coli)	2004	L	1.74
VAW-L02R_WLN03A00 / Wilson Creek / Wilson Creek mainstem segment extends from near Rt. 460/I-81 intersection downstream to intersection of segments WLN02A with WLN01A (RU07).	4A	Escherichia coli (E. coli)	2004	L	2.51

Wilson Creek and Wilson Creek, UT

**Recreation**

	<b>Estuary</b> (Sq. Miles)	<b>Reservoir</b> (Acres)	<b>River</b> (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:			7.02

Sources: Livestock (Grazing or Feeding Operations); Municipal (Urbanized High Density Area); Unspecified Domestic Waste; Wastes from Pets; Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** L02R-03-BAC Bradshaw Creek

Cause Location: Bradshaw Creek from its mouth on the N.F. Roanoke River upstream to its headwaters.

Cause City/County: Montgomery County; Roanoke County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: The 2010 assessment finds Bradshaw Creek does not support the Recreational Use. Escherichia coli (E.coli) exceed the WQS instantaneous criterion. The Roanoke River Bacteria Total Maximum Daily Load (TMDL) is U.S. EPA approved on 8/02/2006 [Fed ID 24538] with SWCB approval on 9/07/2006. Bradshaw Creek is nested within the Roanoke River Bacteria TMDL Watershed. Allocation scenario development is for the entire drainage to provide pollutant reductions for all watersheds contributing to the bacteria impairment. The entirety of the approved TMDL and allocations can be viewed at <http://www.deq.virginia.gov>.

4ABDC002.36 (Rt. 629 Bridge)- There are no additional data beyond the 2010 Integrated Report (IR). The 2010 assessment finds E.coli exceeds the 235 cfu/100 ml instantaneous criterion in two of 12 observations. Values in excess of the criterion are 250 and greater than 2000 cfu/100 ml.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L02R_BDC01A04 / Bradshaw Creek / Bradshaw Creek from the upstream end of the WQS PWS designation downstream to its mouth on the North Fork Roanoke River (RU08).	4A	Escherichia coli (E. coli)	2010	L	0.85
VAW-L02R_BDC02A04 / Bradshaw Creek / Bradshaw Creek mainstem from near its headwaters downstream to the upstream ending of the WQS PWS designation (RU08).	4A	Escherichia coli (E. coli)	2010	L	9.52

Bradshaw Creek

**Recreation**

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:			10.37

Sources: Livestock (Grazing or Feeding Operations); On-site Treatment Systems (Septic Systems and Similar Decentralized Systems); Unspecified Domestic Waste; Wet Weather Discharges (Non-Point Source); Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code: L03R-01-TEMP Roanoke River**

Cause Location: Roanoke River mainstem from Spring Hollow Reservoir extending downstream to the Rt. 419 Bridge crossing.

Cause City/County: Roanoke County; Salem

Use(s): Aquatic Life

Causes(s)/VA Category: Temperature/5C

Cause Description: The waters remain impaired for the Aquatic Life Use. Station 4AROA227.42 is located within the Water Quality Standards 'hh' special standard [9VAC25-260-310] establishing a maximum temperature of 31°C May 1 through October 31 for these seasonally stockable trout waters. Temperature data from 4AROA227.42 (located at the Rt. 773 Bridge in Lafayette) now meets the temperature criterion and 1.28 miles of the Roanoke are delisted with the 2012 Integrated Report (IR). Station 4AROA227.42 is no longer a Listing station for the temperature impairment.

4AROA212.17- (Rt. 11 Bridge - below Eaton, Inc.) No additional data since the 2016 data window which found one exceedance at 22.8°C (6/8/2010) from four observations. One temperature excursion from six observations exceeds the stockable trout water criterion at 22.8°C (6/08/2010) within the 2014 data window. This same excursion occurs within the 2012 data window from a total of 8 measurements. Two of 17 temperature measurements exceed the criterion within the 2010 data window. Measurements in excess of the criterion are 21.3 on 7/15/2003 and 25.4 on 7/13/2004. These same exceedances occur within the 2008 data window where two of 21 temperature measurements exceed the 21°C criterion. Temperature data within the 2006 data window finds exceedances in six of 32 measurements ranging from 21 to 25°C. The 2004 assessment finds temperature exceeds the stockable trout water criterion in eight of 42 measurements. Exceedances range from 22 to 25°C. Eleven of 67 temperature measurements exceed the criterion within the 2002 assessment.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L03R_ROA02A00 / Roanoke River / Roanoke River mainstem from the Rt. 419 Bridge upstream to the City of Salem downtown intake on the Roanoke River (RU09).	5C	Temperature	2002	L	2.68
VAW-L03R_ROA03A00 / Roanoke River / Roanoke River mainstem from the Salem City WTP downtown intake upstream to the Big Bear Branch mouth on the Roanoke River (RU09).	5C	Temperature	2002	L	3.42
VAW-L03R_ROA04A00 / Roanoke River / Roanoke River mainstem from the Big Bear Rock Branch mouth upstream to end of the WQS designated public water supply (PWS) section just downstream of an unnamed tributary at Dixie Caverns (RU09).	5C	Temperature	2002	L	5.58
VAW-L03R_ROA05A00 / Roanoke River / Roanoke River mainstem from the end of the WQS designated public water supply (PWS) section just downstream of an unnamed tributary at Dixie Caverns upstream to the Roanoke County Spring Hollow Reservoir intake (RU09).	5C	Temperature	2002	L	1.44

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

Roanoke River

**Aquatic Life**

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Temperature - Total Impaired Size by Water Type:			13.12

---

Sources: Natural Conditions - Water Quality Standards Use Attainability Analyses Needed

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code: L04R-01-BAC Roanoke River and Smith Mountain Lake**

Cause Location: The upstream limit is at the confluence of the North and South Forks of the Roanoke River downstream to 3/4 miles upstream of the Hardy Ford Bridge.

Cause City/County: Bedford County; Franklin County; Montgomery County; Roanoke; Roanoke County; Salem

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: The Roanoke R. Bacteria TMDL is EPA approved 8/2/06 [Fed ID 24538] with SWCB approval 9/7/06. 1996 & 2002 fecal coliform (FC) samples are the basis for the original bacteria listing. The 2010 total bacteria impaired length: 29.56 mi & 349.99 ac in Smith Mtn. Lake. Previous geomean calcs are not valid in 2010 in light of the 4 samples/mo. requirement of the new WQS criterion.

Improvement is noted in 4AROA202.20, 4AROA199.20, 4AROA196.05 & 4AROA192.94 within 2016 data window. E.coli maxima are greatly reduced as compared to previous assessments. 2016 Flow Adjusted Trend Analysis finds an improving trend for FC at 4AROA202.20; whereas the 2012 Flow Adjusted Trend Analysis shows a declining trend for E.coli at 4AROA202.20.

4AROA192.94 & 4AROA192.55 have exceedance rates <10.5%. Waters in Smith Mtn. Lake from ~3/4 mi upstr of Hardy Rd Br dwnstr to the confl. of Falling Ck were partially delisted in 2014 (184.70 ac). 4AROA202.20 also has an exceedance rate <10.5% but not proposed for delisting in 2014 or 2016 due to 4AROA199.20 & 4AROA196.05 continuing to exceed at rates >10.5 %. Upstr tribs continue to have exceedances >10.5%.

4AROA227.42 (Rt. 773 Br, Lafayette) 1999 Fed Consent Decree Attachment B station for FC. Not listed in 2002 as exceedances of the former 1000 cfu/100 ml instantaneous criterion were at 5% & not delisted due to upcoming change of the FC WQS from 1000 to 400 cfu/100 ml. 2004: 11.8% exceedance rate & initial 303(d) Listing for FC. 2006: 8/49 FC samples exceeded. 2008: 1/21 E.coli exceed & partially delisted for 2.21 mi (rev. 2014 NHD). 2010, 2012 & 2014: continued Full Support. 2016: 6/36 with 2 exceeding values in 2013, 2014 & 2009. 2020 & 2018: 10/36 & 8/36, respectively.

4AROA224.54 (Rt. 639 Br at Riverside) No additional E.coli data beyond 2008 IR: 2/11 at 400 & 780 cfu/100 ml. Same for 2008 & 2010 IRs. 2006: 2/8 with max of 780 cfu/100 ml.

4AROA220.94 (Rt. 639 Br S. of Wabun) 2012, 2010 & 2008: same results with no additional data: 2/12 from 250-850 cfu/100 ml. 2006: 2/8 with max of 780 cfu/100 ml.

4AROA215.13 - No additional E.coli data beyond 2008 IR: 1/12 at 920 cfu/100 ml. 2006: 1/9 with same exceedance.

4AROA212.17 (Rt. 11 Br below Eaton, Inc.) No additional E.coli data beyond 2010 IR: 4/23 from 290-790 cfu/100 ml. 2008: 4/23 with same exceedances.

4AROA205.73 (Franklin Rd Br) No additional E.coli data beyond 2008 IR: 8/32 from 270-570 cfu/100 ml & 3/5 geomeans. 2006: 7/20 with same range as 2008 & 3/6 geomeans.

4AROA202.20 (13th St Br abv STP) 2020 & 2018: 6/35 & 5/34, respectively from 400-1918 cfu/100 ml. 2016: 2/16 from 400-1,400 cfu/100 ml. 2014: 3/34 from 300-1,400 cfu/10 ml. 2012: 4/36 from 280-1400 cfu/100 ml. 2010: 9/45 from 280 to >2000 cfu/100 ml. 2008: 8/33 with same range as 2010 & 2/6 geomeans. 2006: 6/21 from 330 to >2000 cfu/100 ml & 2/6 geomeans.

4AROA199.20 (Blue Ridge Parkway Br - Niagara) 2020: 8/32. 2018 & 2016: 10/32 & 8/35, respectively from 250-9208 cfu/100 ml. 2014: 5/23 from 250-775 cfu/100 ml. 2012: 5/20 from 250 to >2000 cfu/100 ml. 2010 & 2008: 9/21 from 280 to >2000 cfu/100 ml. 2006: 6/12 from 280-610 cfu/100 ml.

4AROA196.05- (McVeigh Ford) 2016: 10/42 from 250-1,616 cfu/100 ml. 2014: 5/40 from 250-750 cfu/100 ml. 2012: 9/41 from 250-1,000 cfu/100 ml. 2010: 10/38 from 250 to >2000 cfu/100 ml. 2008: 10/32 from 250 to >2,000 cfu/100 ml. 2006: 5/18 from 400 to >2,000 cfu/100 ml.

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

4AROA192.94- (Upstream of Hardy Ford) 2016: 4/43 from 300 to > 2,000 cfu/100 ml. 2014: 1/42 at 1,600 cfu/100 ml. 2012: 2/42 at 350 & 1,600 cfu/100 ml. 2010: 8/51 from 280 to >2000 cfu/10 ml. 2008: 8/44 with same range as 2010. 2006: 7/30 & the same range of exceedance.

4AROA192.55 (Hardy Bridge) 2016 & 2014: 1/24 & 1/36 at 325 cfu/100 ml. Historical info available in previous IRs.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L03R_ROA01A00 / Roanoke River / Roanoke River mainstem from the Mason Creek mouth upstream to the Rt. 419 Bridge (RU09).	4A	Escherichia coli (E. coli)	2006	L	1.21
VAW-L03R_ROA02A00 / Roanoke River / Roanoke River mainstem from the Rt. 419 Bridge upstream to the City of Salem downtown intake on the Roanoke River (RU09).	4A	Escherichia coli (E. coli)	2006	L	2.68
VAW-L03R_ROA03A00 / Roanoke River / Roanoke River mainstem from the Salem City WTP downtown intake upstream to the Big Bear Branch mouth on the Roanoke River (RU09).	4A	Escherichia coli (E. coli)	2006	L	3.42
VAW-L03R_ROA04A00 / Roanoke River / Roanoke River mainstem from the Big Bear Rock Branch mouth upstream to end of the WQS designated public water supply (PWS) section just downstream of an unnamed tributary at Dixie Caverns (RU09).	4A	Escherichia coli (E. coli)	2006	L	5.58
VAW-L03R_ROA05A00 / Roanoke River / Roanoke River mainstem from the end of the WQS designated public water supply (PWS) section just downstream of an unnamed tributary at Dixie Caverns upstream to the Roanoke County Spring Hollow Reservoir intake (RU09).	4A	Escherichia coli (E. coli)	2006	L	1.44
VAW-L03R_ROA06A00 / Roanoke River / Roanoke River mainstem from the Roanoke County Spring Hollow Reservoir intake upstream to the Montgomery/Roanoke County Line (RU09).	4A	Escherichia coli (E. coli)	2006	L	0.95
VAW-L03R_ROA07A12 / Roanoke River / Roanoke River mainstem from the Montgomery/Roanoke County Line upstream to the confluence of the North & South Forks of the Roanoke River (RU09).	4A	Escherichia coli (E. coli)	2022	L	1.27
VAW-L04R_ROA01A00 / Roanoke River / Roanoke River mainstem waters from Niagara Dam downstream to the mouth of Back Creek (PWS section 6i) (RU14).	4A	Escherichia coli (E. coli)	2006	L	3.17
VAW-L04R_ROA02A00 / Roanoke River Niagara / These are the Roanoke River mainstem impounded waters of the Niagara Dam (PWS section 6i) (RU14).	4A	Escherichia coli (E. coli)	2006	L	0.77
VAW-L04R_ROA03A00 / Roanoke River Niagara / Roanoke River mainstem from near the backwaters of the Niagara Impoundment upstream to the end of the WQS designated public water supply (PWS section 6i) segment. The upstream ending of the PWS segment from SML 795 ft. pool elevation (RU14).	4A	Escherichia coli (E. coli)	2006	L	0.87

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

(continued)

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L04R_ROA04A00 / Roanoke River / Roanoke R. mainstem from near the backwaters of Niagara Impoundment upstream to the Tinker Cr. confluence on the Roanoke R. (section 6). The upstream ending of the WQS designated public water supply (PWS) segment from SML 795 ft. pool elevation (RU14).	4A	Escherichia coli (E. coli)	2006	L	0.20
VAW-L04R_ROA05A00 / Roanoke River / Roanoke River mainstem from the Western Virginia Water Authority Roanoke Regional Water Pollution Control Plant downstream to the Tinker Creek confluence (WQS section 6) (RU14).	4A	Escherichia coli (E. coli)	2006	L	0.40
VAW-L04R_ROA06A00 / Roanoke River / Roanoke River mainstem from the Murray Run mouth downstream to the Western Virginia Water Authority Roanoke Regional Water Pollution Control Plant (RU14).	4A	Escherichia coli (E. coli)	2006	L	4.35
VAW-L04R_ROA07A00 / Roanoke River / Roanoke River mainstem from the Peters Creek mouth downstream to the Murray Run confluence on the Roanoke River (RU14).	4A	Escherichia coli (E. coli)	2006	L	3.33
VAW-L04R_ROA08A02 / Roanoke River / Roanoke River mainstem from the Mason Creek mouth downstream to the confluence of Peters Creek on the Roanoke River (RU14).	4A	Escherichia coli (E. coli)	2006	L	2.23
VAW-L07L_ROA05A14 / Smith Mtn. Lake (Roanoke River) / Roanoke River from the Back Creek confluence downstream to ~ 3/4 miles upstream of the Hardy Road Bridge.	4A	Escherichia coli (E. coli)	2006	L	165.30

Roanoke River and Smith Mountain Lake

<b>Recreation</b>	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:		165.3	31.87

Sources: Discharges from Municipal Separate Storm Sewer Systems (MS4); Livestock (Grazing or Feeding Operations); Municipal (Urbanized High Density Area); On-site Treatment Systems (Septic Systems and Similar Decentralized Systems); Sanitary Sewer Overflows (Collection System Failures); Unspecified Domestic Waste; Wet Weather Discharges (Non-Point Source); Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L04R-01-BEN** **Roanoke River**

Cause Location: Roanoke River mainstem from the Murray Run confluence downstream to the backwaters of the Niagara impoundment.

Note: Impounded waters of Niagara Dam are not included with this impairment.

Cause City/County: Roanoke; Roanoke County

Use(s): Aquatic Life

Causes(s)/VA Category: Benthic Macroinvertebrates Bioassessments/4A

Cause Description: The Roanoke River General Standard - Benthic (Sediment) TMDL is U.S. EPA approved 5/10/2006 [Fed. ID 33861] and SWCB approved 9/7/2006. Formerly VAW-L04R-01.

The 2010 IR extended the benthic impairment upstream 3.87 mi from the mouth of Mason Ck upstream to the City of Salem downtown intake on the Roanoke R. These mainstem waters were delisted in the 2014 IR along with an additional 5.54 mi downstream to Murray Run confluence on Roanoke R. A total of 9.41 mi were delisted based on stations 4AROA212.17 (Rt. 11 Br - below Eaton, Inc.), 4AROA206.27 (Wasena Park) & probabilistic site 4AROA210.56 (Behind Veterans Admin Hospital-Salem). Category 4A waters = 5.81 mi and does not include the impounded waters of Niagara Dam.

The benthic impairment is extended downstream in the 2008 IR 3.16 mi from Niagara Dam downstream to the mouth of Back Ck (station 4AROA198.08). This portion is Category 5A as the TMDL Study did not address these waters. Cause Group Code L04R-03-BEN is assigned to this portion in the 2012 IR.

4AROA202.20 (13th St Br abv STP) Bio 'IM' 6 surveys (2012, 2014, 2015) w/avg score 59.5. Previous assessments observed benthics declined overall Fall 2003 to Fall 2005. 2014 IR: 3/4 samples abv impairment threshold (avg score 60.2). Additional 2014 data show improvement in Spr. & decline in Fall. Spr. 2015 declined compared to Spr. 2014 & Fall 2015 score improved well abv the impaired threshold. The final 6-yr avg is approaching non-impaired & Spr. score is well below the impaired threshold. Variability between Spr. & Fall seasons and consistently low Spr. scores indicate stress to the community. Bio 'IM' 6 VSCI surveys (2009-2010; 2012 & 2014) w/in the 2016 data window avg score 59.7 (IM). Spr. & Fall 2009 surveys (Fall 67.6) & 2010 (Spr. 60.5) indicate water quality is non-impaired. Following the 2009 & 2010 surveys, scores declined. One sample was below impairment (Spr. 2012, 51.2) and 1 abv (Fall 2012, 63.9). All Spr. 2016 scores < Fall scores. The 6 yr avg is slightly below impairment threshold (57.0 & 59.9). 2016 final rating is IM per continued slight decline in VSCI scores.

Benthic scores declined overall from Fall 2003 to Fall 2005, improved Spr. & Fall 2004 then declined Fall 2005. 2014 IR: 3/4 samples abv impairment threshold (60.2).

Historically sedimentation has decreased the amount of substrate available for macroinvertebrate colonization. A TMDL study was completed to determine the stressors to the benthic community and the reductions in pollutants necessary to restore the community. The TMDL IP process began in June 2013 with a goal of identifying steps necessary to reduce the stressor (sedimentation) & restore water quality.

Bio 'J' 2014 IR 4 surveys (2009, 2010 & 2012) avg 60.8. Spr. & Fall samples in 2009 & 2010 indicate water quality is non-impaired. Fall 2009 survey records the highest score (67.6). Following the 2009 & 2010 samples, scores declined. One sample is below the impairment threshold (51.5) and 1 abv (63.9). The final 2 yr avg is below the impairment threshold while 6 yr avg is abv. As a result, final 2014 rating was to reserve judgment and conduct additional surveys to aid in determining if the 6 yr avg is an indicator of typical water quality or of the abnormal conditions during 2011 & 2012.

2012 data from 3 surveys (2005 & 2009-2010) avg 54.28. Final 6-yr avg (n=3) score is driven by Fall 2005 score (34.69). No data collected for 7 seasons, eighth and ninth seasons were non-impaired. An active hurricane season occurred in 2004. No additional data after 2010 IR where 4 surveys (2003-2005) show avg score 49.9 (IM). 2008 IR: 5 surveys (2001-2005) avg score 51.4 (IM). Benthic scores declined Fall 2001 to Fall 2003 and improved Spr. & Fall 2004. Fall 2004 survey resulted in a non-impaired score (65.08). This was the only Roanoke R. station sampled in Fall 2004 and used as

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L04R_ROA03A00 / Roanoke River Niagara / Roanoke River mainstem from near the backwaters of the Niagara Impoundment upstream to the end of the WQS designated public water supply (PWS section 6i) segment. The upstream ending of the PWS segment from SML 795 ft. pool elevation (RU14).	4A	Benthic Macroinvertebrates Bioassessments	1996	L	0.87
VAW-L04R_ROA04A00 / Roanoke River / Roanoke R. mainstem from near the backwaters of Niagara Impoundment upstream to the Tinker Cr. confluence on the Roanoke R. (section 6). The upstream ending of the WQS designated public water supply (PWS) segment from SML 795 ft. pool elevation (RU14).	4A	Benthic Macroinvertebrates Bioassessments	1996	L	0.20
VAW-L04R_ROA05A00 / Roanoke River / Roanoke River mainstem from the Western Virginia Water Authority Roanoke Regional Water Pollution Control Plant downstream to the Tinker Creek confluence (WQS section 6) (RU14).	4A	Benthic Macroinvertebrates Bioassessments	1996	L	0.40
VAW-L04R_ROA06A00 / Roanoke River / Roanoke River mainstem from the Murray Run mouth downstream to the Western Virginia Water Authority Roanoke Regional Water Pollution Control Plant (RU14).	4A	Benthic Macroinvertebrates Bioassessments	1996	L	4.35

Roanoke River

**Aquatic Life**

Benthic Macroinvertebrates Bioassessments - Total Impaired Size by Water Type:

Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
		5.82

Sources: Discharges from Municipal Separate Storm Sewer Systems (MS4); Industrial Point Source Discharge; Industrial/Commercial Site Stormwater Discharge (Permitted); Municipal (Urbanized High Density Area); Municipal Point Source Discharges; Post-development Erosion and Sedimentation; Residential Districts; Sediment Resuspension (Clean Sediment); Sediment Resuspension (Contaminated Sediment); Wet Weather Discharges (Point Source and Combination of Stormwater, SSO or CSO)

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** L04R-01-HG **Roanoke River**

Cause Location: Roanoke River from the confluence of Mason Creek downstream to the confluence of Tinker Creek.

Cause City/County: Roanoke; Roanoke County; Salem

Use(s): Fish Consumption

Causes(s)/VA Category: Mercury in Fish Tissue/5A

Cause Description: This initial 2010 303(d) Listing is based on 2006 fish tissue collections and new Water Quality Standards effective 2/01/2010. Mercury (Hg) exceedances of the DEQ 0.3 parts per million (ppm) and Virginia Department of Health (VDH) level of concern of 0.5 ppm are found in fish tissue causing impairment of the Fish Consumption Use. No VDH Fish Consumption or Drinking Water Advisories are issued for mercury for these waters. Please visit <http://www.deq.virginia.gov> for more information about mercury contamination and <http://www.vdh.virginia.gov/environmental-epidemiology/public-health-toxicology/fish-consumption-advisories/> for VDH Advisories or Bans.

4AROA206.80 (Roanoke R. @Wasena Park near Rt. 11 Bridge)- Exceedance of the Mercury (Hg) WQS based tissue value (TV) of 0.3 ppm is found in two species from 2006 collections; smallmouth bass ( 1 fish 37.0 cm) at 0.37 ppm and (4 fish composite 21.8-27.5 cm) at 0.537 ppm and rock bass (6 fish composite 17.4-19.4 cm) at 0.446 ppm. There are no additional data.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L04R_ROA05A00 / Roanoke River / Roanoke River mainstem from the Western Virginia Water Authority Roanoke Regional Water Pollution Control Plant downstream to the Tinker Creek confluence (WQS section 6) (RU14).	5A	Mercury in Fish Tissue	2010	L	0.40
VAW-L04R_ROA06A00 / Roanoke River / Roanoke River mainstem from the Murray Run mouth downstream to the Western Virginia Water Authority Roanoke Regional Water Pollution Control Plant (RU14).	5A	Mercury in Fish Tissue	2010	L	4.35
VAW-L04R_ROA07A00 / Roanoke River / Roanoke River mainstem from the Peters Creek mouth downstream to the Murray Run confluence on the Roanoke River (RU14).	5A	Mercury in Fish Tissue	2010	L	3.33
VAW-L04R_ROA08A02 / Roanoke River / Roanoke River mainstem from the Mason Creek mouth downstream to the confluence of Peters Creek on the Roanoke River (RU14).	5A	Mercury in Fish Tissue	2010	L	2.23

Roanoke River

**Fish Consumption**

Mercury in Fish Tissue - Total Impaired Size by Water Type:

Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
		10.31

Sources: Landfills; Source Unknown; Urban Runoff/Storm Sewers; Wet Weather Discharges (Non-Point Source)

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L04R-02-BAC** **Mud Lick Creek**

Cause Location: Mud Lick Creek mainstem from its confluence on the Roanoke River upstream to its headwaters.

Cause City/County: Roanoke; Roanoke County; Salem

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: The Mud Lick Creek 2006 initially 303(d) Listed bacterial impairment extends for 7.61 miles.

The Roanoke River Bacteria Total Maximum Daily Load (TMDL) is U.S. EPA approved on 8/02/2006 [Fed ID 24538] with SWCB approval on 6/27/2007. 1996 & 2002 fecal coliform (FC) observations are the basis for the original Roanoke bacteria impaired listing. The 2014 Roanoke River total bacteria impaired length is 29.56 miles and 165.29 acres in Smith Mountain Lake. The approved TMDL did not specifically address the Mud Lick Creek bacteria impairment but is nested within the Roanoke Bacteria TMDL Watershed. Allocation scenario development is for the entire drainage to provide pollutant reductions for all watersheds contributing to the bacteria impairment. The entirety of the approved TMDL and allocations can be viewed at <http://www.deq.virginia.gov>.

4AMDL000.34- (Downstream of Brambleton Ave. behind Shell) There are no additional escherichia coli (E.coli) data beyond the 2010 IR. E.coli exceeds the WQS instantaneous criterion of 235 cfu/100 ml in four of 12 observations in both the 2010 and 2008 assessments. Exceeding values range from 550 cfu/100 ml to greater than 2000. The 2006 E.coli initial 303(d) Listing reports four of nine exceedances with the same range of exceedance.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L04R_MDL01A06 / Mud Lick Creek / Mud Lick Creek from its confluence on the Roanoke River upstream to its headwaters (RU14).	4A	Escherichia coli (E. coli)	2006	L	7.61

Mud Lick Creek

**Recreation**

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:			7.61

Sources: Discharges from Municipal Separate Storm Sewer Systems (MS4); Municipal (Urbanized High Density Area); Sanitary Sewer Overflows (Collection System Failures); Wet Weather Discharges (Non-Point Source); Wildlife Other than Waterfowl

# Virginia Department of Environmental Quality

## Appendix 4 - Fact Sheets for Impaired (Category 4 or 5) Waters in 2022

---

### Roanoke and Yadkin River Basins

**Cause Group Code:** L04R-02-BEN Mud Lick Creek

Cause Location: Mud Lick Creek mainstem from its confluence on the Roanoke River upstream to its headwaters.

Cause City/County: Roanoke; Roanoke County; Salem

Use(s): Aquatic Life

Causes(s)/VA Category: Benthic Macroinvertebrates Bioassessments/4A

Cause Description: Virginia Stream Condition Index (VSCI) surveys find the Mud Lick Creek benthic community is impaired for 7.61 miles as a result of the 2008 assessment. The Roanoke River General Standard - Benthic (Sediment) TMDL Study is U.S. EPA approved on 5/10/2006 [Fed. ID 33861] and SWCB approved 9/07/2006. Mudlick Creek is a nested benthic impairment within the Roanoke River Benthic (Sediment) TMDL watershed.

4AMDL003.34- (Downstream of Brambleton Ave. behind Shell) Bio 'IM' Two VSCI surveys spring 2006 scoring 22.2 and fall 2005 scoring 35.1 for an average score of 28.7. There are no additional data beyond the 2008 assessment. Habitat data show stream impacts related to sedimentation, extensive bank erosion, and riparian zone disturbance. Low scores were observed for most of the eight individual metrics in the VSCI indicating a benthic community that is tolerant of pollution. Urban land cover with high levels of impervious surface causes an altered hydrology and resulting bank erosion. Sedimentation impacts may also be increased as land in the watershed is quickly being developed.

4AMDL002.93- (Near Foot Bridge Lower Station) The 2020 data window reports Bio 'IM' from four VSCI scores averaging 33.4 (2017-18). This station was sampled to collect data after a stream restoration project in 2008 as well as to validate citizen SOS monitoring. Roanoke County implemented a stream restoration project along the Garst Mill Park Greenway in 2008. Habitat data indicated stream impacts related to sedimentation, extensive bank erosion, and riparian zone disturbance. Most of the individual metrics in the VSCI show a degraded benthic community that is tolerant of pollution. Prior to 2017, there were no additional data beyond the 2012 IR. Two remaining surveys within the 2016 data window (2008-2009) have an average score of 24.3. The 2014 reports four VSCI surveys (2007 & 2009) with an average score of 20.10. The 2012 assessment reports seven VSCI surveys (2005 - 2009) with and average score of 24.3. Five (2005-2007) VSCI surveys score 25.5 within the 2010 data window. 2007 probabilistic sediment sampling finds no PEC Sediment exceedances; metals only. 2008 assessment reports three VSCI surveys (2005 - 2006) with and average score of 29.9.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L04R_MDL01A06 / Mud Lick Creek / Mud Lick Creek from its confluence on the Roanoke River upstream to its headwaters (RU14).	4A	Benthic Macroinvertebrates Bioassessments	2008	L	7.61

Mud Lick Creek

#### Aquatic Life

Benthic Macroinvertebrates Bioassessments - Total Impaired Size by Water Type:

Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
		7.61

Sources: Loss of Riparian Habitat; Municipal (Urbanized High Density Area); Sediment Resuspension (Clean Sediment); Streambank Modifications/Destabilization; Urban Runoff/Storm Sewers

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L04R-03-BEN** **Roanoke River**

Cause Location: Roanoke River mainstem from Niagara Dam downstream to the mouth of Back Creek.

Cause City/County: Bedford County; Roanoke County

Use(s): Aquatic Life

Causes(s)/VA Category: Benthic Macroinvertebrates Bioassessments/5A

Cause Description: The benthic impairment is extended downstream with the 2008 Integrated Report (IR) for 3.16 miles from Niagara Dam downstream to the mouth of Back Creek. The 2008 and 2010 Integrated Reports assigned a Cause Group Code of L04R-01-BEN incorporating the entire 14.45 mile benthic impairment. This 3.14 mile portion is Category 5A as the TMDL Study did not address these waters. Thus a new Cause Group Code of L04R-03-BEN is assigned with the 2012 Integrated Report. The impairment does not include the impounded waters of Niagara Dam.

4AROA198.08- (Explore Park near the Shenandoah Pavilion) The 2022 data window contains eight VSCI surveys (2015-17, 2020) with an overall average score of 50 (Bio 'IM').

The 2018 data window contains six VSCI surveys (spring & fall, 2014-2016) with an overall average score of 53.1 (Bio 'IM'). This station was sampled at the request of local Virginia SOS citizen monitors. SOS has a station in the reach along Explore Park. Previous surveys yielded benthic communities dominated by net-spinning caddisfly larvae (Hydropsychidae) and the fourth was dominated by midges (Chironomidae). These organisms typically dominate streams that have high amounts of organic matter. All surveys had lower taxa richness and diversity as well as low numbers of pollution-sensitive taxa such as mayflies and stoneflies and caddisflies. Instream habitat, riparian zone vegetation, and bank stability were all optimal providing conditions favorable for a healthy benthic community. However, filamentous algae and periphyton growth was thick on stream substrates indicating that nutrients may be excessive in this reach of the Roanoke River.

The 2016 data window finds impairment from four spring and fall VSCI surveys (2010 & 2014) with an average score of 46.4. Previous surveys yielded benthic communities dominated by net-spinning caddisfly larvae (Hydropsychidae) and the fourth was dominated by midges (Chironomidae). These organisms typically dominate streams that have high amounts of organic matter. All surveys had low taxa richness and diversity as well as low numbers of pollution-sensitive taxa such as mayflies and stoneflies. Instream habitat, riparian zone vegetation, and bank stability were all optimal providing conditions favorable for a healthy benthic community. However, filamentous algae and periphyton growth was thick on stream substrates indicating that nutrients may be excessive in this reach of the Roanoke River. There were no additional within the 2014 data window. The 2012 assessment reports four VSCI surveys (fall 2005 & fall 2009 & 2010 spring & fall) with an average score of 51.5. 2010 and 2008 data windows contain two VSCI surveys 2005 and 2006 both fall scores are 56.3 and 55.0.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L04R_ROA01A00 / Roanoke River / Roanoke River mainstem waters from Niagara Dam downstream to the mouth of Back Creek (PWS section 6i) (RU14).	5A	Benthic Macroinvertebrates Bioassessments	2008	H	3.17

Roanoke River

**Aquatic Life**

Benthic Macroinvertebrates Bioassessments - Total Impaired Size by Water Type:

Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
		3.17

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

Sources: Discharges from Municipal Separate Storm Sewer Systems (MS4); Industrial Point Source Discharge; Industrial/Commercial Site Stormwater Discharge (Permitted); Municipal (Urbanized High Density Area); Municipal Point Source Discharges; Post-development Erosion and Sedimentation; Residential Districts; Sediment Resuspension (Clean Sediment); Wet Weather Discharges (Point Source and Combination of Stormwater, SSO or CSO)

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** L04R-04-BAC **Ore Branch**

Cause Location: Ore Branch mainstem headwaters near Hunting Hills downstream to its confluence with the Roanoke River (Garden City and Roanoke Quads).

Cause City/County: Roanoke; Roanoke County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: The Ore Branch Bacteria Total Maximum Daily Load (TMDL) is U.S. EPA approved 8/02/2006 [Fed ID 24539] and SWCB approved 6/27/2007. The impairment was initially Listed in 1996 for fecal coliform bacteria.

4AORE000.19- (Sherwood Avenue - Roanoke City) There are no additional escherichia coli (E.coli) data within the 2014, 2016, or 2018 data windows. The 2012 data window finds six of the remaining 12 samples exceed the instantaneous criterion. Both 2010 and 2008 data reveal E.coli bacteria exceed the 235 cfu/100 ml instantaneous criterion in 22 of 33 observations. The range of exceedance is from 320 cfu/100 ml to 7,600. The 2006 Integrated Report (IR) finds E.coli exceeds the instantaneous criterion in 16 of 21 samples. Exceedances are the same range as in 2010 and 2008.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L04R_ORE01A00 / Ore Branch / Ore Branch mainstem headwaters near Hunting Hills downstream to its confluence with the Roanoke River (RU14).	4A	Escherichia coli (E. coli)	2006	L	2.56

Ore Branch

**Recreation**

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:			2.56

Sources: Discharges from Municipal Separate Storm Sewer Systems (MS4); Municipal (Urbanized High Density Area); Sanitary Sewer Overflows (Collection System Failures); Wet Weather Discharges (Non-Point Source); Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L04R-04-BEN** **Ore Branch**

Cause Location: Ore Branch mainstem headwaters near Hunting Hills downstream to its confluence with the Roanoke River (Garden City and Roanoke Quads).

Cause City/County: Roanoke; Roanoke County

Use(s): Aquatic Life

Causes(s)/VA Category: Benthic Macroinvertebrates Bioassessments/4A

Cause Description: The Roanoke River General Standard - Benthic (Sediment) TMDL Study is US EPA approved 5/10/2006 (FED ID: 33861) and State Water Control Board (SWCB) approved 9/07/2006. Ore Branch is nested within the Roanoke River General Standard- Benthic (Sediment) TMDL watershed.

4AORE000.01 (Mouth of Ore Branch)- A 2011 Probabilistic site. Bio 'IM' Two VSCI surveys scoring spring 22.5 and fall 24.1 with an average score of 23.3. The benthic community is severely impacted. Both samples were dominated by midges (Chironomidae) which can tolerate sediment deposition, nutrient enrichment and/or other impacts. VDEQ uses a target of 200 (minimum) organisms per sample in its benthic lab procedures. The entire sample was processed resulting in only 142 (spring) and 78 (fall) organisms collected. An average benthic sample will contain thousands of organisms.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L04R_ ORE01A00 / Ore Branch / Ore Branch mainstem headwaters near Hunting Hills downstream to its confluence with the Roanoke River (RU14).	4A	Benthic Macroinvertebrates Bioassessments	2014	L	2.56

Ore Branch

**Aquatic Life**

Benthic Macroinvertebrates Bioassessments - Total Impaired Size by Water Type:

Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
		2.56

Sources: Loss of Riparian Habitat; Municipal (Urbanized High Density Area); Streambank Modifications/Destabilization; Urban Runoff/Storm Sewers; Wet Weather Discharges (Non-Point Source)

# Virginia Department of Environmental Quality

## Appendix 4 - Fact Sheets for Impaired (Category 4 or 5) Waters in 2022

---

### Roanoke and Yadkin River Basins

**Cause Group Code:** **L04R-05-BAC** **Mason Creek**

Cause Location: Mason Creek mainstem from the Mason Cove Community, river mile 7.61, extending downstream to the mouth of Mason Creek on the Roanoke River (Salem Quad).

Cause City/County: Roanoke County; Salem

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: The Mason Creek Recreational Use remains impaired for 7.72 miles from the original 2002 303(d) Listing based on 1997 special study (SS 975101) data and fecal coliform exceedances.

The Roanoke River Bacteria Total Maximum Daily Load (TMDL) is U.S. EPA approved on 8/02/2006 [Fed ID 24538] with SWCB approval on 6/27/2007. 1996 & 2002 fecal coliform (FC) observations are the basis for the original Roanoke bacteria impaired listing. The 2014 total bacteria impaired length is 29.56 miles and 165.29 acres in Smith Mountain Lake. The approved TMDL did not specifically address the Mason Creek bacteria impairment but is nested within the Roanoke Bacteria TMDL Watershed. Allocation scenario development is for the entire drainage to provide pollutant reductions for all watersheds contributing to the bacteria impairment.

4AMSN000.67- (Boulevard) The 2018 data window finds E.Coli exceeds 235 cfu/100ml instantaneous criterion in four of 12 samples. Exceedances range from 341 to 1935 cfu/100ml. There are no additional escherichia coli (E.coli) data beyond the 2010 IR where seven of 32 E.coli samples exceed the instantaneous criterion of 235 cfu/100 ml in both the 2010 and 2008 assessments. Exceedances range from 250 to 1000 cfu/100 ml. 2006 Integrated Report (IR) shows five of 20 E.coli samples exceed the instantaneous criterion with the same range of exceedance.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L04R_MSN01A00 / Mason Creek / Mason Creek mainstem from its confluence with the Roanoke River upstream to near the Mason Cove Community (RU10).	4A	Escherichia coli (E. coli)	2006	L	7.72

Mason Creek

#### Recreation

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:			7.72

Sources: Discharges from Municipal Separate Storm Sewer Systems (MS4); Municipal (Urbanized High Density Area); Sanitary Sewer Overflows (Collection System Failures); Wet Weather Discharges (Non-Point Source); Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** L04R-05-BEN Mason Creek

Cause Location: Mason Creek mainstem from the Mason Cove Community, river mile 7.61, extending downstream to the mouth of Mason Creek on the Roanoke River (Salem Quad).

Cause City/County: Roanoke County; Salem

Use(s): Aquatic Life

Causes(s)/VA Category: Benthic Macroinvertebrates Bioassessments/4A

Cause Description: The Mason Creek benthic community exhibits impaired conditions for the 7.72 mile 2008 303(d) Listed waters. The Roanoke River General Standard - Benthic (Sediment) TMDL Study received U.S. EPA approval on 5/10/2006 [Fed. ID 33861] and SWCB approved 9/07/2006. Mason Creek is nested within the Roanoke River General Standard - Benthic (Sediment) TMDL watershed.

4AMSN003.05- (Off Kessler Mill Rd.) Bio 'IM' There are no additional data beyond the 2008 IR. Three Virginia Stream Condition Index (VSCI) surveys (2004 - 2005) assessed with an average score of 55.4. The average VSCI score indicates the benthic community is impaired. Most of the habitat scores are in the optimal and sub-optimal range indicating that potential water quality problems are related to water chemistry rather than habitat limitations.

4AMSN000.53- (Arnold Burton Technical School Campus) Bio 'IM' Two VSCI surveys (2013) scoring spring 45.5 and fall 43.4. The average score is 44.4. The benthic community is dominated by pollution tolerant organisms, particularly Chironomidae (midges) in the spring and Hydropsychidae (net-spinning caddisfly) in the fall. The watershed is in an urban setting with industrial, commercial and residential land uses. Most of the habitat scores are in the optimal and sub-optimal range indicating that potential water quality problems are related to water chemistry rather than habitat limitations. The 2008 IR reports from three VSCI surveys (2004 - 2005) an average score of 37.6.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L04R_MSN01A00 / Mason Creek / Mason Creek mainstem from its confluence with the Roanoke River upstream to near the Mason Cove Community (RU10).	4A	Benthic Macroinvertebrates Bioassessments	2008	L	7.72

Mason Creek

<b>Aquatic Life</b>	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Benthic Macroinvertebrates Bioassessments - Total Impaired Size by Water Type:			7.72

Sources: Loss of Riparian Habitat; Municipal (Urbanized High Density Area); Residential Districts; Urban Runoff/Storm Sewers; Wet Weather Discharges (Non-Point Source)

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** L04R-06-BAC Peters Creek

Cause Location: Peters Creek mainstem from its headwaters (Salem Quad) extending downstream to the Peters Creek confluence on the Roanoke River (Roanoke Quad).

Cause City/County: Roanoke; Roanoke County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: The 2002 303(d) Listed 7.20 mile Peters Creek Recreational impairment remains.

The Roanoke River Bacteria Total Maximum Daily Load (TMDL) is U.S. EPA approved on 8/02/2006 [Fed ID 24538] with SWCB approval on 6/27/2007. 1996 & 2002 fecal coliform (FC) observations are the basis for the original Roanoke River bacteria impaired listing. The 2014 total bacteria impaired length is 29.56 miles on the Roanoke and 165.29 acres in Smith Mountain Lake. The approved TMDL did not specifically address the Peters Creek bacteria impairment but is nested within the Roanoke Bacteria TMDL Watershed. Allocation scenario development is for the entire drainage to provide pollutant reductions for all watersheds contributing to the bacteria impairment. The entirety of the approved TMDL and allocations can be viewed at <http://www.deq.virginia.gov>.

4APEE001.04- (Shenandoah Avenue Bridge) There are no additional data beyond the 2012 assessment which reported escherichia coli (E.coli) exceedances of the 235 cfu/100 ml instantaneous criterion in two of 14 samples at 280 and 420 cfu/10 ml. There are no additional data beyond the 2012 data window. One of two remaining observations exceeds at 280 cfu/100 ml within both the 2014 and 2016 data windows. Data within both the 2010 and 2008 data windows find E.coli exceeds the instantaneous criterion in 11 of 32 observations ranging from 250 cfu/100 ml to greater than 2000. The 2006 Integrated Report (IR) finds the same range of exceedance from 10 of 20 samples. The original 2002 bacteria 303(d) Listing is based on a Special Study (SS 975101) conducted in 1997 where fecal coliform data resulted in geometric mean exceedances of the former WQS criterion and frequency of samples derived from the special study data.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L04R_PEE01A02 / Peters Creek / Peters Creek mainstem from its confluence with the Roanoke River upstream to the Melrose Avenue Bridge (Rt. 11/460) (RU14).	4A	Escherichia coli (E. coli)	2006	L	2.59
VAW-L04R_PEE02A02 / Peters Creek / Peters Creek mainstem from the Melrose Avenue Bridge (Rt. 11/460) upstream to its headwaters (RU14).	4A	Escherichia coli (E. coli)	2006	L	4.62

Peters Creek

**Recreation**

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:			7.21

Sources: Discharges from Municipal Separate Storm Sewer Systems (MS4); Municipal (Urbanized High Density Area); Unspecified Domestic Waste; Wet Weather Discharges (Non-Point Source); Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L04R-06-BEN** **Barnhardt Creek**

Cause Location: Barnhardt Creek from its confluence on the Roanoke River upstream to its headwaters.

Cause City/County: Roanoke; Roanoke County; Salem

Use(s): Aquatic Life

Causes(s)/VA Category: Benthic Macroinvertebrates Bioassessments/4A

Cause Description: The Roanoke River General Standard - Benthic (Sediment) TMDL Study is U.S. EPA approval on 5/10/2006 [Fed. ID 33861] and SWCB approved 9/07/2006. Barnhart Creek is nested within the Roanoke River General Standard- Benthic (Sediment) TMDL watershed.

The 2012 Integrated Report (IR) finds the Aquatic Life Use is impaired. There are no additional data within the 2014 or 2016 data windows.

4ABHT001.90 (Downstream of Rt. 419, Roanoke City) Bio 'IM' Three VSCI surveys (2009-2010) with an average score of 36.8 indicating a benthic community dominated by pollution-tolerant taxa. Although several habitat scores were sub-optimal the habitat in this reach should support more mayfly and stonefly taxa which were extremely low during the surveys. Suburban land cover with a major road (Rt. 419) upstream of this station may cause altered hydrology and resulting bank erosion, sediment deposition, and runoff from roads. Riparian buffers are impacted on both sides by the sports fields at the school and residential backyards.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L04R_BHT01A10 / Barnhardt Creek / Barnhardt Creek from its confluence on the Roanoke River upstream to its headwaters (RU14).	4A	Benthic Macroinvertebrates Bioassessments	2012	L	5.31

Barnhardt Creek

**Aquatic Life**

Benthic Macroinvertebrates Bioassessments - Total Impaired Size by Water Type:

Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
		5.31

Sources: Loss of Riparian Habitat; Municipal (Urbanized High Density Area); Streambank Modifications/Destabilization; Urban Runoff/Storm Sewers; Wet Weather Discharges (Non-Point Source)

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L04R-07-BAC** **Murray Run**

Cause Location: Murray Run mainstem from its headwaters to its mouth on the Roanoke River.

Cause City/County: Roanoke; Roanoke County

Use(s): Recreation

Causes(s)/VA Category: Fecal Coliform/4A

Cause Description: The Murray Run 3.57 mile 2004 303(d) Listed Recreational impairment remains.

The Roanoke River Bacteria Total Maximum Daily Load (TMDL) is U.S. EPA approved on 8/02/2006 [Fed ID 24538] with SWCB approval on 6/27/2007. 1996 & 2002 fecal coliform (FC) observations are the basis for the original Roanoke River bacteria impaired listing. The 2014 total bacteria impaired length is 29.56 miles and 165.29 acres in Smith Mountain Lake. The approved TMDL did not specifically address the Murray Run bacteria impairment but is nested within the Roanoke Bacteria TMDL Watershed. Allocation scenario development is for the entire drainage to provide pollutant reductions for all watersheds contributing to the bacteria impairment. The entirety of the approved TMDL and allocations can be viewed at <http://www.deq.virginia.gov>.

4AMUR001.63- There are no escherichia coli (E.coli) data to assess since the 2004 data window. The 2004 Integrated Report (IR) reports FC exceeds the former 400 cfu/100 ml instantaneous criterion in two of six observations. Exceeding values are 600 and 8,000+ cfu/100 ml. Observations within the 2008 data window find one of three FC samples in excess of the instantaneous criterion.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L04R_MUR01A00 / Murray Run / Murray Run mainstem from its headwaters to its mouth on the Roanoke River (RU14).	4A	Fecal Coliform	2004	L	3.58

Murray Run

**Recreation**

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Fecal Coliform - Total Impaired Size by Water Type:			3.58

Sources: Discharges from Municipal Separate Storm Sewer Systems (MS4); Municipal (Urbanized High Density Area); Sanitary Sewer Overflows (Collection System Failures); Wet Weather Discharges (Non-Point Source); Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L04R-07-BEN** **Murray Run**

Cause Location: Murray Run mainstem from its headwaters to its mouth on the Roanoke River.

Cause City/County: Roanoke; Roanoke County

Use(s): Aquatic Life

Causes(s)/VA Category: Benthic Macroinvertebrates Bioassessments/4A

Cause Description: The Roanoke River General Standard - Benthic (Sediment) TMDL Study is U.S. EPA approval on 5/10/2006 [Fed. ID 33861] and SWCB approved 9/07/2006. Murray Run is nested within the Roanoke River General Standard - Benthic (Sediment) TMDL watershed.

The Aquatic Life Use is found impaired with the 2012 assessment.

4AMUR001.82- Bio 'IM' There are no additional data within the 2014, 2016, 2018, 2020, or 2022 data windows. The 2012 Integrated Report (IR) reports three VSCI surveys (2009-2010) with an average score of 19.5 indicating a benthic community dominated by pollution-tolerant taxa most notably Chironomidae (midge larvae). Although several habitat scores were sub-optimal the habitat in this reach should support more mayfly and stonefly taxa which were extremely low or absent during the surveys. Urban land cover with high levels of impervious surface upstream causes altered hydrology and resulting bank erosion, sediment deposition, and runoff of toxic substances from roads. Riparian buffers are good on one side of the stream while the opposite side of the stream is bordered by a mowed field.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L04R_MUR01A00 / Murray Run / Murray Run mainstem from its headwaters to its mouth on the Roanoke River (RU14).	4A	Benthic Macroinvertebrates Bioassessments	2012	L	3.58

Murray Run

<b>Aquatic Life</b>	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Benthic Macroinvertebrates Bioassessments - Total Impaired Size by Water Type:			3.58

Sources: Loss of Riparian Habitat; Municipal (Urbanized High Density Area); Streambank Modifications/Destabilization; Urban Runoff/Storm Sewers; Wet Weather Discharges (Non-Point Source)

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L04R-08-BEN** **Gish Branch**

Cause Location: Gish Branch mainstem from its mouth on Mason Creek upstream to its headwaters.

Cause City/County: Roanoke County

Use(s): Aquatic Life

Causes(s)/VA Category: Benthic Macroinvertebrates Bioassessments/4A

Cause Description: The Gish Branch benthic community exhibits impaired conditions for the 2.40 mile 2014 303(d) Listed waters. The Roanoke River General Standard - Benthic (Sediment) TMDL Study is U.S. EPA approval on 5/10/2006 [Fed. ID 33861] and SWCB approved 9/07/2006. Gish Branch is nested within the Roanoke River General Standard - Benthic (Sediment) TMDL watershed. There are no additional data beyond the 2014 Integrated Report (IR).

4AGSH001.28 (Off Rt. 311 downstream of I-81)- Bio 'IM' Two 2012 VSCI surveys scoring an average of 47.9. The results of benthic sampling indicate a community dominated by pollution-tolerant taxa in the both spring and fall. There were more midges (Chironomidae) and stoneflies (Nemouridae) in the spring sample whereas beetles accounted for a high percentage (33.1%) of the fall sample. Beetles in the fall are from the families Psephenidae (water pennies) and Elmidae (riffle beetles) helped increase the %Scrapper score. Both seasons had relatively low taxa richness and low numbers of mayflies.

The instream habitat was affected by sediment deposition. The sediment load results in a low embeddedness score meaning that the interstitial spaces between rocks is clogged by fine material thus limiting available habitat for sensitive macroinvertebrates. The banks appeared eroded possibly due to flashy flows from storm water runoff from highways in the upper reaches of the watershed.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L04R_GSH01A14 / Gish Branch / Gish Branch mainstem from its mouth on Mason Creek upstream to its headwaters (RU10).	4A	Benthic Macroinvertebrates Bioassessments	2014	L	2.4

Gish Branch

**Aquatic Life**

Benthic Macroinvertebrates Bioassessments - Total Impaired Size by Water Type:

Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
		2.4

Sources: Loss of Riparian Habitat; Municipal (Urbanized High Density Area); Residential Districts; Urban Runoff/Storm Sewers; Wet Weather Discharges (Non-Point Source)

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code: L04R-09-BEN Peters Creek**

Cause Location: Peters Creek mainstem from its headwaters (Salem Quad) extending downstream to the Peters Creek confluence on the Roanoke River (Roanoke Quad).

Cause City/County: Roanoke; Roanoke County

Use(s): Aquatic Life

Causes(s)/VA Category: Benthic Macroinvertebrates Bioassessments/4A

Cause Description: The Peters Creek benthic community exhibits impaired conditions for the 7.20 mile 2016 initially 303(d) Listed waters. The Roanoke River General Standard - Benthic (Sediment) TMDL Study received U.S. EPA approval on 5/10/2006 [Fed. ID 33861] and SWCB approved 9/07/2006. Peters Creek is nested within the Roanoke River General Standard - Benthic (Sediment) TMDL watershed (2016 IR).

4APEE001.16 (Strass Park, on Westside Boulevard)- Bio- 'IM' Two 2013 VSCI surveys scoring spring 26.3 and fall 27.5 with an average score of 26.9. The benthic community is dominated by pollution tolerant organisms, particularly Chironomidae (midges) in both spring and fall. This station is located in a suburban and commercial watershed which receives high levels of storm water runoff. During both sampling events algae is very thick on stream substrate indicating nutrient enrichment. Habitat scores were impacted by excessive sedimentation, eroded stream banks and sparse riparian buffers.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L04R_PEE01A02 / Peters Creek / Peters Creek mainstem from its confluence with the Roanoke River upstream to the Melrose Avenue Bridge (Rt. 11/460) (RU14).	4A	Benthic Macroinvertebrates Bioassessments	2016	L	2.59
VAW-L04R_PEE02A02 / Peters Creek / Peters Creek mainstem from the Melrose Avenue Bridge (Rt. 11/460) upstream to its headwaters (RU14).	4A	Benthic Macroinvertebrates Bioassessments	2016	L	4.62

Peters Creek

<b>Aquatic Life</b>	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Benthic Macroinvertebrates Bioassessments - Total Impaired Size by Water Type:			7.21

Sources: Loss of Riparian Habitat; Municipal (Urbanized High Density Area); Residential Districts; Urban Runoff/Storm Sewers; Wet Weather Discharges (Non-Point Source)

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L04R-10-BAC** **Wolf Creek**

Cause Location: Wolf Creek from its mouth on the Roanoke River upstream to its headwaters (RU14).

Cause City/County: Roanoke County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: Wolf Creek is first listed for not meeting the Recreational Use during the 2018 IR window. The impairment is 4.5 miles.

The Roanoke River Bacteria Total Maximum Daily Load (TMDL) is U.S. EPA approved on 8/02/2006 [Fed ID 24538] with SWCB approval on 6/27/2007. 1996 & 2002 fecal coliform (FC) observations are the basis for the original Roanoke River bacteria impaired listing. The 2014 total bacteria impaired length is 29.56 miles and 165.29 acres in Smith Mountain Lake. The approved TMDL did not specifically address the Wolf Creek bacteria impairment but Wolf Creek is nested within the Roanoke Bacteria TMDL Watershed. Allocation scenario development is for the entire drainage to provide pollutant reductions for all watersheds contributing to the bacteria impairment. The entirety of the approved TMDL and allocations can be viewed at <http://www.deq.virginia.gov>.

4AWOR000.34 - Escherichia coli (E.coli) exceeds the 235 cfu/100 ml instantaneous criterion in five of 12 samples. Exceedances range from 275 to 1421 cfu/100 ml during the 2020 data window.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L04R_WOR01A10 / Wolf Creek / Wolf Creek from its mouth on the Roanoke River upstream to the upper end of the WQS designated public water supply (PWS) section 6i (RU14).	4A	Escherichia coli (E. coli)	2018	L	2.62
VAW-L04R_WOR02A08 / Wolf Creek / Wolf Creek from the upstream PWS end upstream to its headwaters (RU14).	4A	Escherichia coli (E. coli)	2018	L	1.90

Wolf Creek

**Recreation**

Estuary (Sq. Miles)
Reservoir (Acres)
River (Miles)

Escherichia coli (E. coli) - Total Impaired Size by Water Type:
4.52

Sources: On-site Treatment Systems (Septic Systems and Similar Decentralized Systems); Unspecified Domestic Waste; Wastes from Pets; Wet Weather Discharges (Non-Point Source); Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** L04R-10-BEN Wolf Creek

Cause Location: Wolf Creek from its mouth on the Roanoke River upstream to its headwaters (RU14).

Cause City/County: Roanoke County

Use(s): Aquatic Life

Causes(s)/VA Category: Benthic Macroinvertebrates Bioassessments/5A

Cause Description: This initial 2018 303(d) listing is based on Virginia Stream Condition Index (VSCI) scores during the 2018 IR window. The Aquatic Life Use impairment is 4.5 miles in length.

4AWOR000.34 (Niagara Rd. Crossing) - Bio 'IM' carries during the 2020 data window with an additional two 2017 VSCI Scores: 46.4 (Spring) and 44.3 (Fall). The 2018 IR window finds Impairment for benthic macroinvertebrate community based on four VSCI scores (2015-2016) averaging 49.4 (seasonal averages are: 35.8 Spring; 63.0 Fall). Station was originally established for TMDL development. The 2015 and 2016 Fall samples scored above the impairment threshold (VSCI 60). Spring scores scored well below the impairment threshold. The spring samples had lower numbers of total taxa and pollution sensitive plecoptera and trichoptera than the fall samples. Fall samples contained less chironomidae. The stream is impacted by fine sediments, lack of instream habitat and eroded stream banks.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L04R_WOR01A10 / Wolf Creek / Wolf Creek from its mouth on the Roanoke River upstream to the upper end of the WQS designated public water supply (PWS) section 6i (RU14).	5A	Benthic Macroinvertebrates Bioassessments	2018	H	2.62
VAW-L04R_WOR02A08 / Wolf Creek / Wolf Creek from the upstream PWS end upstream to its headwaters (RU14).	5A	Benthic Macroinvertebrates Bioassessments	2018	H	1.90

Wolf Creek

**Aquatic Life**

Benthic Macroinvertebrates Bioassessments - Total Impaired Size by Water Type:

Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
		4.52

Sources: Clean Sediments; Loss of Riparian Habitat; Municipal (Urbanized High Density Area); Non-Point Source; Residential Districts; Streambank Modifications/Destabilization

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L05R-01-BAC** **Tinker Creek**

Cause Location: Tinker Creek mainstem from its headwaters downstream to the Tinker Creek confluence with the Roanoke River.

Cause City/County: Botetourt County; Roanoke; Roanoke County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: Originally 303(d) Listed in 1998 for fecal coliform (FC) bacteria the Tinker Creek Bacteria Total Maximum Daily Load (TMDL) is U.S. EPA approved 8/05/04 [Fed IDs: 7787 (FC), 21671 and 21672] and SWCB approved 12/02/04. The 19.58 mile bacteria impairment remains.

4ATKR015.88 (Off Rt. 779 at USGS Gage) There are no additional data beyond the 2014 IR where 10 of 24 escherichia coli (E.coli) samples exceed the 235 cfu/100 ml instantaneous criterion. Five of 12 remaining samples within the 2016 data window exceed with the same range as the 2014 IR. The 2012 assessment finds 6 of 15 E.coli observations exceed the instantaneous criterion ranging from 320 cfu/100 ml to greater than 2000. E.coli exceed the instantaneous criterion in 22 of 37 samples within the 2010 data window. 2008 collections find E.coli in excess of the instantaneous criterion in 18 of 30 samples with the same range of exceedance as 2010. The 2006 Integrated Report (IR) exceedance range is the same from 17 of 25 samples.

4ATKR009.30 (Rt. 11 Bridge near Hollins) The 2022 data window applies new E.coli criteria and finds 2 or more Statistical Threshold Value (STV) hits in the same 90-day period with < 10 samples. Nine of 25 E.coli samples exceed the instantaneous criterion during the 2020 data window. The 2018 assessment window finds 5 of 12 E.coli samples in exceedance of the 235 cfu/100 ml instantaneous criterion. There are no additional data beyond the 2008 assessment. One of three remaining E.coli observations exceeds the instantaneous criterion of 235 cfu/100 ml at 250 within the 2012 data window. 2010 data finds E.coli exceeds the 235 cfu/100 ml instantaneous criterion in 9 of 15 samples with the same range of exceedance as in 2008. 2008 samples reveal 10 excursions of the instantaneous criterion from 18 samples. Exceedances range from 420 to 1100 cfu/100 ml. 2006 IR reports 9 of 15 E. coli excursions of the instantaneous criterion and the same range of exceedance as 2008.

4ATKR000.69 (Rt. 24 Bridge, Vinton) The 2022 data window new Ecoli WQS confirms 'IM' with 2 or more STV hits in the same 90-day period with < 10 samples. Twenty-four of 35 and 21 of 36 E.coli samples exceed the instantaneous criterion (235 cfu/100 ml) during the 2020 and 2018 IR windows, respectively. Exceedances range from 250 - 5794 cfu/100 ml. The 2016 IR reports 13 of 35 E.coli samples are in excess of the instantaneous criterion. Excessive values range from 250 to 800 cfu/100 ml. E.coli exceed the instantaneous criterion of 235 cfu/100 ml in 13 of 35 observations ranging from 320 cfu/100 ml to 800 in 2014. The 2012 data window finds E.coli exceed the instantaneous criterion in 16 of 35 observations ranging from 280 cfu/100 ml to 1200. 2010 E.coli samples exceed the instantaneous criterion in 31 of 49 observations. The 2008 assessment finds E.coli exceedances occur in 29 of 44 observations with the same range of exceedance as 2010. The 2006 (IR) reports E.coli exceeding the instantaneous criterion in 20 of 30 observations.

4ATKR000.08 (Upstream of Roanoke R. confluence) - E.coli exceeds the 235 cfu/100 ml instantaneous criterion in 18 of 24 and 9 of 12 samples within the 2020 and 2018 IR data windows, respectively.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L05R_TKR01A00 / Tinker Creek / Tinker Creek mainstem from the its confluence with the Roanoke River upstream to the mouth of Carvin Creek (RU13).	4A	Escherichia coli (E. coli)	2006	L	5.37
VAW-L05R_TKR01B06 / Tinker Creek / Tinker Creek mainstem from the Carvin Creek mouth upstream to the confluence of Buffalo Creek (RU11).	4A	Escherichia coli (E. coli)	2006	L	6.51

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

(continued)

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L05R_TKR02A00 / Tinker Creek / Tinker Creek mainstem from the mouth of Buffalo Creek upstream to the Roanoke City diversion tunnel located just upstream of the USGS stream gaging station (RU11).	4A	Escherichia coli (E. coli)	2006	L	4.47
VAW-L05R_TKR03A00 / Tinker Creek / Tinker Creek mainstem from the Roanoke City diversion tunnel to Carvin Cove on upstream to its headwaters (RU11).	4A	Escherichia coli (E. coli)	2006	L	3.26

Tinker Creek

**Recreation**

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:			19.61

Sources: Discharges from Municipal Separate Storm Sewer Systems (MS4); Livestock (Grazing or Feeding Operations); Municipal (Urbanized High Density Area); Sanitary Sewer Overflows (Collection System Failures); Unspecified Domestic Waste; Wastes from Pets; Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L05R-01-BEN** **Tinker Creek**

Cause Location: Tinker Creek mainstem from the its confluence with the Roanoke River upstream to the confluence of Buffalo Creek (RU11).

Cause City/County: Botetourt County; Roanoke; Roanoke County

Use(s): Aquatic Life

Causes(s)/VA Category: Benthic Macroinvertebrates Bioassessments/5A

Cause Description: The benthic community is impaired for 5.37 miles based on a 2008 Virginia Stream Condition Index survey (VSCI). The 2018 IR data window extends the benthic impairment 6.5 mile upstream for a total of 11.87 miles impaired for benthic macroinvertebrate communities.

4ATKR009.30 (Rt. 11 bridge near Hollins) Bio 'IM' from 16 VSCI scores avg 60.9 (2015-16, 2018-19) during the 2022 data window. In July 2017, a fishkill occurred in this section Tinker Creek due to the release of a surfactant from a chemical manufacturing plant. Sampling in 2018 occurred as part of follow-up monitoring from the fishkill and continued through 2019. This station is in the middle of the five-plus mile section that was affected during the fishkill. Macroinvertebrates including crayfish, caddisflies and snails were also affected during the fishkill. The 2020 data window reports Bio 'IM' from six VSCI scores averaging 58.5 (2015-16, 2018). 2018 IR finds Bio 'IM' from four VSCI scores averaging 58.4. Habitat surveys indicated a stream section with substrates that were impacted by sediment, eroded banks and sparse riparian vegetative buffers. Spring 2015 and 2016 VSCI scores indicated an impaired condition. Fall 2015 and 2016 VSCI scores indicated a non-impaired condition.

4ATKR000.69 (Rt. 24 Bridge - Vinton) Bio 'IM' from six VSCI surveys (2015-17) with an average score of 46.7 during the 2020 and 2022 data windows. Impacts noted: sedimentation, eroded banks and sparse riparian vegetative buffers; a highly developed watershed. 2018 assessment window finds four VSCI surveys (2015-2016) with an average score of 48.6. Habitat surveys indicated a stream section with substrates that were impacted by sediment, eroded banks and sparse riparian vegetative buffers. This section of Tinker Creek is impacted by a highly developed watershed. The VADEQ TMDL Stressor Identification tool determines that any RBPII Total Habitat Scores <100 have a high risk to Aquatic Life. The average Total Habitat Score for this station for the four biomonitoring samples was 92.75. Prior cycles included one 2008 VSCI survey scoring 50.9 with no additional surveys within the 2012, 2014 or 2016 data windows. The score indicates a stressed community with low taxonomic diversity and low abundance of pollution-sensitive organisms. A visual assessment indicates that more than 70% of the stream substrate was covered with a thick mat of algae which may limit habitat available for macroinvertebrates that require clean substrates.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L05R_TKR01A00 / Tinker Creek / Tinker Creek mainstem from the its confluence with the Roanoke River upstream to the mouth of Carvin Creek (RU13).	5A	Benthic Macroinvertebrates Bioassessments	2010	H	5.37
VAW-L05R_TKR01B06 / Tinker Creek / Tinker Creek mainstem from the Carvin Creek mouth upstream to the confluence of Buffalo Creek (RU11).	5A	Benthic Macroinvertebrates Bioassessments	2018	H	6.51

Tinker Creek

<b>Aquatic Life</b>	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Benthic Macroinvertebrates Bioassessments - Total Impaired Size by Water Type:			11.88

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

Sources: Loss of Riparian Habitat; Municipal (Urbanized High Density Area); Non-Point Source; Residential Districts; Sediment Resuspension (Clean Sediment); Source Unknown; Urban Runoff/Storm Sewers; Wet Weather Discharges (Non-Point Source)

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L05R-02-BAC** Carvin Creek

Cause Location: Carvin Creek mainstem from just upstream of I-81 at the mouth of an unnamed tributary extending downstream to the mouth of Carvin Creek on Tinker Creek (Roanoke Quad).

Cause City/County: Roanoke County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: The Carvin Creek Bacteria Total Maximum Daily Load (TMDL) is U.S. EPA approved on 8/05/04 [Fed ID 24541] and SWCB approved on 12/02/04 (formerly VAW-L05R-02). These waters are previously 303(d) Listed in 2002 based on 1997 Special Study data. The 5.45 mile impairment remains with the 2016 and 2018 Integrated Reports (IR).

4ACRV005.10- (Hollins U. campus back parking lot) E.coli exceeds the 235 cfu/100ml instantaneous criterion in five of 12 samples (exceedance range 259-563 cfu/100ml) during the 2018 IR window. There is no additional E.coli data at this station.

4ACRV001.88- (Brookside Park off Rt. 623 Hollins) There are no additional data beyond the 2012 assessment where six of 12 escherichia coli (E.coli) samples exceed the 235 cfu/100 ml instantaneous criterion. Exceedances range from 250 to 950 cfu/100 ml.

4ACRV000.28- (Plantation Road -Rt. 115) There are no additional data since the 2010 data window. The 2010 assessment reports five of 10 escherichia coli (E.coli) samples exceed the instantaneous criterion of 235 cfu/100 ml. The range of exceedance is from 260 to 1500 cfu/100 ml. E.coli exceed the instantaneous criterion in six of 12 samples in 2008 ranging from 240 to 1500 cfu/100 ml. The 2006 Integrated Report (IR) finds E.coli exceeds the criterion in five of 10 samples ranging from 260 to 1500 cfu/100 ml.

Original 2002 Listing stations below had exceedances of the former fecal coliform instantaneous criterion of 400 cfu/100 ml. 4ACRV005.58- (Plantation Road -Rt. 115)

4ACRV001.88- (Brookside Park off Rt. 623 Hollins) 4ACRV000.28- (Plantation Road -Rt. 115)

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L05R_CRV01A00 / Carvin Creek / Carvin Creek mainstem from its confluence with Tinker Creek upstream to the mouth of Deer Branch (RU12).	4A	Escherichia coli (E. coli)	2004	L	1.83
VAW-L05R_CRV02A00 / Carvin Creek / Carvin Creek mainstem from the mouth of Deer Branch upstream to an unnamed tributary upstream of I-81 (RU12).	4A	Escherichia coli (E. coli)	2006	L	3.62

Carvin Creek

**Recreation**

Escherichia coli (E. coli) - Total Impaired Size by Water Type:

Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
		5.45

Sources: Discharges from Municipal Separate Storm Sewer Systems (MS4); Livestock (Grazing or Feeding Operations); Municipal (Urbanized High Density Area); Sanitary Sewer Overflows (Collection System Failures); Unspecified Domestic Waste; Wastes from Pets; Wildlife Other than Waterfowl

# Virginia Department of Environmental Quality

## Appendix 4 - Fact Sheets for Impaired (Category 4 or 5) Waters in 2022

---

### Roanoke and Yadkin River Basins

**Cause Group Code:** **L05R-02-BEN** **Deer Branch**

Cause Location: Deer Branch from its mouth on Carvin Creek upstream to Airport Road (Rt. 118).

Cause City/County: Roanoke County

Use(s): Aquatic Life

Causes(s)/VA Category: Benthic Macroinvertebrates Bioassessments/4A

Cause Description: The 2014 assessment reports the Deer Branch Aquatic Life Use (General Standard - Benthic) is impaired for 1.38 miles. These waters are Nested during the 2022 cycle in the Upper Roanoke River Sediment TMDL which was approved by EPA on 5/10/06. A subsequent Implementation Plan addressing sediment and bacteria was approved by EPA on 4/22/16.

4ADEE000.06 (Brookside Park, Roanoke City)- No new data since the 2018 IR window which includes six VSCI scores (2012, 2015-2016) averaging 47.2 resulting in a continued impairment for Deer Branch. This station was originally sampled to validate citizen SOS monitoring assessments but in 2016 was sampled as a targeted-stressed station for Probabilistic data collection. The average VSCI score was 47.2 indicating a benthic community that was dominated by pollution-tolerant taxa. The 2014 IR finds Bio 'IM' with two 2012 surveys score spring 45.1 and fall 61.8 for an average score of 53.4 indicating a benthic community dominated by pollution-tolerant taxa in the spring. Midges (Chironomidae) dominated the spring sample; whereas, the fall sample had a high abundance of filter-feeding caddisflies (Hydropsychidae and Philopotamidae). Suburban/commercial land cover along with major roads upstream of this station may cause periodic flooding in this stream that results in bank erosion, sediment deposition, and runoff. Riparian buffers are impacted on both banks.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L05R_DEE01A08 / Deer Branch / Deer Branch from its mouth on Carvin Creek upstream to Airport Road (Rt. 118) (RU12).	4A	Benthic Macroinvertebrates Bioassessments	2014	L	1.38

Deer Branch

#### Aquatic Life

Benthic Macroinvertebrates Bioassessments - Total Impaired Size by Water Type:

Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
		1.38

Sources: Industrial/Commercial Site Stormwater Discharge (Permitted); Loss of Riparian Habitat; Municipal (Urbanized High Density Area); Municipal Point Source Discharges; Post-development Erosion and Sedimentation; Residential Districts; Sediment Resuspension (Clean Sediment); Wet Weather Discharges (Non-Point Source)

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L05R-03-BAC** **Glade Creek**

Cause Location: Glade Creek mainstem from its headwaters (Stewartsville Quad) downstream to its confluence with Tinker Creek at river mile 0.83 (Roanoke Quad).

Cause City/County: Botetourt County; Roanoke; Roanoke County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: The fecal coliform bacteria impairment originally 303(d) Listed in 1998 for 5.97 miles and extended in 2002 (6.98 miles) now totals 12.95 miles. The Glade Creek Bacteria Total Maximum Daily Load (TMDL) is U.S. EPA approved on 8/05/04 [Fed ID 24799] and SWCB approved 12/02/04. Formerly VAW-L05R-03.

4AGLA008.10- There are no additional data beyond the 2008 IR. 2010 data find three of 10 E.coli samples exceeding the 235 cfu/100 ml instantaneous criterion. 2008 data reveal three of 12 E.coli samples exceed the WQS instantaneous criterion. Exceedances range from 250 to 550 cfu/100 ml. Three of 10 E.coli samples exceed the WQS instantaneous criterion in 2006 with the same range of exceedance as in 2008.

4AGLA004.39- There are no additional data beyond the 2008 IR. Three non-exceeding escherichia coli (E.coli) samples remain within the 2012 data window and none within the 2014 or 2016 data windows. E.coli exceeds the 235 cfu/100 ml instantaneous criterion in eight of 16 samples in 2010. Values in excess of the criterion range from 260 to 820 cfu/100 ml. 2008 results find E.coli exceeds the instantaneous criterion in 10 of 18 samples. The range of exceedance is from 240 to 820 cfu/100 ml. The 2006 Integrated Report (IR) finds E.coli exceeds the instantaneous criterion in 10 of 15 samples with the same range of exceedance as in 2008.

4AGLA000.20- There are no additional data beyond the 2010 IR. Four of 12 escherichia coli (E.coli) remaining observations exceed the 235 cfu/10 ml instantaneous criterion in 2014. Values in excess of the criterion range from 250 to 400 cfu/100 ml. The 2012 IR finds nine exceeding values from 24 remaining samples with a range of 250 to 750 cfu/100 ml in excess of the criterion. E.coli exceeds the WQS instantaneous criterion in 18 of 46 samples with exceeding values ranging from 250 to greater than 2000 cfu/100 ml in 2010. The 2008 IR finds 15 of 28 E.coli exceedances of the instantaneous criterion. Exceedance range is the same as 2010. Ten of 25 E.coli instantaneous criterion exceedances are found at this station in 2006.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L05R_GLA01A00 / Glade Creek / Glade Creek mainstem from the Glade Creek mouth on Tinker Creek upstream to the Berkley Rd. crossing (RU13).	4A	Escherichia coli (E. coli)	2006	L	1.59
VAW-L05R_GLA02A00 / Glade Creek / Glade Creek mainstem from the Berkley Rd. Crossing on upstream to the confluence of Cook Creek (RU13).	4A	Escherichia coli (E. coli)	2006	L	3.15
VAW-L05R_GLA03A00 / Glade Creek / Glade Creek mainstem from the Cook Creek mouth upstream to the confluence of Coyner Spring Branch (RU13).	4A	Escherichia coli (E. coli)	2006	L	1.23
VAW-L05R_GLA04A00 / Glade Creek / Glade Creek mainstem from the mouth of Coyner Spring Branch upstream to its headwaters (RU13).	4A	Escherichia coli (E. coli)	2006	L	6.98

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

Glade Creek

**Recreation**

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:			12.95

---

Sources: Discharges from Municipal Separate Storm Sewer Systems (MS4); Livestock (Grazing or Feeding Operations); Municipal (Urbanized High Density Area); Sanitary Sewer Overflows (Collection System Failures); Unspecified Domestic Waste; Wastes from Pets; Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code: L05R-04-BAC Lick Run**

Cause Location: The upper limit is near Shaffers Crossing rail yard and headwaters from along I-581 on downstream to the mouth of Lick Run on Tinker Creek at river mile 1.41. The 1996, 1998 and 2002 impaired waters have expanded by 5.01 miles with the 2004 Listing (Roanoke Quad).

Cause City/County: Roanoke

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: Originally 303(d) Listed in 2002 for fecal coliform (FC) bacteria. The Tinker Creek Bacteria Total Maximum Daily Load (TMDL) is U.S. EPA approved 8/05/04 [Fed ID 24540] and SWCB approved 12/02/04. The bacteria impairment remains for these 9.64 mile waters.

4ALCK002.17- (Washington Park) There are no additional data beyond the 2008 IR. One of three remaining escherichia coli (E.coli) samples exceed the instantaneous criterion at 250 cfu/100 ml in 2012. Seven of 15 E.coli samples exceed the 235 cfu/100 ml instantaneous criterion within the 2010 data window. Excessive values range from 250 to greater than 2000 cfu/100 ml. The 2008 data window reports E.coli samples exceed the WQS instantaneous criterion in nine of 18 samples. Exceeding values range from 250 to greater than 2000 cfu/100 ml. The 2006 Integrated Report (IR) reveals eight of 15 E.coli samples exceed the 235 cfu/100 ml instantaneous criterion with the same range of exceedance.

4ALCK000.38 (Norfolk Southern parking lot bridge) The 2002 original listing station found exceedances of the former FC instantaneous and geomean criteria in a Special Study conducted in 1997. E.coli excursions of the 235 cfu/100 ml instantaneous criterion within the 2010 data window are 21 of 46 E.coli samples with exceedances ranging from 280 to 3000 cfu/100 ml. There are no additional data beyond the 2010 IR. Five E.coli observations exceed from the remaining 12 samples in 2014 with values ranging from 350 to greater than 2000 cfu/100 ml. The 2012 assessment finds 10 of 24 remaining samples in excess of the instantaneous criterion. The range of exceeding values is 350 to greater than 2000 cfu/100 ml. The 2008 IR finds 19 of 38 E.coli samples in excess of the instantaneous criterion with exceedances ranging from 280 to 3000 cfu/100 ml. 2006 E.coli excursions of the instantaneous criterion are found in 13 of 25 samples with the same exceedance range as in 2008.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L05R_LCK01A00 / Lick Run / Lick Run mainstem from near Shaffer's Crossing downstream to Lick Run mouth on Tinker Creek.	4A	Escherichia coli (E. coli)	2004	L	9.65

Lick Run

**Recreation**

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:			9.65

Sources: Discharges from Municipal Separate Storm Sewer Systems (MS4); Municipal (Urbanized High Density Area); Sanitary Sewer Overflows (Collection System Failures); Unspecified Domestic Waste; Wastes from Pets; Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L05R-05-BAC** Laymantown Creek

Cause Location: Laymantown Creek mainstem from just upstream of the Rt. 657 Bridge at a small pond downstream to the mouth of Laymantown Creek on Glade Creek (Stewartsville Quad).

Cause City/County: Botetourt County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: The 2.11 mile 2002 303(d) Listed Laymantown Creek Bacteria Total Maximum Daily Load (TMDL) is U.S. EPA approved 8/05/04 [Fed ID: 24544] and SWCB approved 12/02/2004.

4ALAY000.37- (Rt. 460 Bridge - near Blue Ridge) There are no additional data beyond the 2008 IR where escherichia coli (E.coli) samples exceed the 235 cfu/100 ml WQS instantaneous criterion in two of nine samples. Exceeding values are 300 and 800 cfu/100 ml. The original 2002 fecal coliform (FC) listing is based on a Special Study conducted in 1997 where the former FC instantaneous criterion were exceeded.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L05R_LAY01A00 / Laymantown Creek / Laymantown Creek mainstem from an outlet of a small pond downstream to the Laymantown Creek mouth on Glade Creek (RU13).	4A	Escherichia coli (E. coli)	2006	L	2.12

Laymantown Creek

**Recreation**

Escherichia coli (E. coli) - Total Impaired Size by Water Type:

Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
		2.12

Sources: Livestock (Grazing or Feeding Operations); Municipal (Urbanized High Density Area); Unspecified Domestic Waste; Wastes from Pets; Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L05R-06-BAC** **Deer Branch**

Cause Location: Deer Branch from its mouth on Carvin Creek upstream to Airport Road (Rt. 118) (RU12).

Cause City/County: Roanoke County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: The 1.08 mile Deer Branch is initially 303(d) listed with the 2018 Integrated Report and Nested within the Tinker Cr. Bacteria TMDL US EPA approved 8/05/04 Fed ID 24541. SWCB approved 12/2/2004.

4ADEE000.05 (Brookside Park, Roanoke City) - The 2018 assessment cycle finds Escherichia Coli (E.Coli) excursions of the 235 cfu/100 ml instantaneous criterion in five of 13 samples during 2015 and 2016. These excursions range from 253 to 884 cfu/100 ml. There is no new data beyond the 2018 data window.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L05R_DEE01A08 / Deer Branch / Deer Branch from its mouth on Carvin Creek upstream to Airport Road (Rt. 118) (RU12).	4A	Escherichia coli (E. coli)	2018	L	1.38

Deer Branch

<b>Recreation</b>	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:			1.38

Sources: Discharges from Municipal Separate Storm Sewer Systems (MS4); Livestock (Grazing or Feeding Operations); Municipal (Urbanized High Density Area); Sanitary Sewer Overflows (Collection System Failures); Unspecified Domestic Waste; Wastes from Pets; Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L06R-01-BEN** **Back Creek**

Cause Location: Back Creek mainstem waters from ~0.1 miles downstream of the Mt. Haran Church on downstream of the Blue Ridge Parkway crossing and downstream of the Back Creek Church.

Cause City/County: Roanoke County

Use(s): Aquatic Life

Causes(s)/VA Category: Benthic Macroinvertebrates Bioassessments/5A

Cause Description: The 2014 initial 303(d) Listing finds the benthic community impaired from a total of six Virginia Stream Condition Index (VSCI) surveys conducted in 2005, 2008, 2009 and 2012. The average score is 57.8 resulting in this Listing.

4ABAA023.07 (Along Rt. 221 Roanoke County) - Initially a fall 2005 sediment discharge from a construction site prompted sampling of this site. The 2005 fall score of 61.3 and 2006 scores spring of 50.9 and fall 60.9 caused assessment decisions to be reserved due to the improvement of scores in fall 2006 and fall 2008 (70.3). Subsequent 2009 fall survey scored 52.8 and 2012 surveys scored spring 52.5 and fall 2012 at 64.9. The abundance of macroinvertebrates that feed by scraping algae and periphyton (%Scrapers) has always been low indicating a lack of clean substrate or often scoured substrates. The 2008, 2009, and 2012 habitat surveys find sand and fine sediment impact the stream substrate. This would indicate continued sources of fines beyond the initial 2005 release. The 2018 data window finds full support of the Aquatic Life Use standard from six VSCI surveys averaging 62.1 (2012, 2015-2016). Bio 'FS' from 8 VSCI scores avg 62 (2015-17, 2019). This station was sampled to determine the impact from an illegal discharge of sediment laden water from a holding pond at a construction site in fall 2005. An upstream station (4ABAA023.29) was used as a control site during earlier surveys. While this station is showing signs of recovery, the impairment remains while additional data is collected at this station and 4ABAA017.14.

Anecdotal biomonitoring data is presented from 4ABAA017.14 (Rt. 613 near Merriman Soccer Complex) which was subsequently identified as impaired for benthic macroinvertebrate communities. Bio 'IM' from 8 VSCI scores avg 59 (2015-17, 2019) during the 2022 cycle. This station was surveyed to determine the potential impact to the benthic community after upstream sections were found to be impaired during the 2016 assessment cycle. Additional data will be collected to evaluate biological condition.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L06R_BAA04A00 / Back Creek / Back Creek mainstem waters from the confluence of an unnamed tributary (XVE) on downstream of the Blue Ridge Parkway crossing and Back Creek Church (RU15).	5A	Benthic Macroinvertebrates Bioassessments	2014	L	5.12
VAW-L06R_BAA04B14 / Back Creek / Back Creek mainstem waters from the mouth of Little Back Creek on downstream to the confluence of an unnamed tributary to Back Creek (XVE) (RU15).	5A	Benthic Macroinvertebrates Bioassessments	2014	L	1.26
VAW-L06R_BAA05A08 / Back Creek / Back Creek from ~0.1 miles downstream of the Mt. Haran Church on downstream to the mouth of Little Back Creek (RU15).	5A	Benthic Macroinvertebrates Bioassessments	2014	L	0.57

Back Creek

**Aquatic Life**

Benthic Macroinvertebrates Bioassessments - Total Impaired Size by Water Type:

Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
		6.95

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

Sources: Municipal (Urbanized High Density Area); Non-Point Source; Residential Districts; Site Clearance (Land Development or Redevelopment); Wet Weather Discharges (Non-Point Source)

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L06R-02-BAC** **Back Creek**

Cause Location: Back Creek mainstem waters from ~0.1 miles downstream of the Mt. Haran Church downstream to the confluence of an unnamed tributary to Back Creek (XVE) (RU15).

Cause City/County: Roanoke County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: The 2020 data window finds Recreational Use impairment and 303(d) lists the upper section of Back Creek. These waters are Nested in the Roanoke River Bacteria Total Maximum Daily Load (TMDL) which was U.S. EPA approved on 8/02/06 [Fed ID 24538] and SWCB approved on 9/07/06.

4ABAA023.07 (Below Old Mill Plantation) - The 2020 data window finds three excursions of the 235 cfu/100 ml instantaneous criterion from twelve total samples. There are no additional data within the 2022 data window.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L06R_BAA04B14 / Back Creek / Back Creek mainstem waters from the mouth of Little Back Creek on downstream to the confluence of an unnamed tributary to Back Creek (XVE) (RU15).	4A	Escherichia coli (E. coli)	2020	L	1.26
VAW-L06R_BAA05A08 / Back Creek / Back Creek from ~0.1 miles downstream of the Mt. Haran Church on downstream to the mouth of Little Back Creek (RU15).	4A	Escherichia coli (E. coli)	2020	L	0.57

Back Creek

<b>Recreation</b>	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:			1.83

Sources: Discharges from Municipal Separate Storm Sewer Systems (MS4); Livestock (Grazing or Feeding Operations); Municipal (Urbanized High Density Area); On-site Treatment Systems (Septic Systems and Similar Decentralized Systems); Sanitary Sewer Overflows (Collection System Failures); Wet Weather Discharges (Non-Point Source); Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** L07L-01-PH **Beaverdam Reservoir**

Cause Location: Beaverdam Reservoir, Bedford County

Cause City/County: Bedford County

Use(s): Aquatic Life

Causes(s)/VA Category: pH/5C

Cause Description: Beaverdam Creek Reservoir located in Bedford County is owned by the Western Virginia Water Authority. The reservoir is fenced and public access is not permitted. There are no known sources other than from the natural landscape.

4AXKD0003.34 (100 ft. from Dam) There are no additional data within the 2014 data window. The reservoir 2012 data window reports 5 of 36 pH measurements in excess of the Class IV pH acidity criterion of 6.0. Four values in excess of the criterion are at 5.7 and one at 5.8 during one sampling event on 4/22/2010 from a total of 13 sampling events in 2005 and 2010.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L07L_XKD01A02 / Beaverdam Reservoir (XKD) / Beaverdam Reservoir from its impounding structure upstream to its backwaters.	5C	pH	2012	L	66.93

Beaverdam Reservoir

<b>Aquatic Life</b>	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
pH - Total Impaired Size by Water Type:		66.93	

Sources: Natural Conditions - Water Quality Standards Use Attainability Analyses Needed

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L07L-02-BAC** **Smith Mtn. Lake (Lynville Creek)**

Cause Location: Lynville Creek from its confluence on the Roanoke River upstream to its backwaters.

Cause City/County: Franklin County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: The initial 2020 303(d) Listing of these waters is a result of escherichia coli (E.coli) excursions of the 235 cfu/100 ml instantaneous criterion in six of 12 samples. Excursions range from 272 to 5794 cfu/100ml.

2022: E.coli- Impaired - 2 or more STV exceedances in the same 90 day period with <10 samples.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L07L_LVL01A10 / Smith Mtn. Lake (Lynville Creek) / Lynville Creek from its confluence on the Roanoke River upstream to its backwaters.	4A	Escherichia coli (E. coli)	2020	L	76.75

Smith Mtn. Lake (Lynville Creek)

<b>Recreation</b>	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:		76.75	

Sources: Agriculture; On-site Treatment Systems (Septic Systems and Similar Decentralized Systems); Urban Runoff/Storm Sewers

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L07L-03-BAC** **Smith Mtn. Lake (Roanoke River)**

Cause Location: Roanoke River from ~ 3/4 miles upstream of the Hardy Road Bridge downstream to the confluence of Falling Creek.

Cause City/County: Bedford County; Franklin County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: The initial 2020 303(d) Listing of these waters is a result of escherichia coli (E.coli) excursions of the 235 cfu/100 ml instantaneous criterion in seven of 40 samples. Excursions range from 300-8,164 cfu/100ml

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L07L_ROA04A10 / Smith Mtn. Lake (Roanoke River) / Roanoke River from ~ 3/4 miles upstream of the Hardy Road Bridge downstream to the confluence of Falling Creek.	4A	Escherichia coli (E. coli)	2010	L	184.71

Smith Mtn. Lake (Roanoke River)

**Recreation**

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:		184.71	

Sources: Agriculture; On-site Treatment Systems (Septic Systems and Similar Decentralized Systems); Urban Runoff/Storm Sewers

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code: L07R-01-BAC Beaverdam Creek**

Cause Location: Beaverdam Creek mainstem waters from the WQS designated public water supply (PWS) section, eg. 5 miles above the 795 ft. pool elevation of Smith Mtn. Lake on downstream to the inundation of Beaverdam Creek's waters at Smith Mountain Lake at River Mile 2.78 (Stewartsville, Irving, Goodview and Hardy Quads).

Cause City/County: Bedford County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: Beaverdam Creek Bacteria TMDL Load Duration is U.S. EPA approved 7/07/2006 [Fed ID 17733] and SWCB approved 6/27/2007. The 1999 Federal Consent Decree includes 4ABDA003.63 as an Attachment B station for fecal coliform bacteria- 303(d) Listed 2002. The 4.98 bacteria impairment remains.

4ABDA003.63- (Off Rt. 757) There are no additional data beyond the 2014 IR where 13 of 35 escherichia coli (E.coli) samples exceed the 235 cfu/100 ml instantaneous criterion. The range of excessive values is from 250 to 1275 cfu/100 ml. E.coli data remaining within the 2016 data window are eight of 23 observations and the same range of exceedance. The 2012 assessment reports E.coli exceeds the 235 cfu/100 ml instantaneous criterion in 15 of 36 samples. Exceeding observations range from 250 cfu/100 ml to greater than 2000. E.coli exceeds the 235 cfu/100 ml instantaneous criterion in 25 of 45 samples within the 2010 data window. Exceeding observations range from 300 to greater than 2000 cfu/100 ml. 2008 E.coli data exceeds the instantaneous criterion in 20 of 33 samples and the same range of exceedance as 2010. The 2006 Integrated Report (IR) reveals exceedances of the instantaneous criterion in 14 of 21 samples. Exceeding observations range from 300 to 1800 cfu/100 ml.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L07R_BDA01A00 / Beaverdam Creek / Beaverdam Creek mainstem waters from the WQS designated public water supply (PWS) section 6i, eg. 5 miles above the 795 ft. pool elevation of Smith Mtn. Lake on downstream to the inundation of Beaverdam Creek's waters at Smith Mtn. Lake (RU17).	4A	Escherichia coli (E. coli)	2006	L	4.99

Beaverdam Creek

<b>Recreation</b>	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
	Escherichia coli (E. coli) - Total Impaired Size by Water Type: 4.99		

Sources: Livestock (Grazing or Feeding Operations); Municipal (Urbanized High Density Area); On-site Treatment Systems (Septic Systems and Similar Decentralized Systems); Unspecified Domestic Waste; Wastes from Pets; Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L07R-01-BEN** **Beaverdam Creek**

Cause Location: Beaverdam Creek mainstem waters from the 795 ft. pool elevation of Smith Mtn. Lake on upstream to its headwaters (Stewartsville, Irving, Goodview and Hardy Quads).

Cause City/County: Bedford County

Use(s): Aquatic Life

Causes(s)/VA Category: Benthic Macroinvertebrates Bioassessments/5A

Cause Description: 2010 Virginia Stream Condition Index (VSCI) surveys find the Aquatic Life Use is impaired for 10.33 miles. There are no additional data beyond the 2010 Integrated Report (IR).

4ABDA006.72 (Rt. 24 Crossing)- Two 2008 Virginia Stream Condition Index (VSCI) surveys with an average score of 45.0 find the benthic community impaired. This watershed is influenced by agricultural land use with open pastures including some with no riparian vegetation. Habitat scores show this stream reach is impacted by sediment deposition and a poor riparian buffer.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L07R_BDA01A00 / Beaverdam Creek / Beaverdam Creek mainstem waters from the WQS designated public water supply (PWS) section 6i, eg. 5 miles above the 795 ft. pool elevation of Smith Mtn. Lake on downstream to the inundation of Beaverdam Creek's waters at Smith Mtn. Lake (RU17).	5A	Benthic Macroinvertebrates Bioassessments	2010	H	4.99
VAW-L07R_BDA02A00 / Beaverdam Creek / Beaverdam Creek mainstem from its headwaters downstream to the WQS designated public water supply (PWS) ending section 6i, eg. 5 miles above the Smith Mtn. Lake 795 ft. pool elevation (RU17).	5A	Benthic Macroinvertebrates Bioassessments	2010	H	5.36

Beaverdam Creek

**Aquatic Life**

Benthic Macroinvertebrates Bioassessments - Total Impaired Size by Water Type:

Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
		10.35

Sources: Agriculture; Loss of Riparian Habitat; Residential Districts; Rural (Residential Areas); Wet Weather Discharges (Non-Point Source)

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L07R-02-BAC** Merriman Run, UT (XUO)

Cause Location: Merriman Run, UT (XUO) mainstem from the backwaters of Smith Mtn. Lake upstream to its headwaters; public water supply (PWS) section 6i, eg. within 5 miles of 795 ft. Smith Mtn. Lake pool elevation (RU19).

Cause City/County: Bedford County; Franklin County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/5A

Cause Description: The Recreational Use is 303(d) listed based on E.coli samples collected during the 2020 data window.

4AXUO000.49 (Free flowing to Smith Mtn. Lake backwaters) shows nine of 12 E.coli samples in exceedance of the 235 cfu/100 ml instantaneous criterion during the 2020 data window. E.coli impairment carries during the 2022 cycle due to new E.coli WQS finding one Statistical Threshold Value (STV) exceedance in one or multiple 90-day periods but insufficient data to analyze geomean.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L07R_XUO01A06 / Merriman Run, UT (XUO) / Merriman Run, UT (XUO) mainstem from the backwaters of Smith Mtn. Lake upstream to its headwaters; public water supply (PWS) section 6i, eg. within 5 miles of 795 ft. Smith Mtn. Lake pool elevation (RU19).	5A	Escherichia coli (E. coli)	2020	L	0.89

Merriman Run, UT (XUO)

<b>Recreation</b>	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:			0.89

Sources: Livestock (Grazing or Feeding Operations); Unspecified Domestic Waste; Wastes from Pets; Wet Weather Discharges (Non-Point Source); Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L07R-04-BEN** Lynville Creek

Cause Location: Lynville Creek mainstem from the backwaters of Smith Mtn. Lake (pool elevation 795 ft.) within the WQS designated public water supply (PWS) section 6i, eg. within 5 miles of Smith Mtn. Lake pool elevation (RU16).

Cause City/County: Franklin County

Use(s): Aquatic Life

Causes(s)/VA Category: Benthic Macroinvertebrates Bioassessments/5A

Cause Description: The 2020 303(d) listing of the Aquatic Life Use on Lynville Creek is a result of benthic macroinvertebrate community samples collected during 2017 and 2018 as a follow-up to Virginia Save-Our-Streams citizen monitoring.

4ALVL003.26- Bio 'IM' from four 2017-18 VSCI scores averaging 52.5. This station was surveyed to collect information to follow-up Save-our-Stream (SOS) volunteer monitoring. This site is in a watershed that has agricultural land cover. Habitat scores indicated excessive sediment deposition and eroded banks in the immediate stream reach.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L07R_LVL01A02 / Lynville Creek / Lynville Creek mainstem from the backwaters of Smith Mtn. Lake (pool elevation 795 ft.) within the WQS designated public water supply (PWS) section 6i, eg. within 5 miles of Smith Mtn. Lake pool elevation (RU16).	5A	Benthic Macroinvertebrates Bioassessments	2020	L	4.85

Lynville Creek

**Aquatic Life**

Benthic Macroinvertebrates Bioassessments - Total Impaired Size by Water Type:

Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
		4.85

Sources: Clean Sediments; Loss of Riparian Habitat; Non-Point Source

# Virginia Department of Environmental Quality

## Appendix 4 - Fact Sheets for Impaired (Category 4 or 5) Waters in 2022

---

### Roanoke and Yadkin River Basins

**Cause Group Code:** L08R-01-BAC Green Creek

Cause Location: Green Creek mainstem from its perennial headwaters downstream to the community of Algoma where the South Fork of the Blackwater River begins (Callaway Quad).

Cause City/County: Franklin County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: The Green Creek 4.09 mile bacteria impairment is a 2004 303(d) Listing due to fecal coliform (FC) exceedances (formerly VAW-L08R-01). The Bacteria Total Maximum Daily Load (TMDL) for the South Fork Blackwater River is U.S. EPA approved 02/02/01 [Fed IDs: 1886 / 7791 / 21330 / 24549] and SWCB approved 6/17/04. The SWCB approved the Bacteria Implementation Plan on 6/17/04.

The Upper Blackwater River Bacteria Implementation Plan (IP) received SWCB approval on 6/17/2004. Green Creek is tributary to the South Fork and is included in the TMDL Watershed and allocations. The TMDL identified Wildlife as a major source based on Bacteria Source Tracking (BST). The Bacteria IP encompasses the Upper Blackwater River (L08R), the North and South Forks, Little and Teels Creeks.

4AGCR000.01- (Rt. 739 Bridge at Algoma) There are no additional data beyond the 2012 data window. Six of 33 escherichia coli (E.coli) samples are in excess of the 235 cfu/100 ml instantaneous criterion ranging from 250 to 480 cfu/100 ml for 2012. Data remaining within the 2016 data window are one of 12 and 2014 three of 24 measurements. The 2010 assessment finds five of 21 E.coli samples in excess of the instantaneous criterion ranging from 280 to 480 cfu/100 ml. 2008 results are three of nine E.coli samples in excess of the instantaneous criterion ranging from 280 to 300 cfu/100 ml.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L08R_GCR01A00 / Green Creek / Green Creek mainstem from its perennial headwaters downstream to the community of Algoma where the South Fork Blackwater River begins (RU21).	4A	Escherichia coli (E. coli)	2008	L	4.1

Green Creek

#### Recreation

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:			4.1

Sources: Livestock (Grazing or Feeding Operations); On-site Treatment Systems (Septic Systems and Similar Decentralized Systems); Unspecified Domestic Waste; Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L08R-01-TEMP** **Green Creek**

Cause Location: Green Creek mainstem from its perennial headwaters downstream to the community of Algoma where the South Fork of the Blackwater River begins.

Cause City/County: Franklin County

Use(s): Aquatic Life

Causes(s)/VA Category: Temperature/5C

Cause Description: The 4.09 mile temperature impairment returns with the 2012 assessment. The 2010 IR de-listed the temperature impairment.

4AGCR000.01- (Rt. 739 Bridge at Algoma) The 2020 and 2018 data windows report no exceedances of the temperature Class VI 20°C criterion from two samples taken in 2015. Impairment remains due to the small sample size (n=2). Prior to 2018, there were no additional data beyond the 2012 IR. The 2012 assessment finds four of 33 temperature measurements exceed the Class VI 20°C criterion for an exceedance rate of 12%. The exceeding values occur in the summer months with an exceedance range from 21.6°C to 22.6°C. Data remaining within the 2016 data window are two of 12 measurements exceed and within the 2014 data window two of 24. The waters were initially Listed in 2002 with two of 17 temperature measurements exceeding the Class VI 20°C criterion.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L08R_GCR01A00 / Green Creek / Green Creek mainstem from its perennial headwaters downstream to the community of Algoma where the South Fork Blackwater River begins (RU21).	5C	Temperature	2012	L	4.1

Green Creek

<b>Aquatic Life</b>	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Temperature - Total Impaired Size by Water Type:			4.1

Sources: Source Unknown

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code: L08R-02-BAC Blackwater River, South Fork**

Cause Location: South Fork Blackwater waters from the Rt. 739 Bridge in Algoma, Va. (Callaway Quad) on downstream just west of the Rt. 641 Bridge where the North and South Forks join forming the Blackwater River.

Cause City/County: Franklin County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: The South Fork Blackwater River Bacteria Total Maximum Daily Load (TMDL) is U.S. EPA approved 2/02/01 [Fed. IDs: 1886/7791/21330/24549] and SWCB approved 6/17/04. The Bacteria Implementation Plan (IP) is SWCB approved 6/17/04. The waters are originally 303(d) Listed in 1996 for fecal coliform bacteria (FC) for 6.21 miles. The Upper Blackwater River Bacteria Implementation Plan is complete as of 8/23/01 with SWCB approval on 6/17/04. The TMDL Study identified Wildlife as a major source based on TMDL Bacteria Source Tracking (BST). The Bacteria Implementation Plan encompasses the Upper Blackwater River (L08R), the North and South Forks, Little and Teels Creeks. The South Fork Blackwater River 1996 303(d) Listed impairment is originally based on a 319 funded special study (SS 925102) data and ambient fecal coliform bacteria sample collections. Abundant fecal coliform bacteria counts failed to support the recreational use by exceedances of both the former fecal coliform (FC) geometric mean (200 cfu/100 ml & 2 samples 30 day) and former (2002) instantaneous criterion of 1000 cfu/100 ml. Escherichia coli (E.coli) now replaces FC as the bacteria indicator in the Blackwater River drainage as per Water Quality Standards [9 VAC 25-260-170. Bacteria; other waters]. The 6.21 mile bacteria impairment remains.

4ABSF001.15- (Rt. 641 Bridge east of Callaway) - The 2022 data window applies the new E.coli criterion which confirms impairment due to geomean exceedance in any 90-day period. The 2020 and 2018 IR windows find 25 of 36 and 27 of 36 E.coli samples in exceedance of the 235 cfu/100 ml instantaneous criterion, respectively. The range of exceedances spans 262 to 6867 cfu/100 ml. 2016 excessive E.coli values range from 250 to 2489 cfu/100 ml in 28 of 36 samples. Twenty-nine of 36 E.coli samples exceed the 235 cfu/100 ml instantaneous criterion within the 2012 and 2014 data windows. 2010 E.coli results find 25 of 33 samples exceeding the instantaneous criterion where excessive values range from 280 cfu/100 ml to greater than 2000. 2008 E.coli samples exceed the instantaneous criterion in 19 of 27 samples. Twenty of 26 samples exceed the instantaneous criterion in 2006 ranging from 250 to greater than 2000 cfu/100 ml.

4ADRU002.43 (Rt. 642 Bridge) - The 2018 data window finds two of 12 E.coli samples exceed the instantaneous 235 cfu/100 ml criterion at 272 and 298 cfu/100 ml.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L08R_BSF01A00 / S.F. Blackwater River / South Fork Blackwater River mainstem from the Callaway Community downstream to the South Fork's confluence with the North Fork Blackwater River (RU21).	4A	Escherichia coli (E. coli)	2004	L	2.27
VAW-L08R_BSF02A00 / S.F. Blackwater River / South Fork Blackwater River mainstem from Algoma, Green Creek mouth, downstream to the Callaway community (RU21).	4A	Escherichia coli (E. coli)	2004	L	3.95
VAW-L08R_DRU01A16 / Daniel's Run / Daniel's Run from its confluence with the South Fork Blackwater River upstream to an Unnamed Tributary (37 00'21.4" / 80 05'43.7") (RU21).	4A	Escherichia coli (E. coli)	2018	L	3.23

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

Blackwater River, South Fork

**Recreation**

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:			9.45

---

Sources: Livestock (Grazing or Feeding Operations); On-site Treatment Systems (Septic Systems and Similar Decentralized Systems); Unspecified Domestic Waste; Wildlife Other than Waterfowl

# Virginia Department of Environmental Quality

## Appendix 4 - Fact Sheets for Impaired (Category 4 or 5) Waters in 2022

---

### Roanoke and Yadkin River Basins

**Cause Group Code: L08R-03-BAC Blackwater River, North Fork**

Cause Location: North Fork Blackwater River headwaters (~12.25 mi. upstream) on the Bent Mt. Quad on downstream to its confluence with the South Fork Blackwater River forming the Blackwater River (Callaway Quad).

Cause City/County: Franklin County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: The North Fork of the Blackwater River Bacteria Total Maximum Daily Load (TMDL) is U.S. EPA approved on 3/09/2001 [Fed. IDs: 7790 & 20479] and SWCB approved on 6/17/04. The Upper Blackwater River Bacteria Implementation Plan (IP) is complete (8/23/01) receiving SWCB approval on 6/17/2004. The TMDL Study identified Wildlife as a major source based on TMDL Bacteria Source Tracking (BST). The Upper Blackwater River Bacteria Implementation Plan encompasses the Upper Blackwater River (L08R), the North and South Forks, Little and Teels Creeks. The entirety of the approved TMDL Study allocations and Implementation Plans can be viewed at <http://www.deq.virginia.gov>.

The 12.44 mile North Fork Blackwater River bacteria impairment initially 303(d) Listed in 1996 is based on a 319 funded special study (SS 925102) data and ambient fecal coliform (FC) bacteria sample collections. Abundant fecal coliform bacteria counts failed to support the Recreational Use by exceedances of both the former fecal coliform (FC) geometric mean (200 cfu/100 ml & 2 samples/month) and former (2002) instantaneous criterion of 1000 cfu/100 ml. Escherichia coli (E.coli) replaces fecal coliform as the bacteria indicator as per Water Quality Standards [9 VAC 25-260-170. Bacteria; other waters].

4ABNR004.56- (Rt. 742 Bridge near Dillions Mill) There are no additional E.coli data beyond the 2010 IR where E.coli exceed the 235 cfu/100 ml instantaneous criterion in four of 15 observations. In both 2008 and 2006 two of six E.coli observations exceed the instantaneous criterion.

4ABNR000.40- (Rt. 740 Bridge S.W. of Retreat) The 2022 data window applies the new E.coli criterion and confirms Recreational Use impairment due to geomean exceedance in any 90-day period. E.coli excursions of the 235 cfu/100ml instantaneous criterion were found in 16 of 34 samples during the 2020 and 2018 Integrated Reporting windows, respectively. The 2016 E.coli range of exceeding values are from 250 to greater than 2000 in 23 of 36 and 16 of 34 observations. E.coli exceed the 235 cfu/100 ml instantaneous criterion in 17 of 34 samples in 2014 and 23 of 36 samples in 2012. E.coli exceed the instantaneous criterion in 21 of 36 samples within the 2010 data window. Exceeding values have the same range as 2012,2014 and 2016. 2008 data find E.coli exceeds the instantaneous criterion in 20 of 33 samples also ranging from 250 cfu/100 ml to greater than 2000. The 2006 Integrated Report (IR) finds E.coli exceeds in 19 of 32 samples.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L08R_BNR01A00 / N.F. Blackwater River / North Fork Blackwater River mainstem from the Dillions Mill community downstream to the North Fork's confluence with the South Fork on the Blackwater River (RU20).	4A	Escherichia coli (E. coli)	2004	L	3.22
VAW-L08R_BNR02A00 / N.F. Blackwater River / North Fork Blackwater River mainstem headwaters downstream to the Dillions Mill Community (RU20).	4A	Escherichia coli (E. coli)	2006	L	9.24

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

Blackwater River, North Fork

**Recreation**

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:			12.46

---

Sources: Livestock (Grazing or Feeding Operations); On-site Treatment Systems (Septic Systems and Similar Decentralized Systems); Unspecified Domestic Waste; Wildlife Other than Waterfowl

# Virginia Department of Environmental Quality

## Appendix 4 - Fact Sheets for Impaired (Category 4 or 5) Waters in 2022

---

### Roanoke and Yadkin River Basins

**Cause Group Code:** **L08R-03-BEN** **Blackwater River, North Fork**

Cause Location: North Fork Blackwater River mainstem from the Dillions Mill community downstream to the North Fork's confluence with the South Fork on the Blackwater River.

Cause City/County: Franklin County

Use(s): Aquatic Life

Causes(s)/VA Category: Benthic Macroinvertebrates Bioassessments/4A

Cause Description: North Fork Blackwater River General Standard Benthic Total Maximum Daily Load (TMDL) is U.S. EPA approved 4/26/04 [Fed ID 24548 Phosphorus & 24550 Sediment] and SWCB approved 8/31/04. Originally 303(d) listed in 1996 the 3.21 mile benthic impairment remains.

4ABNR001.53 (Rt. 738 Bridge) Bio 'FS' from four VSCI scores avg 64 (2018-19) during the 2022 data window. The 2020 data window finds Bio 'FS' based on one spring 2018 VSCI score of 60.4. The 2018 IR window finds Bio 'IM' from two 2011 Virginia Stream Condition Index (VSCI) scores: Spring 42.3 and Fall 60.0 (average VSCI = 51.2). Four 2010-2011 Virginia Stream Condition Index (VSCI) surveys report an average score of 55.40 for 2014 and 2016. The average score within the 2012 data window is 50.48. The instream habitat (substrate) at this site has been impacted by fine sediment. The riparian zone vegetation is in the marginal to poor categories.

Previous to the 2012 Integrated Report (IR) there were no additional data beyond the 2008 IR where two VSCI surveys (2001 - 2002 all Spring) score an average of 52.8. This site was first surveyed on 7/26/00 as part of benthic TMDL special study in the Blackwater River Watershed. It was sampled in spring 2001 and 2002 along with the other impact sites in the North Fork of the Blackwater River. The benthic community was dominated by several pollution tolerant organisms including midge fly larvae (Chironomidae) which are tolerant of sediment and low dissolved oxygen. The 1999-2001 drought impacted the ecoregion reference stations at Green Creek and Pigg River resulting in a decrease in the benthic community scores. However, the historically impaired stations in the North Fork and the Blackwater did not appear to decrease with the reference site. Instead, some metrics (%Chironomidae, %Ephemeroptera) improved. It appears that less runoff from adjacent fields and pastures may have helped improve the benthic community scores during the drought.

4ABNR000.40- (Rt. 740 Bridge) Bio 'IM' Five (2009-2011) VSCI surveys with an average score of 47.1 remain within the 2016 data window. Six (2007-2012) VSCI surveys scored an average of 49.5 within the 2014 data window. Six (2006-2010) VSCI surveys conducted within the 2012 data window produced an average score of 53.69. The 2010 IR reports an average VSCI score of 53.69 as well. Each cycle resulting in an impaired condition. Instream habitat (substrate) has been impacted by fine sediment. Riparian zone vegetation has been removed and stream banks eroded due to unrestricted cattle access to the stream. This region was affected by several drought years in earlier assessments. Less runoff of non-point source pollution during the low rainfall periods potentially resulted in an improvement in the benthic community. Additionally, recent installation of agricultural best management practices in the watershed may have improved water quality. The 2007 fall samples were replicate samples. The average score of the replicate samples was 61.53. This indicates an improvement from the Fall of 2006 survey. The 2008 IR reported four VSCI surveys (2001/2002-Spring & 2006). The average VSCI score was 47.4.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L08R_BNR01A00 / N.F. Blackwater River / North Fork Blackwater River mainstem from the Dillions Mill community downstream to the North Fork's confluence with the South Fork on the Blackwater River (RU20).	4A	Benthic Macroinvertebrates Bioassessments	1996	L	3.22

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

Blackwater River, North Fork

<b>Aquatic Life</b>	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Benthic Macroinvertebrates Bioassessments - Total Impaired Size by Water Type:			3.22

---

Sources: Livestock (Grazing or Feeding Operations); Loss of Riparian Habitat; Sediment Resuspension (Clean Sediment); Streambank Modifications/Destabilization

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code: L08R-04-BAC Blackwater River (Upper)**

Cause Location: Blackwater River from the confluence of the North and South Forks of the Blackwater River (Callaway Quad) on downstream to the Rt. 122 bridge crossing.

Cause City/County: Franklin County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: The Bacteria TMDL Studies and allocations are complete for the Upper, Middle and Lower Blackwater R drainages. These studies incorporate tributary streams that lie within the boundaries of watershed VAW-L08R and a portion of L10R. This fact sheet addresses the Upper and Middle Blackwater R drainages. Bacteria TMDL approval (EPA) 3/9/01 for the Upper Blackwater R [Fed. ID 1887 / 9634], the Middle Blackwater 12/4/01 [Fed. IDs: 1887 / 1889 / 9633] and the Lower Blackwater R 4/27/01 [Fed. ID 1888]. Each of the aforementioned TMDLs were approved by the SWCB 6/17/04. The studies were formerly coded: Upper Blackwater R - VAW-L08R-01-Green Cr and VAW-L08R-04-Blackwater. Middle Blackwater - VAW-L08R-04 - Blackwater, VAW-L08R-05 - Little Cr, VAW-L08R-06 - Teels Cr). Lower Blackwater R - VAW-L08R-04 ° Blackwater.

The Upper Blackwater R Bacteria IP covering Upper and Middle Blackwater R TMDLs is complete (8/23/01) and SWCB approved 6/17/04. The Lower Blackwater R Bacteria IP is complete and SWCB approved 9/27/06. The Upper Blackwater R Bacteria IP encompasses the Upper Blackwater R drainage (L08R) to include the North and South Forks, Little and Teels Cr. The Lower Blackwater R Bacteria IP encompasses the lower Blackwater River (L10R) including the backwaters of Smith Mtn. Lake (L10L), Maggodee (L09R) and Gills Cr (L11R).

Blackwater R: The Blackwater R impairment is originally based on a 319 funded special study (SS 925102) and ambient fecal coliform (FC) bacteria sample collections. Initially 303(d) Listed in 1996, found abundant FC counts failed to support recreational use by exceedances of the former FC geomean (200 cfu/100 ml & 2 samples/mo) and former (2002) inst criterion of 1000 cfu/100 ml. Below addresses 28.27 mi of the Blackwater R mainstem bacteria impairment that totals 39.48 mi (See L10R-01-BAC Fact Sheet for the remainder). Escherichia coli (E.coli) replaced FC as the indicator bacteria per [9 VAC 25-260-170. Bacteria; other waters].

Upper Blackwater R. (15.71 miles): 4ABWR061.20- (Rt. 641 Br) 2022: New E.coli WQS confirms impairment due to geomean exceedance in any 90-day period. 2020: 24/36. 2018: 21/36. 2016: 22/35. 2014: 24/36. 2012: 26/35. 2010: 2/35. 2008: 20/31. 2006: 13/18. 4ABWR054.81- (Rt. 734 Br) 2022: New E.coli WQS confirms impairment based on 2 or more Statistical Threshold Value (STV) hits in the same 90-day period with < 10 samples. 2020: 24/36. 2018 & 2016: 19/36. 2014: 18/36. 2012: 14/24. 2010 & 2008: 6/9. 2006: 14/20.

Middle Blackwater R (12.56 miles): 4ABWR045.80- (Rt. 812 Bridge) New E.coli WQS confirms impairment due to geomean exceedance in any 90-day period. 2020: 22/35. 2018: 16/35. 2014: 19/35. 2012: 20/35. 2010: 20/36. 2008: 15/33. 2006: 15/32. 4ABWR032.32- (Rt. 122 Br at gaging station) No additional data beyond the 2006 IR. This station will no longer be sampled due to safety concerns. 2006 IR reports E.coli exceed the 235 cfu/100 ml instantaneous criterion in 6/21. E.coli samples within the 2008 data window find one of 10 in excess of the instantaneous criterion.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L08R_BWR01B06 / Blackwater River / Blackwater River mainstem from downstream of the Rt. 921 Bridge ~ 1.3 miles at the confluence of an unnamed tributary downstream to the Rt. 122 Bridge (RU22).	4A	Escherichia coli (E. coli)	2004	L	2.97

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

(continued)

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L08R_BWR02A00 / Blackwater River / Blackwater River mainstem from the Town of Rocky Mount's water intake on the Blackwater River on downstream of the Rt. 921 Bridge approximately 1.3 miles at the confluence of an unnamed tributary (RU22).	4A	Escherichia coli (E. coli)	2004	L	4.59
VAW-L08R_BWR03A00 / Blackwater River / Blackwater River mainstem from the WQS designated public water supply (PWS) section 6f ending approximately 2 miles upstream of Little Creek's mouth on the Blackwater downstream to the Town of Rocky Mount's water intake on the Blackwater River (RU22).	4A	Escherichia coli (E. coli)	2004	L	5.01
VAW-L08R_BWR04A00 / Blackwater River / Blackwater River mainstem from the mouth of Maple Branch (37°01'14" / 79°58'42") downstream to the WQS PWS section 6f ending approximately 2 miles upstream of Little Creek's mouth on the Blackwater River (37°02'25" / 79°54'51") (RU22).	4A	Escherichia coli (E. coli)	2004	L	10.10
VAW-L08R_BWR05A00 / Blackwater River / Blackwater River mainstem from the confluence of the North and South Forks of the Blackwater downstream to the mouth of Maple Branch (37°01'14" / 79°58'42") (RU22).	4A	Escherichia coli (E. coli)	2004	L	5.61

Blackwater River (Upper)

**Recreation**

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:			28.28

Sources: Livestock (Grazing or Feeding Operations); On-site Treatment Systems (Septic Systems and Similar Decentralized Systems); Unspecified Domestic Waste; Wildlife Other than Waterfowl

# Virginia Department of Environmental Quality

## Appendix 4 - Fact Sheets for Impaired (Category 4 or 5) Waters in 2022

---

### Roanoke and Yadkin River Basins

**Cause Group Code:** **L08R-04-BEN** **Blackwater River**

Cause Location: Blackwater River from the confluence of the North and South Forks of the Blackwater downstream to the mouth of Maple Branch (37°01'14" / 79°58'42").

Cause City/County: Franklin County

Use(s): Aquatic Life

Causes(s)/VA Category: Benthic Macroinvertebrates Bioassessments/4A

Cause Description: The Upper Blackwater River General Standard Benthic Total Maximum Daily Load (TMDL) is U.S. EPA approved on 4/26/04 [Phosphorus Fed ID 7789 & Sediment Fed ID 23397] and SWCB approved on 8/31/04 (formerly VAW-L08R-04).

The original 1996 General Standard benthic impairment was based on Green Creek (Blue Ridge) as a reference site. The reference site for the Blackwater River mainstem stations is now in the Pigg River drainage (transitional Blue Ridge to Piedmont). The Pigg River reference site is believed to more closely reflect conditions in the Blackwater River mainstem.

The original 1996 303(d) Listed benthic impaired waters extended from the confluence of the North and South Forks of the Blackwater River on downstream of the Rt. 921 Bridge approximately 1.3 miles at the confluence of an unnamed tributary (25.24 miles). The impaired waters were shortened with the 2004 Integrated Report partial delisting based on improved conditions at downstream stations 4ABWR049.73 and 4ABWR045.80 through the former Rapid Bioassessment Protocol II (RBP II Method) benthic surveys. The US Environmental Protection Agency approved the partial delisting on 1/27/04. The General Standard (Benthic) impairment is now spans 5.61 miles- Category 4A.

Station 4ABWR061.20 (Rt. 641 Bridge) Bio 'IM' from four VSCI scores (2018-19) avg 54 during the 2022 data window. The 2020 data window adds two 2018 VSCI scores: 45.6 (Spring) and 69.6 (Fall). The 2016 and 2018 IRs report average Virginia Stream Condition Index (VSCI) scores of 53.5 and 48.5, respectively. The average VSCI score within the 2014 data window is 55.0 (2007-11). The 2012 assessment finds six VSCI surveys (2006 spring & fall; 2007 fall and 2009 spring - 2010 spring & fall) with an average score of 57.14. Benthic community data within the 2010 data window reports three (2006 spring/fall and 2007 fall) VSCI surveys with an average score of 57.2. The 2008 assessment yields three (2002 spring & 2006 spring/fall) VSCI surveys with an average score of 54.0. Water quality in this reach is affected by NPS pollution from dairy farms from primarily the North Fork of the Blackwater River. Habitat degradation in the form of sediment deposition and riparian vegetation removal occurs at this sight as a result of agricultural practices. This area was affected by several drought years within the 2004 thru 2008 assessment periods. Less runoff of nonpoint source pollution during low rainfall periods potentially resulted in an improvement in the benthic community. Recent installation of agricultural best management practices in the watershed may contribute to improved water quality.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L08R_BWR05A00 / Blackwater River / Blackwater River mainstem from the confluence of the North and South Forks of the Blackwater downstream to the mouth of Maple Branch (37°01'14" / 79°58'42") (RU22).	4A	Benthic Macroinvertebrates Bioassessments	1996	L	5.61

Blackwater River

#### Aquatic Life

Benthic Macroinvertebrates Bioassessments - Total Impaired Size by Water Type:

Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
		5.61

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

Sources: Livestock (Grazing or Feeding Operations); Loss of Riparian Habitat; Sediment Resuspension (Clean Sediment); Streambank Modifications/Destabilization

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code: L08R-05-BAC Little Creek and Little Creek, UT (XKF)**

Cause Location: Little Creek and an unnamed tributary (XKF) from just west of Helm off Rt. 693 extending downstream to the Little Creek mouth on the Blackwater River (Boones Mill Quad).

Cause City/County: Franklin County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: The Little Creek bacteria impairment is a 1998 (2002) 303(d) Listing for fecal coliform bacteria (formerly VAW-L08R-05). An unnamed tributary (XKF) contributes to the impairment for a total of 8.60 bacteria impaired miles. The Middle Blackwater River Bacteria Total Maximum Daily Load (TMDL) received U.S. EPA approval on 12/04/2001 [Fed. IDs: 1887(1889)/9633] and SWCB approved 6/17/2004. The Upper Blackwater River Bacteria Implementation Plan is complete (8/23/2001) and SWCB approved on 6/17/2004. Little Creek (formerly VAW-L08R-05) is tributary to the Blackwater River and is included in the approved Middle Blackwater River Bacteria TMDL. The TMDL identified Wildlife as a major source based on Bacteria Source Tracking (BST). The Upper Blackwater River Bacteria Implementation Plan encompasses the Upper Blackwater River (L08R), the North and South Forks, Little and Teels Creeks. The entirety of the approved TMDL with allocations and the Implementation Plan can be viewed at <http://www.deq.virginia.gov>.

The Blackwater River bacteria impairment is originally based on a 319 funded special study (SS 925102) data and ambient fecal coliform (FC) bacteria sample collections. The impaired waters, initially 303(d) Listed in 1996, found abundant fecal coliform bacteria counts failed to support the recreational use by exceedances of both the former fecal coliform geometric mean (200 cfu/100 ml) and former (2002) instantaneous criterion of 1000 cfu/100 ml. Escherichia coli (E.coli) replaces fecal coliform as the indicator as per Water Quality Standards [9 VAC 25-260-170. Bacteria; other waters].

Little Creek (7.85 miles): 4ALLE005.22 (Rt. 697 Bridge) The 2022 data window new E.coli criterion confirms impairment due to geomean exceedance in any 90-day period. Twenty of 36 E.coli samples exceed the 235 cfu/100 ml instantaneous criterion during the 2020 and 2018 data windows. 2016 data results in E.coli exceedances of the 235 cfu/10 ml instantaneous criterion in 22 of 36 samples. These excursions range from 250 cfu/10 ml to greater than 2000. The same range of exceedance occurs within the 2014 data window from 21 of 36 observations. The 2012 data window finds E.coli observations yield 25 of 36 samples in excess of the instantaneous criterion. Exceedances range from 250 to greater than 2000 cfu/100 ml. Twenty two E.coli samples exceed the instantaneous criterion from a total of 33 collections within the 2010 data window. The exceeding values range from 350 to greater than 2000 cfu/100 ml. 2008 results reveal 20 E.coli samples exceed the instantaneous criterion from a total of 27 collections. The exceeding values range from 290 to greater than 2000 cfu/100 ml. In 2006 21 E.coli samples exceed the instantaneous criterion from a total of 26 samples. The exceeding values range from 280 to 1000 cfu/100 ml.

Little Creek, UT (XKF 1.04 miles): 4AXKF000.20- (Off Rt. 735) There are no additional data beyond the 2008 Integrated Report (IR). Five of five E.coli samples exceed the 235 cfu/100 ml WQS instantaneous criterion; all are greater than 2000 cfu/100 ml. 2006 results find two of two E.coli samples exceed the instantaneous criterion; both at greater than 2000 cfu/100 ml.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L08R_LLE01A00 / Little Creek / Little Creek mainstem PWS section 6f from an unnamed tributary's mouth on Little Creek off Rt. 775 downstream to the Little Creek confluence with the Blackwater River (RU22).	4A	Escherichia coli (E. coli)	2004	L	1.90

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

*(continued)*

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L08R_LLE02A00 / Little Creek / Little Creek mainstem from the mouth of Teels Creek downstream to the PWS section 6f upstream end (RU22).	4A	Escherichia coli (E. coli)	2004	L	0.86
VAW-L08R_LLE03A00 / Little Creek / Little Creek mainstem headwaters west of the Helm community off Rt. 693 downstream to the mouth of Teels Creek (RU22).	4A	Escherichia coli (E. coli)	2004	L	5.12
VAW-L08R_XKF01A06 / Little Creek, UT (XKF) / Little Creek, UT (XKF) mainstem from its mouth on Little Creek upstream to its headwaters (RU22).	4A	Escherichia coli (E. coli)	2006	L	1.05

Little Creek and Little Creek, UT (XKF)

**Recreation**

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:			8.93

Sources: Livestock (Grazing or Feeding Operations); On-site Treatment Systems (Septic Systems and Similar Decentralized Systems); Unspecified Domestic Waste; Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L08R-05-BEN** Little Creek

Cause Location: Little Creek mainstem extending from the confluence of an unnamed tributary (XKF) from just west of Helm off Rt. 693 on downstream to the Little Creek mouth on the Blackwater River (Boones Mill Quad).

Cause City/County: Franklin County

Use(s): Aquatic Life

Causes(s)/VA Category: Benthic Macroinvertebrates Bioassessments/5A

Cause Description: The Aquatic Life Use is not supported for 7.85 miles due to contravention of the General Standard for aquatic life (formerly VAW-L08R-05). The waters are categorized 5A for the General Standard (Benthic) impairment. The benthic impairment is not addressed by the EPA approved Upper Blackwater River Benthic TMDL Study. The General Standard (Benthic) impairment is a 2002 initial 303(d) Listing.

4ALLE005.22- (Rt. 697 Bridge) Bio 'IM' from five VSCI scores avg 52 (2018-20) during the 2022 data window. Bio 'IM' from one 2018 VSCI score of 51.8 during the 2020 data window. Prior to the 2020 IR, there are no additional data beyond the 2014 Integrated Report (IR) where four (2010-2011) Virginia Stream Condition Index (VSCI) scores yield an average score of 45.2. Two VSCI surveys (2010) produce an average score of 48.98 within the 2012 data window. Previous assessments (2008 and 2010) found impairment from two spring VSCI surveys (2001 & 2002) producing an average score of 32.2. The assemblages collected at this site indicate excessive organic matter, excessive nutrients, and embedded substrates. Habitat surveys also indicate impacts from sediment deposition removal of riparian buffers. Ambient chemical data indicates NPS impacts from bacteria and nutrients. A TMDL study indicating sediment and phosphorus as the stressors in the Upper Blackwater and North Fork Blackwater Rivers was approved by the EPA in 2004. Currently, the Soil and Water Conservation District is implementing agricultural best management practices in the watershed.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L08R_LLE01A00 / Little Creek / Little Creek mainstem PWS section 6f from an unnamed tributary's mouth on Little Creek off Rt. 775 downstream to the Little Creek confluence with the Blackwater River (RU22).	5A	Benthic Macroinvertebrates Bioassessments	2002	L	1.90
VAW-L08R_LLE02A00 / Little Creek / Little Creek mainstem from the mouth of Teels Creek downstream to the PWS section 6f upstream end (RU22).	5A	Benthic Macroinvertebrates Bioassessments	2002	L	0.86
VAW-L08R_LLE03A00 / Little Creek / Little Creek mainstem headwaters west of the Helm community off Rt. 693 downstream to the mouth of Teels Creek (RU22).	5A	Benthic Macroinvertebrates Bioassessments	2002	L	5.12

Little Creek

<b>Aquatic Life</b>	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Benthic Macroinvertebrates Bioassessments - Total Impaired Size by Water Type:			7.88

Sources: Livestock (Grazing or Feeding Operations); Loss of Riparian Habitat; Sediment Resuspension (Clean Sediment); Streambank Modifications/Destabilization; Wet Weather Discharges (Non-Point Source)

# Virginia Department of Environmental Quality

## Appendix 4 - Fact Sheets for Impaired (Category 4 or 5) Waters in 2022

---

### Roanoke and Yadkin River Basins

**Cause Group Code:** **L08R-06-BAC** Teels Creek

Cause Location: Teel Creek mainstem perennial headwaters downstream to its confluence with Little Creek (Boones Mill Quad).

Cause City/County: Franklin County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: The Middle Blackwater River Bacteria Total Maximum Daily Load (TMDL) received U.S. EPA approval on 12/04/2001 [Fed. IDs: 1887 / 1889 / 9633] and SWCB approval on 6/17/2004. The SWCB approved the Bacteria Implementation Plan on 6/17/2004. The Teels Creek bacteria impairment is a 4.59 mile 1998 (2002) 303(d) Listing for fecal coliform (FC) bacteria (formerly VAW-L08R-06). The Upper Blackwater River Bacteria Implementation Plan is complete (8/23/2001) and SWCB approved on 6/17/2004. Teels Creek is tributary to Little Creek and then onto the Blackwater River and is included in this approved Middle Blackwater River bacteria TMDL Watershed. The TMDL identified Wildlife as a major source based on Bacteria Source Tracking (BST). The Bacteria Implementation Plan encompasses the Upper Blackwater River (L08R), the North and South Forks, Little and Teels Creeks.

The Blackwater River bacteria impairment is originally based on a 319 funded special study (SS 925102) data and ambient fecal coliform bacteria sample collections. The 1996 303(d) Listed Blackwater River waters found abundant fecal coliform bacteria counts failed to support the Recreational Use by exceedances of both the former fecal coliform geometric mean (200 cfu/100 ml & 2 samples/calendar month) and former (2002) instantaneous criterion of 1000 cfu/100 ml. Escherichia coli (E.coli) now replaces fecal coliform as the indicator as per Water Quality Standards [9 VAC 25-260-170. Bacteria; other waters].

4ATEL001.02- (Rt. 697 Bridge) New E.coli WQS confirms impairment due to geomean exceedance in any 90-day period during the 2022 data window. E.coli excursions during the 2020 data window are twenty of 36. Seventeen of 36 and 15 of 36 E.coli samples exceed the 235 cfu/100 ml WQS instantaneous criterion during the 2018 and 2016 data windows, respectively. The 2018 exceedance range is 250 to 1553 cfu/100 ml. The 2016 IR range of exceeding values was from 250 to 1525 cfu/100 ml. This same range of exceedance is found within the 2014 data window from 15 of 35 samples. 2012 E.coli data find 17 of 35 samples exceed the instantaneous criterion ranging from 250 cfu/100 ml to 1400. E.coli exceed the 235 cfu/100 ml instantaneous criterion in 5 of 21 samples in 2010 ranging from 280 cfu/100 ml to 1400. The 2008 Integrated Report (IR) finds E.coli exceeds the instantaneous criterion in 17 of 27 samples with a range from 250 cfu/100 ml to 1400. In 2006 E.coli exceedances are 19 of 26 samples. The maximum exceedance is greater than 800 and the lowest 250 cfu/100 ml.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L08R_TEL01A00 / Teels Creek / Teels Creek mainstem perennial headwaters downstream to its confluence with Little Creek (RU22).	4A	Escherichia coli (E. coli)	2004	L	4.76

Teels Creek

**Recreation**

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:			4.76

Sources: Livestock (Grazing or Feeding Operations); On-site Treatment Systems (Septic Systems and Similar Decentralized Systems); Unspecified Domestic Waste; Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L08R-06-BEN** Teels Creek

Cause Location: Teel Creek mainstem perennial headwaters downstream to its confluence with Little Creek (Boones Mill Quad).

Cause City/County: Franklin County

Use(s): Aquatic Life

Causes(s)/VA Category: Benthic Macroinvertebrates Bioassessments/5A

Cause Description: The Aquatic Life Use is not supported for 4.76 miles due to contravention of the General Standard for aquatic life (formerly VAW-L08R-06). The waters are categorized 5A for the 2002 initially 303(d) Listed General Standard (Benthic) impairment. The General Standard (benthic) impairment is not addressed in the EPA approved Upper Blackwater River Benthic TMDL Study.

4ATEL001.02- (Rt. 697 Bridge) Bio 'IM' from four VSCI scores (2018-20) avg 57.1. The 2 year average VSCI is 65.2 but has only one sample (Fall 2020) that has passed the VSCI threshold during the 2022 assessment cycle. Bio 'IM' - The 2020 data window reports one 2018 VSCI score of 55.1 (Spring). Prior to 2020, there are no additional data beyond the 2014 Integrated Report (IR) where four (2010-2011) Virginia Stream Condition Index (VSCI) surveys yield an average score of 58.3. The 2012 assessment reports two 2010 VSCI surveys with an average score of 57.33. The instream habitat (substrate) at this site has been impacted by fine sediment. The riparian zone vegetation is reduced and stream banks are eroded as a result. Currently, the Soil and Water Conservation District is implementing agricultural best management practices in the watershed for the Implementation Plan of the 2004 Bacteria TMDL. The 2008 and 2010 assessments report a single 2002 VSCI survey scoring 60.2. Although the VSCI score in 2002 was above the 60.0 threshold score for non-impairment, previous surveys indicated impairment. The community in spring 2002 had approximately 50% pollution tolerant organisms. The assemblages collected at this site indicated excessive organic matter, and embedded substrates. Habitat surveys also indicate impacts from sediment deposition, eroded banks and removal of riparian buffers.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L08R_TEL01A00 / Teels Creek / Teels Creek mainstem perennial headwaters downstream to its confluence with Little Creek (RU22).	5A	Benthic Macroinvertebrates Bioassessments	2002	L	4.76

Teels Creek

<b>Aquatic Life</b>	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Benthic Macroinvertebrates Bioassessments - Total Impaired Size by Water Type:			4.76

Sources: Livestock (Grazing or Feeding Operations); Loss of Riparian Habitat; Sediment Resuspension (Clean Sediment); Streambank Modifications/Destabilization; Wet Weather Discharges (Non-Point Source)

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L08R-07-BAC** **Buck Run**

Cause Location: Buck Run from its confluence on Little Creek upstream to its headwaters.

Cause City/County: Franklin County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: The 2014 initial Listing of these waters are a result of a 58% failure rate to meet the 235 cfu/10 ml Water Quality Standard instantaneous criterion. These waters are nested within the Middle Blackwater River Bacteria TMDL Study U.S. EPA approved on 12/04/2001. Fed. ID 1887 / 1889 / 9633. SWCB approved 6/17/2004. Bacteria Implementation Plan SWCB approved 6/17/2004.

4ABCE001.32 (Above Rt. 731 Bridge) Seven of 12 escherichia coli (E.coli) samples exceed the 235 cfu/10 ml instantaneous criterion in 2014. Exceedances range from 250 to 1100 cfu/100 ml. There are no additional data within the 2016, 2018, 2020, or 2022 data windows.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L08R_BCE01A08 / Buck Run / Buck Run from its confluence with Little Creek upstream to its headwaters (RU22).	4A	Escherichia coli (E. coli)	2014	L	3.77

Buck Run

**Recreation**

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:			3.77

Sources: Livestock (Grazing or Feeding Operations); On-site Treatment Systems (Septic Systems and Similar Decentralized Systems); Unspecified Domestic Waste; Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L08R-07-BEN** **Buck Run**

Cause Location: Buck Run from its confluence on Little Creek upstream to its headwaters.

Cause City/County: Franklin County

Use(s): Aquatic Life

Causes(s)/VA Category: Benthic Macroinvertebrates Bioassessments/5A

Cause Description: The benthic community is impaired for 3.77 miles for this 2008 303(d) Listing.

4ABCE001.32 (Above Rt. 731 Bridge) The 2022 data window finds Bio 'IM' from four VSCI scores avg 39.0. Samples are mostly dominated by pollution tolerant taxa from the midge family (Chironomidae). Bio 'IM' from one Spring 2018 VSCI score of 37.3 during the 2020 data window. There are no additional data beyond the 2014 Integrated Report (IR) where four (2010-2011) Virginia Stream Condition Index (VSCI) surveys yield an average score of 35.2. The instream habitat (substrate) at this site has been impacted by fine sediment. The immediate riparian zone vegetation has been reduced and stream banks are eroded due to reduced vegetation. Runoff from this type of landuse affects water quality by adding sediment, nutrients, and bacteria to the stream.

4ABCE000.87- (Downstream of Rt. 731; end of Twin Hollow Lane) Bio 'IM' There are no additional data beyond the 2010 IR. Four 2006-2007 VSCI surveys with an average score of 35.0. Two remaining 2007 VSCI surveys score 29.8 on average within the 2014 data window. Located in a small second order stream in a watershed influenced by agricultural land use (dairy farms, corn fields). The watershed upstream of this station is dominated by agricultural land cover (67%). The instream habitat was affected by sediment deposition and thick periphyton growth on rocky substrates. Bank vegetation and riparian zones are impacted by the land use. Water chemistry results indicate elevated nutrients relative to other Probabilistic stations in the region.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L08R_BCE01A08 / Buck Run / Buck Run from its confluence with Little Creek upstream to its headwaters (RU22).	5A	Benthic Macroinvertebrates Bioassessments	2008	L	3.77

Buck Run

**Aquatic Life**

Benthic Macroinvertebrates Bioassessments - Total Impaired Size by Water Type:

Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
		3.77

Sources: Livestock (Grazing or Feeding Operations); Loss of Riparian Habitat; On-site Treatment Systems (Septic Systems and Similar Decentralized Systems); Sediment Resuspension (Clean Sediment)

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L09R-01-BAC** **Maggodee Creek**

Cause Location: The upstream limit is Maggodee Creek mainstem waters from the North and South Forks confluence downstream to the mouth of Maggodee Creek on the Blackwater River.

Cause City/County: Franklin County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: The Maggodee Cr Bacteria Total Maximum Daily Load (TMDL) was U.S. EPA approved 4/27/01 [Fed. IDs: 1562/9475] and SWCB approved 6/17/04 (formerly VAW-L09R-01) for the former 20.58 mile impairment. A total of 16.15 mi remained impaired after the delisting of VAW-L09R\_MEE05A00 in 2008 for Recreational Use.

The 2008 IR results from station 4AMEE021.13 (Rt. 613 Br Below Conflu./w Fork) found 0/12 excursions of the E.coli 235 cfu/100 ml inst. criterion. This portion (4.43 mi) was delisted (EPA approved 12/18/08) with the 2008 IR. This portion returns with the 2012 assessment as described below for 4.43 mi returning the impaired mileage to 20.58 mi. The TMDL Study incorporates tributaries in VAW-L09R. The Lower Blackwater R Bacteria Implementation Plan (IP) received SWCB approval 9/27/06 and encompasses the lower Blackwater River (L10R) including the backwaters of Smith Mtn. Lake (L10L), Maggodee (L09R) and Gills (L11R) Creeks. The bacteria impairment is a 1996 303(d) Listing based on a 319 funded special study (SS 925102) and ambient sample collections. Abundant fecal coliform (FC) bacteria counts failed to support Recreational Use by exceedances of the former FC geometric mean (200 n/100 ml) & 2 samples/mo) and the former (2002) inst. criterion of 1000 n/100 ml. Escherichia coli (E.coli) now replaces FC bacteria as the indicator per WQS [9 VAC 25-260-170. Bacteria; other waters].

4AMEE021.13 (Rt. 613 Br Below Conflu./w Fork): delisted in 2008 but relisted with the 2012 assessment. No additional data beyond the 2014 IR. 2014: 6/35. 2016: 5/23. 2012: 4/26. 2008: 0/12 resulting in full support of Recreational Use and delisting this portion (VAW-L09R\_MEE05A00).

4AMEE016.75- (Rt. 684 Winding Way Road Bridge) Station established in 2014 as a Probabilistic Ambient site. 2014: 0/6. 4AMEE016.75 replaces 4AMEE017.24, the original 2014 probabilistic site. No additional data beyond the 2014 window.

4AMEE009.86- (Rt. 635 Br) No additional data beyond the 2014 IR. 2018: 3/12. 2016: 9/24. 2014: 14/36. 2012: 13/27. 2010: 10/24. 2008: 7/18. 4AMEE007.85- (Rt. 687 Br above Mollie Br) No additional data beyond the 2006 IR where E.coli exceed in 8/17. 2008: 2/6. 4AMEE004.90- (Rt. 697 Br) 2020: 24/35 excursions of the inst criterion. 2018: 21/36. 2016: 18/35. 2014: 15/35. 2012: 16/35. 2010: 16/33. 2008: 16/. 2006: 16/26.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L09R_MEE01A00 / Maggodee Creek / Maggodee Creek mainstem from Piedmont Mill Dam downstream to the mouth of Maggodee Creek on the Blackwater River (RU23).	4A	Escherichia coli (E. coli)	2004	L	7.48
VAW-L09R_MEE02A00 / Maggodee Creek / Maggodee Creek mainstem from just above Piedmont Mill downstream to Mill Dam (RU23).	4A	Escherichia coli (E. coli)	2004	L	1.67
VAW-L09R_MEE03A00 / Maggodee Creek / Maggodee Creek mainstem waters downstream of Boones Mill STP to just above Piedmont Mill (RU23).	4A	Escherichia coli (E. coli)	2004	L	6.03

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

*(continued)*

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L09R_MEE04A00 / Maggodee Creek / Maggodee Creek mainstem waters from the Boones Mill Town area downstream to Boones Mill STP (RU23) .	4A	Escherichia coli (E. coli)	2006	L	0.99
VAW-L09R_MEE05A00 / Maggodee Creek / Maggodee Creek mainstem waters from the confluence of North and South Forks of Maggodee Creek downstream to just below the Rt. 220 crossing at Boones Mill (RU23).	4A	Escherichia coli (E. coli)	2012	L	4.44

Maggodee Creek

**Recreation**

Escherichia coli (E. coli) - Total Impaired Size by Water Type:	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
			20.61

Sources: Livestock (Grazing or Feeding Operations); On-site Treatment Systems (Septic Systems and Similar Decentralized Systems); Unspecified Domestic Waste; Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L09R-01-BEN** **Maggodee Creek**

Cause Location: Maggodee Creek mainstem from Piedmont Mill Dam downstream to the mouth of Maggodee Creek on the Blackwater River.

Cause City/County: Franklin County

Use(s): Aquatic Life

Causes(s)/VA Category: Benthic Macroinvertebrates Bioassessments/5A

Cause Description: Non-support of the Aquatic Life Use is originally based (2002- formerly VAW-L09R-01) on Rapid Bioassessment Protocol II surveys (RBP II) conducted at 4AMEE002.38. The station is assessed using the Virginia Stream Condition Index (VSCI). The 7.47 mile 2002 303(d) Listed General Standard (Benthic) impairment remains.

4AMEE002.38- Bio 'IM' - There are no additional data beyond the 2014 Integrated Report (IR). The 2014 data window yields four (2010-2011) VSCI surveys with an average score of 57.4. Two 2010 VSCI surveys with an average score of 52.1 for the 2012 assessment. The instream habitat (substrate) at this site has been impacted by fine sediment. The immediate riparian zone vegetation has been reduced and stream banks are eroded due to reduced vegetation. Runoff from this type of landuse affects water quality by adding sediment, nutrients, and bacteria to the stream.

4AMEE000.70- (Below Rt. 122 Bridge) Bio 'IM' - There are no additional data beyond the 2008 IR. One 2002 Virginia Stream Condition Index (VSCI) survey scoring 47.2. Sediment deposition from agricultural runoff appears to have a large impact on the benthic community. Habitat scores for embeddedness and sediment deposition were the lowest of the ten habitat parameters. Both parameters fell in the marginal category. In 2006 three RBP II surveys, outside the 2008 data window, produce an average score of 44.9 at this site. Two surveys in the spring result in scores of 30.43 (2000) and 52.17 (2002). The fall 2000 survey score is 52.17.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L09R_MEE01A00 / Maggodee Creek / Maggodee Creek mainstem from Piedmont Mill Dam downstream to the mouth of Maggodee Creek on the Blackwater River (RU23).	5A	Benthic Macroinvertebrates Bioassessments	2002	L	7.48

Maggodee Creek

<b>Aquatic Life</b>	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Benthic Macroinvertebrates Bioassessments - Total Impaired Size by Water Type:			7.48

Sources: Livestock (Grazing or Feeding Operations); Loss of Riparian Habitat; Sediment Resuspension (Clean Sediment)

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** L09R-01-TEMP Maggodee Creek

Cause Location: Maggodee Creek mainstem waters from the confluence of North and South Forks of Maggodee Creek downstream to just below the Rt. 220 crossing at Boones Mill.

Cause City/County: Franklin County

Use(s): Aquatic Life

Causes(s)/VA Category: Temperature/5C

Cause Description: The Aquatic Life Use is not supported for 4.43 miles due to temperature exceedances for this stockable trout water (21°C).

4AMEE021.13- (Rt. 613 Bridge Below Conflu./w Fork) There are no additional data beyond the 2014 IR where seven of 36 temperature measurements exceed the stockable trout water criterion of 21°C within the 2014 data window. Temperature exceedances range from 21.2 to 25.2°C and occur in the summer months. Five of 23 measurements exceed within the 2016 data window. The 2012 assessment reports six of 27 temperature measurements exceed the stockable trout water criterion ranging from 21.4 to 25.2°C. Four of 24 temperature measurements exceed the criterion in 2010. Temperature exceedances occur at 21.1°C on 8/5/2004; 21.4°C on 6/30/2005; 25.2°C on 8/01/2007; and 23.4°C on 6/11/2008. The 2008 assessment reports one temperature exceedance at 21.1°C on 8/5/2004 and a second at 21.4°C on 6/30/2005 from 12 measurements. These excursions are in excess of the 21°C stockable trout water criterion causing the initial Listing of these waters in 2008.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L09R_MEE05A00 / Maggodee Creek / Maggodee Creek mainstem waters from the confluence of North and South Forks of Maggodee Creek downstream to just below the Rt. 220 crossing at Boones Mill (RU23).	5C	Temperature	2008	L	4.44

Maggodee Creek

**Aquatic Life**

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Temperature - Total Impaired Size by Water Type:			4.44

Sources: Agriculture; Clean Sediments; Livestock (Grazing or Feeding Operations); Non-Point Source; Sediment Resuspension (Clean Sediment); Source Unknown; Urban Runoff/Storm Sewers

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L09R-02-BAC** **Mollie Branch**

Cause Location: The impairment begins in the headwaters of Mollie Branch and extends to its mouth on Maggodee Creek (Boones Mill and Redwood Quads).

Cause City/County: Franklin County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: The Maggodee Creek Bacteria Total Maximum Daily Load (TMDL) is U.S. EPA approved on 4/27/2001 [Fed. ID 1562 / 9475] and SWCB approved on 6/17/2004 (formerly VAW-L09R-02). Originally 303(d) Listed in 1998 (2002) for FC. The study incorporates tributary streams that lie within the boundaries of watershed VAW-L09R. The Lower Blackwater River Bacteria Implementation Plan (IP) is complete with SWCB approval on 9/27/2006. The Bacteria IP encompasses the lower Blackwater River (L10R) including the backwaters of Smith Mtn. Lake (L10L), Maggodee (L09R) and Gills (L11R) Creeks. The entirety of the approved study can be viewed at <http://www.deq.virginia.gov>.

The Mollie Branch bacteria impairment is recorded as a 2.74 mile 1998 303(d) Listing for fecal coliform (FC) bacteria based on a 319 funded special study (SS 925102) and ambient sample collections. Actual listing occurred with the 2002 Assessment Cycle. Abundant fecal coliform bacteria counts failed to support the recreational use by exceedances of both the former fecal coliform geometric mean (200 n/100 ml) and former (2002) instantaneous criterion of 1000 cfu/100 ml. Escherichia coli (E.coli) replaces fecal coliform bacteria as the indicator as per Water Quality Standards [9 VAC 25-260-170. Bacteria; other waters].

4AMHA000.01 (Off Rt. 687 at confluence/w Maggodee) There are no additional data beyond the 2004/2006 data windows where E.coli exceedances of the 235 cfu/100 ml instantaneous criterion are found in 10 of 16 samples. The range of excursions is 370 cfu/100 ml to greater than 2000. E.coli observations within the 2008 data window find three of six E.coli excursions of the instantaneous criterion.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L09R_MHA01A00 / Mollie Branch / Mollie Branch mainstem from an unnamed tributary upstream of Piedmont Mill downstream to Mollie Branch mouth on Maggodee Creek (RU23).	4A	Escherichia coli (E. coli)	2004	L	0.92
VAW-L09R_MHA02A00 / Mollie Branch / Mollie Branch mainstem perennial headwaters downstream to an unnamed tributary above Piedmont Mill (RU23).	4A	Escherichia coli (E. coli)	2006	L	1.84

Mollie Branch

**Recreation**

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:			2.76

Sources: Livestock (Grazing or Feeding Operations); On-site Treatment Systems (Septic Systems and Similar Decentralized Systems); Unspecified Domestic Waste; Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L09R-02-BEN** **Maggodee Creek**

Cause Location: Maggodee Creek mainstem waters from the confluence of North and South Forks of Maggodee Creek downstream to the Boones Mill STP outfall (RU23).

Cause City/County: Franklin County

Use(s): Aquatic Life

Causes(s)/VA Category: Benthic Macroinvertebrates Bioassessments/5A

Cause Description: The 2016 initial 5.42 mile General Standard - Benthic impairment of the Aquatic Life Use is the result of macroinvertebrate surveys resulting in an impaired status.

4AMEE017.24 (Upstream of Rt. 220 near Boones Mill) Bio 'IM' There are no additional data beyond the 2016 data window where two 2014 Virginia Stream Condition Index (VSCI) surveys scoring spring 46.8 and fall 57.9 indicating impairment. The average VSCI score was 52.4 indicating a benthic community lacking in diversity and dominated by pollution-tolerant organisms. Some instream habitat scores were good; however, those related to sediment deposition were low. Bank erosion and riparian zone width scores were also low. This section of Maggodee Creek appears to be impacted by runoff from Rt. 220 and Rt. 613 upstream of the sampling site as well as agricultural land in the headwaters.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L09R_MEE04A00 / Maggodee Creek / Maggodee Creek mainstem waters from the Boones Mill Town area downstream to Boones Mill STP (RU23) .	5A	Benthic Macroinvertebrates Bioassessments	2016	L	0.99
VAW-L09R_MEE05A00 / Maggodee Creek / Maggodee Creek mainstem waters from the confluence of North and South Forks of Maggodee Creek downstream to just below the Rt. 220 crossing at Boones Mill (RU23).	5A	Benthic Macroinvertebrates Bioassessments	2016	L	4.44

Maggodee Creek

**Aquatic Life**

Benthic Macroinvertebrates Bioassessments - Total Impaired Size by Water Type:

Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
		5.43

Sources: Agriculture; Clean Sediments; Livestock (Grazing or Feeding Operations); Non-Point Source; Sediment Resuspension (Clean Sediment); Source Unknown; Urban Runoff/Storm Sewers

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

**Roanoke and Yadkin River Basins**

**Cause Group Code: L10L-01-HG Blackwater River**

Cause Location: Blackwater River mainstem waters from the Maggodee Creek confluence downstream ending at 37°03'03" / 79°43'49" located ~1.7 miles upstream of the 4H Camp in Smith Mountain Lake.

Cause City/County: Franklin County

Use(s): Fish Consumption

Causes(s)/VA Category: Mercury in Fish Tissue/5A

Cause Description: This initial 2010 303(d) Listing is based on 2006 fish tissue collections and new Water Quality Standards effective 2/01/2010. Mercury (Hg) exceedances of the DEQ 0.3 parts per million (ppm) and Virginia Department of Health (VDH) level of concern of 0.5 ppm are found in fish tissue causing impairment of the Fish Consumption Use. No VDH Fish Consumption or Drinking Water Advisories are issued for mercury for these waters. Please visit <http://www.deq.virginia.gov/> for more information about mercury contamination and <http://www.vdh.virginia.gov/Epidemiology/dee/PublicHealthToxicology/Advisories/> for VDH Advisories or Bans.

4ABWR019.75 (Rt. 834 Bridge - Brooks Mill Bridge)- 2006 fish tissue collections find from a total of 12 fish, a flathead catfish and a largemouth bass whose tissue values are in excess of the WQS based tissue value (TV) of 0.3 ppm for mercury; flathead catfish (1 fish 96.0 cm) at 0.477 ppm and largemouth base (1 fish 46.5 cm) at 0.514.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L10L_BWR03A10 / Smith Mtn. Lake ( Blackwater River) / Blackwater River from ~1.6 miles downstream of the Brooks Mill Bridge on downstream to the 4H Camp (RU24).	5A	Mercury in Fish Tissue	2010	L	351.98
VAW-L10L_BWR03B14 / Smith Mtn. Lake ( Blackwater River) / Blackwater River from its back waters downstream to ~1.6 miles downstream of the Brooks Mill Bridge (RU24).	5A	Mercury in Fish Tissue	2010	L	114.22
VAW-L10L_PCP01A10 / Smith Mtn. Lake (Poplar Camp Creek) / Poplar Camp Creek from its confluence with the Blackwater River upstream to its backwaters.	5A	Mercury in Fish Tissue	2010	L	58.60
VAW-L10R_BWR01A00 / Blackwater River / Blackwater mainstem from the Dillions Mill Branch mouth downstream into Smith Mountain Lake. The waters are within the WQS designated public water supply (PWS) section 6i, 5 miles upstream of the 795 ft. pool elevation of Smith Mtn. Lake (RU24).	5A	Mercury in Fish Tissue	2010	L	0.40
VAW-L10R_BWR02A00 / Blackwater River / Blackwater River mainstem waters from the upper end of the WQS designated public water supply (PWS) section 6i downstream to Dillions Mill Branch (RU24).	5A	Mercury in Fish Tissue	2010	L	5.21
VAW-L10R_BWR03A00 / Blackwater River / Blackwater River mainstem from the Maggodee Creek mouth on downstream to the upper end of the WQS designated public water supply (PWS) section 6i (RU24).	5A	Mercury in Fish Tissue	2010	L	2.62

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

Blackwater River

<b>Fish Consumption</b>	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Mercury in Fish Tissue - Total Impaired Size by Water Type:		524.8	8.23

---

Sources: Atmospheric Deposition; Contaminated Sediments; Industrial Point Source Discharge; Landfills; Source Unknown; Urban Runoff/Storm Sewers; Wet Weather Discharges (Non-Point Source)

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code: L10L-05-BAC Smith Mountain Lake - Crazy Horse Camp Ground**

Cause Location: Crazy Horse Camp Ground Beach and Marina area.

Cause City/County: Franklin County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: Crazy Horse Camp Ground and Marina is located on an unnamed tributary to the Blackwater River. The VDH issued a beach closure at the facility for one week each in June and July 2000 noting a recurrence of bacterial contamination is likely. The facility is located off Route 601 at 37°04'04" / 79°38'54" on the Moneta SW Quad. This is a 2004 Listing (formerly VAW-L12LR-05 & L12L-05-BAC). There are no additional data.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L10L_XUV01A10 / Smith Mtn. Lake - Crazy Horse Camp Ground and Marina / Off Route 601, Franklin County, on backwaters of an unnamed tributary (XUV) to Blackwater River in Smith Mountain Lake 37°04'04" / 79°38'54".	4A	Escherichia coli (E. coli)	2004	L	30.27

Smith Mountain Lake - Crazy Horse Camp Ground

**Recreation**

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:		30.27	

Sources: Agriculture; On-site Treatment Systems (Septic Systems and Similar Decentralized Systems); Urban Runoff/Storm Sewers

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code: L10R-01-BAC Blackwater River (Lower), Foul Ground Creek and Smith Mountain Lake (Blackwater Riverine)**

Cause Location: Blackwater River from the Rt. 122 Bridge Crossing on downstream into Smith Mountain Lake (Redwood Quad). Downstream ending at ~1.6 miles downstream of the Brooks Mill Bridge. And Foul Ground Creek from its headwaters (37°01'45" / 79°47'28") downstream to its inundation on the Blackwater River in Smith Mountain Lake (37°03'03" / 79°45'26").

Cause City/County: Franklin County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A; Fecal Coliform/4A

Cause Description: The Bacteria Total Maximum Daily Load (TMDL) Studies are complete for the Upper, Middle and Lower Blackwater River drainages. These studies incorporate tributary streams that lie within the boundaries of VAW-L08R, L09R, L10R and L11R. This Fact sheet addresses the Lower Blackwater River drainage.

TMDL approvals from the U.S. EPA were obtained 3/9/01 for the Upper Blackwater River [Fed. ID 1887/9634], the Middle 12/4/01 [Fed. ID 1887(1889)/9633], & the Lower 4/27/01 [Fed. ID 1888]. Each TMDL was approved by the SWCB 6/17/04.

The Upper Blackwater River Bacteria Implementation Plan (IP) covering Upper and Middle Blackwater River TMDL Studies is complete (8/23/01) and SWCB approved 6/17/04. The Lower Blackwater River Bacteria IP is complete with SWCB approval 9/27/06. The Upper Blackwater River Bacteria IP encompasses the Upper Blackwater River (L08R), the North and South Forks, Little & Teels Creeks. The Lower Blackwater River Bacteria IP encompasses the lower Blackwater River (L10R) including the backwaters of Smith Mtn. Lake (L12L), Maggodee (L09R) & Gills Creeks (L11R).

352.23 ac in Smith Mtn. Lake are delisted with the 2014 Integrated Report (IR). Escherichia coli (E.coli) excursions of the 235 cfu/100 ml instantaneous criterion are 2/38 observations at 4ABWR017.42 (Smith Mtn. Lake- Franklin Co.). 114.22 ac remain impaired for Recreational Use.

Blackwater River: The Blackwater River Impairment is originally based on a 319 funded special study (SS 925102) & ambient fecal coliform (FC) bacteria sample collections. The impaired waters, initially 303(d) Listed in 1996, found abundant FC counts failed to support recreational use by exceedances of both the former geomean (200 cfu/100 ml) and former (2002) instantaneous criterion of 1000 cfu/100 ml. The Blackwater River mainstem bacteria impaired miles total 39.48 (See L08R-04-BAC Fact Sheet). E.coli has replaced FC as the indicator per WQS [9 VAC 25-260-170. Bacteria; other waters].

Lower Blackwater River (11.21 miles): 4ABWR032.32- (Rt. 122 Bridge at the stream gaging station) No additional data beyond the 2006 Integrated Report (IR) where 6/21 samples ranging from 490 to >800 cfu/100 ml. 2008: 1/10 remaining sample in excess of the instantaneous criterion. This station will no longer be sampled due to safety concerns.

4ABWR019.75 (Rt. 834 Bridge or Brooks Mill Bridge) 2022: New E.coli WQS confirms impairment due to geomean exceedance in any 90-day period. 2020: 13/36; 2018: 11/36; 2016: 12/36 from 320-2613 cfu/100 ml. 2014: 9/36 from 280-2000 cfu/100 ml. 2012: 7/36 & 2010: 6/33 from 280 to >2000 cfu/100 ml. 2008: 4/21 from 420 to >2000 cfu/100 ml. 2006: 2/9 at 420 & 620 cfu/100 ml.

Foul Ground Creek (4.04 miles): A 2004 addition to the original bacteria impairment is a 4.04 mile section on Foul Ground Creek. [Fed. ID 1888]. The impairment begins at the Foul Ground Creek headwaters and extends downstream to its inundation on the Blackwater River in Smith Mountain Lake.

4AFGC002.52 (Rt. 834 Bridge) No additional data beyond the 2004 IR where 5/11 FC samples exceed the former 400 cfu/100 ml instantaneous criterion from 500 to >8000 cfu/100 ml. 2008: 0/2 FC samples.

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L08R_BWR01A00 / Blackwater River / Blackwater River mainstem from the Rt. 122 Bridge downstream to the mouth of Maggodee Creek (RU22).	4A	Escherichia coli (E. coli)	2004	L	3.03
VAW-L10L_BWR03A10 / Smith Mtn. Lake ( Blackwater River) / Blackwater River from ~1.6 miles downstream of the Brooks Mill Bridge on downstream to the 4H Camp (RU24).	4A	Escherichia coli (E. coli)	2022	L	351.98
VAW-L10L_BWR03B14 / Smith Mtn. Lake ( Blackwater River) / Blackwater River from its back waters downstream to ~1.6 miles downstream of the Brooks Mill Bridge (RU24).	4A	Escherichia coli (E. coli)	2006	L	114.22
VAW-L10R_BWR01A00 / Blackwater River / Blackwater mainstem from the Dillions Mill Branch mouth downstream into Smith Mountain Lake. The waters are within the WQS designated public water supply (PWS) section 6i, 5 miles upstream of the 795 ft. pool elevation of Smith Mtn. Lake (RU24).	4A	Escherichia coli (E. coli)	2006	L	0.40
VAW-L10R_BWR02A00 / Blackwater River / Blackwater River mainstem waters from the upper end of the WQS designated public water supply (PWS) section 6i downstream to Dillions Mill Branch (RU24).	4A	Escherichia coli (E. coli)	2006	L	5.21
VAW-L10R_BWR03A00 / Blackwater River / Blackwater River mainstem from the Maggodee Creek mouth on downstream to the upper end of the WQS designated public water supply (PWS) section 6i (RU24).	4A	Escherichia coli (E. coli)	2006	L	2.62

Blackwater River (Lower), Foul Ground Creek and Smith Mountain Lake (Blackwater Riverine)

**Recreation**

Escherichia coli (E. coli) - Total Impaired Size by Water Type:

Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
	466.2	11.26

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L10R_FGC01A00 / Foul Ground Creek / Foul Ground Creek mainstem from its inundation at Smith Mountain Lake on the Blackwater River upstream to its headwaters. The segment is within the WQS designated public water supply (PWS) section 6i (RU24).	4A	Fecal Coliform	2004	L	4.2

Blackwater River (Lower), Foul Ground Creek and Smith Mountain Lake (Blackwater Riverine)

**Recreation**

Fecal Coliform - Total Impaired Size by Water Type:

Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
		4.2

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

Sources: Agriculture; Livestock (Grazing or Feeding Operations); On-site Treatment Systems (Septic Systems and Similar Decentralized Systems); Unspecified Domestic Waste; Urban Runoff/Storm Sewers; Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

**Roanoke and Yadkin River Basins**

**Cause Group Code:** L10R-01-BEN Blackwater River

Cause Location: Blackwater River mainstem from the mouth of Maggodee Creek downstream to the backwaters of Smith Mountain Lake (L10R) at the 795 ft pool elevation.

Cause City/County: Franklin County

Use(s): Aquatic Life

Causes(s)/VA Category: Benthic Macroinvertebrates Bioassessments/5A

Cause Description: An upstream portion of the Blackwater River General Standard - Benthic impairment is delisted based on Virginia Stream Condition Index (VSCI) survey data from station 4ABWR029.51 for 5.99 miles. The waters downstream of Maggodee Creek (8.19 miles) remain impaired until sufficient benthic survey data can confirm support or non-support of the Aquatic Life Use in this downstream reach. Habitat impacts include excessive sediment deposition. Water quality in this reach is affected by NPS pollution.

4ABWR029.51- (Downstream of Rt. 122 Bridge) Both the 2010 and 2008 assessments find benthic impairment from two 2004 Virginia Stream Condition Index (VSCI) surveys scoring 60.7 spring and 50.1 fall. The average VSCI score is 55.4. Subsequent surveys in 2011 and 2012 find three non-impaired and one impaired score but averaging 69.4. The station is located upstream of Maggodee Creek with no additional benthic survey data downstream of Maggodee Creek. A partial delisting (5.99 miles) is a result of these additional surveys. 2011 scores are: spring 69.4; fall 73.6. And 2012 scores are: spring 58.6; fall 74.8. No additional data has been collected at this station.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L10R_BWR01A00 / Blackwater River / Blackwater mainstem from the Dillions Mill Branch mouth downstream into Smith Mountain Lake. The waters are within the WQS designated public water supply (PWS) section 6i, 5 miles upstream of the 795 ft. pool elevation of Smith Mtn. Lake (RU24).	5A	Benthic Macroinvertebrates Bioassessments	2008	L	0.40
VAW-L10R_BWR02A00 / Blackwater River / Blackwater River mainstem waters from the upper end of the WQS designated public water supply (PWS) section 6i downstream to Dillions Mill Branch (RU24).	5A	Benthic Macroinvertebrates Bioassessments	2008	L	5.21
VAW-L10R_BWR03A00 / Blackwater River / Blackwater River mainstem from the Maggodee Creek mouth on downstream to the upper end of the WQS designated public water supply (PWS) section 6i (RU24).	5A	Benthic Macroinvertebrates Bioassessments	2008	L	2.62

Blackwater River

**Aquatic Life**

Benthic Macroinvertebrates Bioassessments - Total Impaired Size by Water Type:

Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
		8.23

Sources: Livestock (Grazing or Feeding Operations); Loss of Riparian Habitat; Sediment Resuspension (Clean Sediment); Wet Weather Discharges (Non-Point Source)

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L11R-01-BAC** Gills Creek

Cause Location: Gills Creek mainstem from west of the Rt. 684 Bridge in Franklin County (Garden City Quad) on downstream into the inundated Gills Creek backwaters of Smith Mountain Lake near the end of Rt. 665. (Moneta S.W. Quad).

Cause City/County: Franklin County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: The Gills Creek Bacteria Total Maximum Daily Load (TMDL) Study received U.S. EPA approval on 5/31/2002 [Fed ID: 9472 / 18765] and SWCB approval on 6/17/04 (formerly VAW-L11R-01). The TMDL Study incorporates tributary streams that lie within the boundaries of watershed VAW-L11R. The Lower Blackwater River Bacteria Implementation Plan (IP) is approved by the SWCB on 9/27/06. The Lower Blackwater River Bacteria IP encompasses the lower Blackwater River (L10R) including the backwaters of Smith Mtn. Lake (L10L), Maggodee (L09R) and Gills (L11R) Creeks.

The bacteria impairment is a 1996 303(d) Listing based on a 319 funded special study (SS 925102) and ambient sample collections. Abundant fecal coliform (FC) bacteria counts failed to support the recreational use by exceedances of both the former geometric mean (200 cfu/100 ml) and the former (2002) instantaneous criterion (1000 cfu/100 ml). The Recreational Use impairment remains for 20.46 miles and 197.42 acres in the backwaters of Smith Mountain Lake.

4AGIL023.22- (Rt. 657 Bridge) There are no additional data beyond the 2012 Integrated Report (IR) where 11 of 23 escherichia coli (E.coli) samples exceed the WQS 235 cfu/100 ml instantaneous criterion with exceedances ranging from 280 to greater than 2000 cfu/100 ml. Four of 11 E.coli observations exceed the instantaneous criterion in 2010. The 2006 Integrated Report (IR) reports 3 of 20 FC observations exceed the former 400 cfu/100 ml instantaneous criterion. The 2004 IR records 6 of 27 fecal coliform bacteria sample counts exceed the former instantaneous criterion.

4AGIL008.30- (Rt. 834 Bridge near Booker T. Washington National Park) There are no additional data beyond the 2012 (IR). The 2012 assessment finds escherichia coli (E.coli) exceed the WQS instantaneous criterion of 235 cfu/100 ml in 12 of 24 samples. Exceedances range from 300 cfu/100 ml to greater than 2000. 2010 data reveal E.coli bacteria exceed the WQS instantaneous criterion in 3 of 15 samples. The 2006 IR reports 8 of 18 E.coli samples exceed the instantaneous criterion. E.coli results within the 2008 data window find 1 of 6 samples in excess of the instantaneous criterion as there are no additional beyond the 2006 assessment.

4AGIL004.46 (Rt. 688 Bridge)- 2022 data window applies new E.coli WQS and confirms impairment due to 2 or more Statistical Threshold Value (STV) hits in the same 90-day period with < 10 samples. Seventeen of 30 and 15 of 30 E.coli samples exceed the 235 cfu/100 ml instantaneous criterion during the 2020 and 2018 data windows, respectively. The 2016 IR finds 18 of 36 E.coli samples in excess of the 235 cfu/100 ml instantaneous criterion. Excessive values range from 250 cfu/100 ml to 24,196. Sixteen of 36 E.coli observations exceed the instantaneous criterion within the 2014 data window. Eleven of 24 E.coli observations exceed the instantaneous criterion in 2012. 2010 assessment data find 3 of 12 E.coli observations exceed the 235 cfu/100 ml instantaneous criterion.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L11L_GIL02A10 / Smith Mtn. Lake (Gills Creek) / Gills Creek from the end of Route 665 upstream to its backwaters (RU25).	4A	Escherichia coli (E. coli)	2004	L	197.42

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

(continued)

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L11R_GIL01A00 / Gills Creek / Gills Creek mainstem from the upper end of the WQS designated public water supply (PWS) section 6i downstream to Smith Mountain Lake, eg. waters within 5 miles of the 795 ft. pool elevation of Smith Mtn. Lake (RU25).	4A	Escherichia coli (E. coli)	2004	L	4.85
VAW-L11R_GIL02A02 / Gills Creek / Gills Creek mainstem from an unnamed tributary just north of the Rt. 122 crossing downstream to the WQS designated public water supply (PWS) section 6i. These waters are not within 5 miles upstream of the 795 ft. pool elevation of Smith Mtn. Lake (RU25).	4A	Escherichia coli (E. coli)	2004	L	4.39
VAW-L11R_GIL03A02 / Gills Creek / Gills Creek mainstem perennial headwaters downstream to an unnamed tributary just north of the Rt. 122 crossing of Gills Creek. These waters are not within 5 miles upstream of the 795 ft. pool elevation of Smith Mtn. Lake (RU25).	4A	Escherichia coli (E. coli)	2010	L	11.22

Gills Creek

**Recreation**

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:		197.42	20.46

Sources: Livestock (Grazing or Feeding Operations); On-site Treatment Systems (Septic Systems and Similar Decentralized Systems); Unspecified Domestic Waste; Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L11R-02-BAC** North Fork Gills Creek

Cause Location: North Fork Gills Creek and tributaries from its mouth on Gills Creek upstream to its headwaters (RU25).

Cause City/County: Franklin County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: The Gills Creek Bacteria Total Maximum Daily Load (TMDL) Study received U.S. EPA approval on 5/31/2002 [Fed ID: 9472 / 18765] and SWCB approval on 6/17/2004 (formerly VAW-L11R-01). The TMDL Study incorporates tributary streams that lie within the boundaries of watershed VAW-L11R. The Lower Blackwater River Bacteria Implementation Plan (IP) is approved by the SWCB on 9/27/2006. The Lower Blackwater River Bacteria IP encompasses the lower Blackwater River (L10R) including the backwaters of Smith Mtn. Lake (L10L), Maggodee (L09R) and Gills (L11R) Creeks. The entirety of the approved study with allocations can be viewed at <http://www.deq.virginia.gov>.

4AGNF002.84 (Bellwood Ln. Bridge) - New E.coli WQS confirms impairment with 2 or more Statistical Threshold Value (STV) hits in the same 90-day period with < 10 samples during the 2022 data window. Fifteen of 18 E.coli samples exceed during the 2020 data window. 2018 IR finds nine of 12 Escherichia coli (E.Coli) samples exceed the 235 cfu/100 ml instantaneous criterion. Exceedances range from 299 to 1956 cfu/100 ml.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L11R_GNF01A02 / North Fork Gills Creek & Tributaries / North Fork Gills Creek and tributaries from its mouth on Gills Creek upstream to its headwaters (RU25).	4A	Escherichia coli (E. coli)	2018	L	16.5

North Fork Gills Creek

**Recreation**

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:			16.5

Sources: Livestock (Grazing or Feeding Operations); On-site Treatment Systems (Septic Systems and Similar Decentralized Systems); Unspecified Domestic Waste; Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L11R-03-PH** **Jack-O-Lantern Branch, UT (XON)**

Cause Location: Unnamed tributary XON from it's headwaters downstream to it's confluence with Jack-O-Lantern Branch (RU25).

Cause City/County: Franklin County

Use(s): Aquatic Life

Causes(s)/VA Category: pH/5C

Cause Description: This initial Aquatic Life Use impairment is based on Level III pH data collected by the U.S. Park Service during the 2020 data window.

4AXON-1-USPS - The 2020 data window finds six of 43 pH observations below pH 6.0 SU. Excursions are: 5.5 SU (2/8/16, 5/2/16, 11/7/16, 12/5/16), 5.6 SU (12/8/14), and 5.9 (10/6/14). The U.S. Park Service provides Level III Non-Agency data for use in Water Quality Assessments.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L11R_XON01A12 / Jack-O-Lantern Branch, UT (XON) / Unnamed tributary XON from it's headwaters downstream to it's confluence with Jack-O-Lantern Branch (RU25).	5C	pH	2020	L	0.61

Jack-O-Lantern Branch, UT (XON)

**Aquatic Life**

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
pH - Total Impaired Size by Water Type:			0.61

Sources: Natural Sources

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

**Roanoke and Yadkin River Basins**

**Cause Group Code: L12L-01-HG Smith Mountain Lake**

Cause Location: Smith Mtn. Lake from the backwaters of the Roanoke River (elevation 795 ft) downstream to a point 37°04'39" / 79°37'15"; downstream of the State Park.

Cause City/County: Bedford County; Franklin County

Use(s): Fish Consumption

Causes(s)/VA Category: Mercury in Fish Tissue/5A

Cause Description: This initial 2010 303(d) Listing is based on 2006 fish tissue collections and new Water Quality Standards (WQS) effective 2/01/2010. Mercury (Hg) exceedances of the DEQ 0.3 parts per million (ppm) tissue value cause impairment of the Fish Consumption Use. No VDH Fish Consumption or Drinking Water Advisories are issued for mercury for these waters. The Virginia Department of Health (VDH) level of concern is 0.5 ppm. Please visit <http://www.deq.virginia.gov/info/mercury.html> for more information about mercury contamination and <http://www.vdh.virginia.gov/Epidemiology/dee/PublicHealthToxicology/Advisories/> for VDH Advisories or Bans.

4AROA175.63 (Hales Ford Bridge)- Mercury (Hg) fish tissue exceedances of the DEQ WQS based 0.3 ppm TV are found in two species from 2006 collections; largemouth bass from four individual fish (49.2 cm) at 0.691, (47.3 cm) at 0.484, (44.5 cm) at 0.376 and (40.9 cm) at 0.305 ppm; and flathead catfish (83.4 cm) at 0.406 ppm.

2002 Data from station 4AROA196.05 (McVeigh Ford)- records one species, an individual flathead catfish (91.3 cm) at 0.34 ppm.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L07L_BDA01A10 / Smith Mtn. Lake (Beaverdam Creek) / Beaverdam Creek from its mouth on the Roanoke River upstream to its backwaters (RU17).	5A	Mercury in Fish Tissue	2010	L	151.70
VAW-L07L_BKY01A10 / Smith Mtn. Lake (Beckys Creek) / Beckys Creek from its confluence with the Roanoke River upstream to its backwaters (RU19).	5A	Mercury in Fish Tissue	2010	L	246.95
VAW-L07L_BTT01A10 / Smith Mtn. Lake (Bettys Creek) / Bettys Creek from its confluence with the Roanoke River upstream to its backwaters (RU19).	5A	Mercury in Fish Tissue	2010	L	213.20
VAW-L07L_FIN02A10 / Smith Mtn. Lake (Falling Creek) / Falling Creek from its confluence with the Roanoke River upstream to its backwaters (795 Ft. pool elevation) (RU16).	5A	Mercury in Fish Tissue	2010	L	18.37
VAW-L07L_HFW01A10 / Smith Mtn. Lake (Hales Creek) / Hales Creek from its mouth on the Roanoke River upstream to its backwaters.	5A	Mercury in Fish Tissue	2010	L	117.91
VAW-L07L_IND01A10 / Smith Mtn. Lake (Indian Creek) / Indian Creek from its mouth on the Roanoke River upstream to the 795 Ft. pool elevation of Smith Mountain Lake.	5A	Mercury in Fish Tissue	2010	L	161.67
VAW-L07L_JUM01A10 / Smith Mtn. Lake (Jumping Run) / Jumping Run from its confluence with the Roanoke River upstream to its backwaters.	5A	Mercury in Fish Tissue	2010	L	29.11
VAW-L07L_LVL01A10 / Smith Mtn. Lake (Lynville Creek) / Lynville Creek from its confluence on the Roanoke River upstream to its backwaters.	5A	Mercury in Fish Tissue	2010	L	76.75

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

(continued)

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L07L_ROA02A10 / Smith Mtn. Lake (Roanoke River) / Roanoke River from 37°04'39" / 79°37'15" below the State Park upstream to approximately 1 mile downstream of the Hales Ford Bridge.	5A	Mercury in Fish Tissue	2010	L	2434.88
VAW-L07L_ROA03A10 / Smith Mtn. Lake (Roanoke River) / Roanoke River from approximately 1 mile downstream of the Hales Ford Bridge upstream to above Hales Creek confluence.	5A	Mercury in Fish Tissue	2010	L	431.99
VAW-L07L_ROA03B22 / Smith Mtn. Lake (Roanoke River) / Roanoke River from above Hales Creek Confluence upstream to above the confluence of Indian Creek Confluence	5A	Mercury in Fish Tissue	2010	L	583.52
VAW-L07L_ROA03C22 / Smith Mtn. Lake (Roanoke River) / Roanoke River above the Indian Creek Confluence upstream to above Beaverdam Creek Confluence	5A	Mercury in Fish Tissue	2010	L	578.10
VAW-L07L_ROA03D22 / Smith Mtn. Lake (Roanoke River) / Roanoke River from above Beaverdam Creek confluence upstream to the mouth of Falling Creek.	5A	Mercury in Fish Tissue	2010	L	602.39
VAW-L07L_ROA04A10 / Smith Mtn. Lake (Roanoke River) / Roanoke River from ~ 3/4 miles upstream of the Hardy Road Bridge downstream to the confluence of Falling Creek.	5A	Mercury in Fish Tissue	2010	L	184.71
VAW-L07L_ROA05A14 / Smith Mtn. Lake (Roanoke River) / Roanoke River from the Back Creek confluence downstream to ~ 3/4 miles upstream of the Hardy Road Bridge.	5A	Mercury in Fish Tissue	2010	L	165.30
VAW-L07L_SWC01A10 / Smith Mtn. Lake (Stony Creek) / Stony Creek from its mouth on the Roanoke River upstream to its backwaters.	5A	Mercury in Fish Tissue	2010	L	48.62
VAW-L07L_XNK01A10 / Smith Mtn. Lake (Roanoke R., UT XNK) / An unnamed tributary to the Roanoke River from its mouth upstream to its backwaters.	5A	Mercury in Fish Tissue	2010	L	79.99
VAW-L07L_XNL01A10 / Smith Mtn. Lake (Roanoke R., UT XNL) / An unnamed tributary to the Roanoke River from its mouth upstream to its backwaters.	5A	Mercury in Fish Tissue	2010	L	109.33
VAW-L07L_XNM01A10 / Smith Mtn. Lake (Roanoke R., UT XNM) / An unnamed tributary (XNM) to the Roanoke River from its mouth upstream to its backwaters.	5A	Mercury in Fish Tissue	2010	L	38.40
VAW-L07L_XNN01A10 / Smith Mtn. Lake (Roanoke R., UT XNN) / An Unnamed tributary (XNN) to the Roanoke River from its mouth upstream to its backwaters.	5A	Mercury in Fish Tissue	2010	L	87.78

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

*(continued)*

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L07L_XOC01A10 / Smith Mtn. Lake (Roanoke R., UT XOC) / An unnamed tributary (XOC) to the Roanoke River from its mouth upstream to its backwaters.	5A	Mercury in Fish Tissue	2010	L	119.56

Smith Mountain Lake

<b>Fish Consumption</b>	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Mercury in Fish Tissue - Total Impaired Size by Water Type:		6480.23	

Sources: Atmospheric Deposition; Contaminated Sediments; Industrial Point Source Discharge; Source Unknown

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code: L12L-01-PCB Roanoke River, Tinker Creek and Peters Creek.**

Cause Location: Roanoke River from the confluence of the North and South Forks downstream to Niagara Dam. The impairment includes Peters Creek from the Rt. 460 Bridge downstream to its confluence on the Roanoke River; and Tinker Creek from the mouth of Deer Branch downstream to the Tinker Creek confluence on the Roanoke River.

Cause City/County: Montgomery County; Roanoke; Roanoke County; Salem

Use(s): Fish Consumption; Public Water Supply; Wildlife

Causes(s)/VA Category: PCBs in Fish Tissue/4A; Polychlorinated biphenyls (PCBs)/4A

Cause Description: The waters of the Roanoke River (28.61 miles), Peters Creek (2.52 miles) and Tinker Creek (5.37 miles) are under a Virginia Department of Health (VDH) Fish Consumption Advisory for Polychlorinated Biphenols (PCB) issued 7/27/05. An additional 3.16 miles on the Roanoke from Niagara Dam to Smith Mtn. Lake are under advisory and described in Fact Sheet L12L-02-PCB. The VDH Advisory is based on fish tissue found to originally contain greater than 50 parts per billion (ppb) of PCBs. The DEQ Water Quality Standard (WQS) based tissue value (TV) criterion is 20 ppb in fish tissue. The previous advisory (issued 10/20/03) recommended that no more than two eight-ounce meals per month of flathead catfish (less than 32 inches in size), striped bass, gizzard shad, redhorse sucker, largemouth bass and carp should be consumed. Per the previous advisory, flathead catfish (greater than 32 inches in size) should not be eaten. The advisory has been updated to also recommend that no more than two eight-ounce meals per month of channel catfish should be consumed.

The Roanoke (Staunton) River PCB TMDL Study is U.S. Environmental Protection Agency (EPA) approved on 4/9/2010 and State Water Control Board (SWCB) approved 12/9/2010. A 3.16 mile portion of the Roanoke River is not included in the PCB TMDL Study. The following Federal Identification Numbers by watershed are approved:

L03R Roanoke River: 38624, 38625, 38627, 38629, 38543, 38630 L04R Roanoke River: 24537, 38552, 38632, 38633, 38634, 38635, 38636 Peters Creek: 38468 L05R Tinker Creek: 38467

Fish tissue collections from locations on the Roanoke mainstem, Blackwater River, Mason Creek, Mudlick Creek, Paint Bank Branch, Peters Creek, Tinker Creek and the North and South Forks of the Roanoke River are reviewed by the VDH in making an advisory determination. The VDH Advisory information is also available via the web at <http://www.vdh.virginia.gov/epidemiology/DEE/PublicHealthToxicology/Advisories/index.htm>.

Thirty day deployment of Semi-Permeable Membrane Devices (SPMD) or virtual fish in 2008 find exceedances of the WQS PCB water column criterion of 0.00064 micrograms per liter or 640 picograms per liter (pg/L).

Exceedances are recorded for the Fish Consumption Use via WQS 'Other Waters' (12.09 miles) as well as the Wildlife Use (12.09 miles) and the 'Public Water Supply Use' (PWS 1.64 miles) for the human health criterion at the stations listed below. The 640 pg/L criterion applies to these Uses. The 'PCB in Water Column' impairment on the mainstem of the Roanoke River extends from the confluence of Mason Creek downstream to the mouth of Back Creek (15.23 miles). Fact Sheet L12L-02-PCB describes and the additional 3.14 miles for each of these uses. The 'PCB in Water Column' impairment overlays a total 15.23 mile portion of the overall VDH Fish Consumption Advisory area above Smith Mountain Lake.

4AROA207.08 (Near Memorial Bridge downstream of Peters Creek)- 2008 SPMD 'OE'. Exceeds PCB WQS 'Other Waters' 640 pg/L criterion from one of two deployments at 642. 4AROA204.76 (Downstream of Ore Br., near VA Scrap Iron Co. above American Visco)- Two 2008 SPMD deployments find exceedance of the WQS 'Other Waters' 640 pg/L criterion at 987 and 3,014 pg/L. 4AROA202.20 (13th Street Bridge - above STP)- Two 2008 SPMD deployments find exceedance of the WQS 'Other Waters' 640 pg/L criterion at 1,376 and 3,044 pg/L. 4AROA199.20 (Blue Ridge Parkway Bridge - Niagara)- Two 2008 SPMD deployments find exceedance of the WQS 'Other Waters'

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L03R_ROA01A00 / Roanoke River / Roanoke River mainstem from the Mason Creek mouth upstream to the Rt. 419 Bridge (RU09).	4A	PCBs in Fish Tissue	2002	L	1.21
VAW-L03R_ROA02A00 / Roanoke River / Roanoke River mainstem from the Rt. 419 Bridge upstream to the City of Salem downtown intake on the Roanoke River (RU09).	4A	PCBs in Fish Tissue	2002	L	2.68
VAW-L03R_ROA03A00 / Roanoke River / Roanoke River mainstem from the Salem City WTP downtown intake upstream to the Big Bear Branch mouth on the Roanoke River (RU09).	4A	PCBs in Fish Tissue	2002	L	3.42
VAW-L03R_ROA04A00 / Roanoke River / Roanoke River mainstem from the Big Bear Rock Branch mouth upstream to end of the WQS designated public water supply (PWS) section just downstream of an unnamed tributary at Dixie Caverns (RU09).	4A	PCBs in Fish Tissue	2002	L	5.58
VAW-L03R_ROA05A00 / Roanoke River / Roanoke River mainstem from the end of the WQS designated public water supply (PWS) section just downstream of an unnamed tributary at Dixie Caverns upstream to the Roanoke County Spring Hollow Reservoir intake (RU09).	4A	PCBs in Fish Tissue	2002	L	1.44
VAW-L03R_ROA06A00 / Roanoke River / Roanoke River mainstem from the Roanoke County Spring Hollow Reservoir intake upstream to the Montgomery/Roanoke County Line (RU09).	4A	PCBs in Fish Tissue	2002	L	0.95
VAW-L03R_ROA07A12 / Roanoke River / Roanoke River mainstem from the Montgomery/Roanoke County Line upstream to the confluence of the North & South Forks of the Roanoke River (RU09).	4A	PCBs in Fish Tissue	2002	L	1.27
VAW-L04R_PEE01A02 / Peters Creek / Peters Creek mainstem from its confluence with the Roanoke River upstream to the Melrose Avenue Bridge (Rt. 11/460) (RU14).	4A	PCBs in Fish Tissue	2004	L	2.59
VAW-L04R_ROA02A00 / Roanoke River Niagara / These are the Roanoke River mainstem impounded waters of the Niagara Dam (PWS section 6i) (RU14).	4A	PCBs in Fish Tissue	2002	L	0.77
VAW-L04R_ROA03A00 / Roanoke River Niagara / Roanoke River mainstem from near the backwaters of the Niagara Impoundment upstream to the end of the WQS designated public water supply (PWS section 6i) segment. The upstream ending of the PWS segment from SML 795 ft. pool elevation (RU14).	4A	PCBs in Fish Tissue	2002	L	0.87
VAW-L04R_ROA04A00 / Roanoke River / Roanoke R. mainstem from near the backwaters of Niagara Impoundment upstream to the Tinker Cr. confluence on the Roanoke R. (section 6). The upstream ending of the WQS designated public water supply (PWS) segment from SML 795 ft. pool elevation (RU14).	4A	PCBs in Fish Tissue	2002	L	0.20

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

(continued)

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L04R_ROA05A00 / Roanoke River / Roanoke River mainstem from the Western Virginia Water Authority Roanoke Regional Water Pollution Control Plant downstream to the Tinker Creek confluence (WQS section 6) (RU14).	4A	PCBs in Fish Tissue	2002	L	0.40
VAW-L04R_ROA06A00 / Roanoke River / Roanoke River mainstem from the Murray Run mouth downstream to the Western Virginia Water Authority Roanoke Regional Water Pollution Control Plant (RU14).	4A	PCBs in Fish Tissue	2002	L	4.35
VAW-L04R_ROA07A00 / Roanoke River / Roanoke River mainstem from the Peters Creek mouth downstream to the Murray Run confluence on the Roanoke River (RU14).	4A	PCBs in Fish Tissue	2002	L	3.33
VAW-L04R_ROA08A02 / Roanoke River / Roanoke River mainstem from the Mason Creek mouth downstream to the confluence of Peters Creek on the Roanoke River (RU14).	4A	PCBs in Fish Tissue	2002	L	2.23
VAW-L05R_TKR01A00 / Tinker Creek / Tinker Creek mainstem from the its confluence with the Roanoke River upstream to the mouth of Carvin Creek (RU13).	4A	PCBs in Fish Tissue	2006	L	5.37

Roanoke River, Tinker Creek and Peters Creek.

**Fish Consumption**

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
PCBs in Fish Tissue - Total Impaired Size by Water Type:			36.66

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L04R_ROA02A00 / Roanoke River Niagara / These are the Roanoke River mainstem impounded waters of the Niagara Dam (PWS section 6i) (RU14).	4A	Polychlorinated biphenyls (PCBs)	2010	L	0.77
VAW-L04R_ROA03A00 / Roanoke River Niagara / Roanoke River mainstem from near the backwaters of the Niagara Impoundment upstream to the end of the WQS designated public water supply (PWS section 6i) segment. The upstream ending of the PWS segment from SML 795 ft. pool elevation (RU14).	4A	Polychlorinated biphenyls (PCBs)	2010	L	0.87
VAW-L04R_ROA04A00 / Roanoke River / Roanoke R. mainstem from near the backwaters of Niagara Impoundment upstream to the Tinker Cr. confluence on the Roanoke R. (section 6). The upstream ending of the WQS designated public water supply (PWS) segment from SML 795 ft. pool elevation (RU14).	4A	Polychlorinated biphenyls (PCBs)	2010	L	0.20

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

(continued)

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L04R_ROA05A00 / Roanoke River / Roanoke River mainstem from the Western Virginia Water Authority Roanoke Regional Water Pollution Control Plant downstream to the Tinker Creek confluence (WQS section 6) (RU14).	4A	Polychlorinated biphenyls (PCBs)	2010	L	0.40
VAW-L04R_ROA06A00 / Roanoke River / Roanoke River mainstem from the Murray Run mouth downstream to the Western Virginia Water Authority Roanoke Regional Water Pollution Control Plant (RU14).	4A	Polychlorinated biphenyls (PCBs)	2010	L	4.35
VAW-L04R_ROA07A00 / Roanoke River / Roanoke River mainstem from the Peters Creek mouth downstream to the Murray Run confluence on the Roanoke River (RU14).	4A	Polychlorinated biphenyls (PCBs)	2010	L	3.33
VAW-L04R_ROA08A02 / Roanoke River / Roanoke River mainstem from the Mason Creek mouth downstream to the confluence of Peters Creek on the Roanoke River (RU14).	4A	Polychlorinated biphenyls (PCBs)	2010	L	2.23

Roanoke River, Tinker Creek and Peters Creek.

**Fish Consumption**

Polychlorinated biphenyls (PCBs) - Total Impaired Size by Water Type:

Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
		12.15

Roanoke River, Tinker Creek and Peters Creek.

**Public Water Supply**

Polychlorinated biphenyls (PCBs) - Total Impaired Size by Water Type:

Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
		1.64

Roanoke River, Tinker Creek and Peters Creek.

**Wildlife**

Polychlorinated biphenyls (PCBs) - Total Impaired Size by Water Type:

Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
		12.15

Sources: Landfills; Source Unknown; Urban Runoff/Storm Sewers; Wet Weather Discharges (Non-Point Source)

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code: L12L-02-PCB Roanoke River, Blackwater River and Smith Mountain Lake.**

Cause Location: Roanoke River from Niagara Dam downstream to Smith Mtn. Dam and the Blackwater River from the Rt. 122 crossing downstream to its confluence with the Roanoke River in Smith Mtn. Lake.

Cause City/County: Bedford County; Franklin County; Pittsylvania County; Roanoke County

Use(s): Fish Consumption; Public Water Supply; Wildlife

Causes(s)/VA Category: PCBs in Fish Tissue/4A; Polychlorinated biphenyls (PCBs)/4A

Cause Description: The waters of the Roanoke River (3.16 miles), Blackwater River (11.29 miles) and Smith Mountain Lake (19,820.09 acres) are under a Virginia Department of Health (VDH) Fish Consumption Advisory for Polychlorinated Biphenols (PCB) issued 7/27/05. The VDH Advisory is based on fish tissue found to originally contain greater than 50 parts per billion (ppb) of PCBs. The DEQ Water Quality Standard (WQS) based tissue value (TV) criterion is 20 ppb in fish tissue. The previous advisory (issued 10/20/03) recommended that no more than two eight-ounce meals per month of flathead catfish (less than 32 inches in size), striped bass, gizzard shad, redhorse sucker, largemouth bass and carp should be consumed. Per the previous advisory, flathead catfish (greater than 32 inches in size) should not be eaten. The advisory has been updated to also recommend that no more than two eight-ounce meals per month of channel catfish should be consumed.

The Roanoke (Staunton) River PCB TMDL Study is U.S. Environmental Protection Agency (EPA) approved on 4/9/2010 and State Water Control Board (SWCB) approved 12/9/2010. The Roanoke River (3.14 miles), Blackwater River (11.29 miles) and the waters of Smith Mountain Lake (19,820.09 acres) are nested within the Roanoke (Staunton) River TMDL. EPA approved the nesting on 7/9/2012 for PCB in Fish Tissue and PCB in Water Column. The Roanoke River portion (VAW-L04R\_ROA01A00) is assigned Federal ID 24537 and the remaining waters are assigned Federal ID 38618.

Fish tissue collections from locations on the Roanoke mainstem, Blackwater River are reviewed by the VDH in making an advisory determination. The VDH Advisory information is also available via the web at <http://www.vdh.virginia.gov/epidemiology/DEE/PublicHealthToxicology/Advisories/index.htm>.

Thirty day deployment of Semi-Permeable Membrane Devices (SPMD) or virtual fish in 2008 find exceedances of the WQS PCB water column criterion of 0.00064 micrograms per liter or 640 picograms per liter (pg/L). Exceedances are recorded for both the Fish Consumption Use via WQS 'Other Waters' (3.16 miles in the Roanoke) as well as the Wildlife Use (3.16 miles) and for the 'Public Water Supply Use' (PWS 3.16 miles) human health criterion at the station listed below. The 640 pg/L criterion applies to both Uses. The 'PCB in Water Column' impairment on the mainstem of the Roanoke River extends from the confluence of Mason Creek downstream to the mouth of Back Creek (15.23 miles). The 'PCB in Water Column' impairment overlays a total of 15.23 miles of the overall VDH Fish Consumption Advisory area above Smith Mountain Lake on the Roanoke River.

4AROA199.20 (Blue Ridge Parkway Bridge - Niagara)- There are no additional data. Two 2008 SPMD deployments find exceedance of the WQS 'Other Waters' and 'PWS' 640 pg/L criterion at 1,213 and 1,588 pg/L.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L04R_ROA01A00 / Roanoke River / Roanoke River mainstem waters from Niagara Dam downstream to the mouth of Back Creek (PWS section 6i) (RU14).	4A	PCBs in Fish Tissue	2002	L	3.17
VAW-L07L_BDA01A10 / Smith Mtn. Lake (Beaverdam Creek) / Beaverdam Creek from its mouth on the Roanoke River upstream to its backwaters (RU17).	4A	PCBs in Fish Tissue	2006	L	151.70

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

(continued)

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L07L_BKY01A10 / Smith Mtn. Lake (Beckys Creek) / Beckys Creek from its confluence with the Roanoke River upstream to its backwaters (RU19).	4A	PCBs in Fish Tissue	2006	L	246.95
VAW-L07L_BTT01A10 / Smith Mtn. Lake (Bettys Creek) / Bettys Creek from its confluence with the Roanoke River upstream to its backwaters (RU19).	4A	PCBs in Fish Tissue	2006	L	213.20
VAW-L07L_FIN02A10 / Smith Mtn. Lake (Falling Creek) / Falling Creek from its confluence with the Roanoke River upstream to its backwaters (795 Ft. pool elevation) (RU16).	4A	PCBs in Fish Tissue	2006	L	18.37
VAW-L07L_HFW01A10 / Smith Mtn. Lake (Hales Creek) / Hales Creek from its mouth on the Roanoke River upstream to its backwaters.	4A	PCBs in Fish Tissue	2002	L	117.91
VAW-L07L_IND01A10 / Smith Mtn. Lake (Indian Creek) / Indian Creek from its mouth on the Roanoke River upstream to the 795 Ft. pool elevation of Smith Mountain Lake.	4A	PCBs in Fish Tissue	2002	L	161.67
VAW-L07L_JUM01A10 / Smith Mtn. Lake (Jumping Run) / Jumping Run from its confluence with the Roanoke River upstream to its backwaters.	4A	PCBs in Fish Tissue	2002	L	29.11
VAW-L07L_LVL01A10 / Smith Mtn. Lake (Lynville Creek) / Lynville Creek from its confluence on the Roanoke River upstream to its backwaters.	4A	PCBs in Fish Tissue	2002	L	76.75
VAW-L07L_ROA01A10 / Smith Mtn. Lake (Roanoke River) / Roanoke River from the Blackwater River confluence upstream to 37°04'39" / 79°37'15" below State Park.	4A	PCBs in Fish Tissue	2006	L	1770.54
VAW-L07L_ROA02A10 / Smith Mtn. Lake (Roanoke River) / Roanoke River from 37°04'39" / 79°37'15" below the State Park upstream to approximately 1 mile downstream of the Hales Ford Bridge.	4A	PCBs in Fish Tissue	2006	L	2434.88
VAW-L07L_ROA03A10 / Smith Mtn. Lake (Roanoke River) / Roanoke River from approximately 1 mile downstream of the Hales Ford Bridge upstream to above Hales Creek confluence.	4A	PCBs in Fish Tissue	2002	L	431.99
VAW-L07L_ROA03B22 / Smith Mtn. Lake (Roanoke River) / Roanoke River from above Hales Creek Confluence upstream to above the confluence of Indian Creek Confluence	4A	PCBs in Fish Tissue	2002	L	583.52
VAW-L07L_ROA03C22 / Smith Mtn. Lake (Roanoke River) / Roanoke River above the Indian Creek Confluence upstream to above Beaverdam Creek Confluence	4A	PCBs in Fish Tissue	2002	L	578.10
VAW-L07L_ROA03D22 / Smith Mtn. Lake (Roanoke River) / Roanoke River from above Beaverdam Creek confluence upstream to the mouth of Falling Creek.	4A	PCBs in Fish Tissue	2002	L	602.39

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

(continued)

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L07L_ROA04A10 / Smith Mtn. Lake (Roanoke River) / Roanoke River from ~ 3/4 miles upstream of the Hardy Road Bridge downstream to the confluence of Falling Creek.	4A	PCBs in Fish Tissue	2006	L	184.71
VAW-L07L_ROA05A14 / Smith Mtn. Lake (Roanoke River) / Roanoke River from the Back Creek confluence downstream to ~ 3/4 miles upstream of the Hardy Road Bridge.	4A	PCBs in Fish Tissue	2006	L	165.30
VAW-L07L_SWC01A10 / Smith Mtn. Lake (Stony Creek) / Stony Creek from its mouth on the Roanoke River upstream to its backwaters.	4A	PCBs in Fish Tissue	2002	L	48.62
VAW-L07L_XNK01A10 / Smith Mtn. Lake (Roanoke R., UT XNK) / An unnamed tributary to the Roanoke River from its mouth upstream to its backwaters.	4A	PCBs in Fish Tissue	2002	L	79.99
VAW-L07L_XNL01A10 / Smith Mtn. Lake (Roanoke R., UT XNL) / An unnamed tributary to the Roanoke River from its mouth upstream to its backwaters.	4A	PCBs in Fish Tissue	2006	L	109.33
VAW-L07L_XNM01A10 / Smith Mtn. Lake (Roanoke R., UT XNM) / An unnamed tributary (XNM) to the Roanoke River from its mouth upstream to its backwaters.	4A	PCBs in Fish Tissue	2006	L	38.40
VAW-L07L_XNN01A10 / Smith Mtn. Lake (Roanoke R., UT XNN) / An Unnamed tributary (XNN) to the Roanoke River from its mouth upstream to its backwaters.	4A	PCBs in Fish Tissue	2006	L	87.78
VAW-L07L_XNT01A10 / Smith Mtn. Lake (Roanoke R., UT XNT) / An unnamed tributary (XNT) to the Roanoke River from its mouth upstream to its backwaters.	4A	PCBs in Fish Tissue	2006	L	68.39
VAW-L07L_XNU01A10 / Smith Mtn. Lake (Roanoke R., UT XNU) / An unnamed tributary (XNU) to the Roanoke River from its mouth upstream to its backwaters.	4A	PCBs in Fish Tissue	2006	L	125.42
VAW-L07L_XOC01A10 / Smith Mtn. Lake (Roanoke R., UT XOC) / An unnamed tributary (XOC) to the Roanoke River from its mouth upstream to its backwaters.	4A	PCBs in Fish Tissue	2006	L	119.56
VAW-L08R_BWR01A00 / Blackwater River / Blackwater River mainstem from the Rt. 122 Bridge downstream to the mouth of Maggodee Creek (RU22).	4A	PCBs in Fish Tissue	2006	L	3.03
VAW-L10L_BSA01A10 / Smith Mtn. Lake (Bull Run) / Bull Run from its mouth on the Blackwater River upstream to its backwaters (RU26).	4A	PCBs in Fish Tissue	2006	L	1156.52

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

(continued)

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L10L_BWR01A10 / Smith Mtn. Lake (Blackwater River) / Blackwater River from its mouth on the Roanoke River upstream to the mouth of Gills Creek.	4A	PCBs in Fish Tissue	2006	L	2460.64
VAW-L10L_BWR02A10 / Smith Mtn. Lake (Blackwater River) / Blackwater River from the mouth of Gills Creek upstream to near the 4H Camp.	4A	PCBs in Fish Tissue	2006	L	1849.56
VAW-L10L_BWR03A10 / Smith Mtn. Lake (Blackwater River) / Blackwater River from ~1.6 miles downstream of the Brooks Mill Bridge on downstream to the 4H Camp (RU24).	4A	PCBs in Fish Tissue	2006	L	351.98
VAW-L10L_BWR03B14 / Smith Mtn. Lake (Blackwater River) / Blackwater River from its back waters downstream to ~1.6 miles downstream of the Brooks Mill Bridge (RU24).	4A	PCBs in Fish Tissue	2006	L	114.22
VAW-L10L_COA01A10 / Smith Mtn. Lake (Cool Branch) / Cool Branch from its mouth on the Blackwater River upstream to its backwaters.	4A	PCBs in Fish Tissue	2006	L	362.12
VAW-L10L_PCP01A10 / Smith Mtn. Lake (Poplar Camp Creek) / Poplar Camp Creek from its confluence with the Blackwater River upstream to its backwaters.	4A	PCBs in Fish Tissue	2006	L	58.60
VAW-L10L_XNZ01A10 / Smith Mtn. Lake (Little Bull Run, UT XNZ) / Unnamed tributary (XNZ) from its backwaters downstream to its mouth on Little Bull Run.	4A	PCBs in Fish Tissue	2006	L	15.22
VAW-L10L_XUV01A10 / Smith Mtn. Lake - Crazy Horse Camp Ground and Marina / Off Route 601, Franklin County, on backwaters of an unnamed tributary (XUV) to Blackwater River in Smith Mountain Lake 37°04'04" / 79°38'54".	4A	PCBs in Fish Tissue	2006	L	30.27
VAW-L10R_BWR01A00 / Blackwater River / Blackwater mainstem from the Dillions Mill Branch mouth downstream into Smith Mountain Lake. The waters are within the WQS designated public water supply (PWS) section 6i, 5 miles upstream of the 795 ft. pool elevation of Smith Mtn. Lake (RU24).	4A	PCBs in Fish Tissue	2006	L	0.40
VAW-L10R_BWR02A00 / Blackwater River / Blackwater River mainstem waters from the upper end of the WQS designated public water supply (PWS) section 6i downstream to Dillions Mill Branch (RU24).	4A	PCBs in Fish Tissue	2006	L	5.21
VAW-L10R_BWR03A00 / Blackwater River / Blackwater River mainstem from the Maggodee Creek mouth on downstream to the upper end of the WQS designated public water supply (PWS) section 6i (RU24).	4A	PCBs in Fish Tissue	2006	L	2.62

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

(continued)

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L11L_GIL01A10 / Smith Mtn. Lake (Gills Creek) / Gills Creek from its mouth on the Blackwater River upstream to near the end of Route 665 (RU25).	4A	PCBs in Fish Tissue	2006	L	527.22
VAW-L11L_GIL02A10 / Smith Mtn. Lake (Gills Creek) / Gills Creek from the end of Route 665 upstream to its backwaters (RU25).	4A	PCBs in Fish Tissue	2006	L	197.42
VAW-L12L_CCK01A02 / Smith Mtn. Lake (Craddock Creek) / Craddock Creek from its mouth on the Roanoke River upstream to its backwaters (RU27).	4A	PCBs in Fish Tissue	2006	L	1547.12
VAW-L12L_LOS01A10 / Smith Mtn. Lake (Louse Creek) / Louse Creek from its mouth on the Roanoke River upstream to its backwaters (RU27).	4A	PCBs in Fish Tissue	2006	L	152.10
VAW-L12L_ROA01A02 / Smith Mtn. Lake (Roanoke River) / Roanoke River from Smith Mountain Dam upstream to the confluence of the Blackwater River (RU27).	4A	PCBs in Fish Tissue	2006	L	2088.34
VAW-L12L_WTH01A10 / Smith Mtn. Lake (Witcher Creek) / Witcher Creek from its mouth on the Roanoke River upstream to its backwaters (RU27).	4A	PCBs in Fish Tissue	2006	L	322.35
VAW-L12L_XNW01A10 / Smith Mtn. Lake (Witcher Creek, UT (XNW) / An unnamed tributary (XNW) to Witcher Creek (Roanoke River) from its mouth upstream to its headwaters (RU27).	4A	PCBs in Fish Tissue	2006	L	136.23

Roanoke River, Blackwater River and Smith Mountain Lake.

<b>Fish Consumption</b>	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
PCBs in Fish Tissue - Total Impaired Size by Water Type:		19814.49	14.43

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L04R_ROA01A00 / Roanoke River / Roanoke River mainstem waters from Niagara Dam downstream to the mouth of Back Creek (PWS section 6i) (RU14).	4A	Polychlorinated biphenyls (PCBs)	2010	L	3.17

Roanoke River, Blackwater River and Smith Mountain Lake.

<b>Fish Consumption</b>	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Polychlorinated biphenyls (PCBs) - Total Impaired Size by Water Type:			3.17

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

Roanoke River, Blackwater River and Smith Mountain Lake.

**Public Water Supply**

Polychlorinated biphenyls (PCBs) - Total Impaired Size by Water Type:

Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
		3.17

Roanoke River, Blackwater River and Smith Mountain Lake.

**Wildlife**

Polychlorinated biphenyls (PCBs) - Total Impaired Size by Water Type:

Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
		3.17

---

Sources: Atmospheric Deposition; Contaminated Sediments; Industrial Point Source Discharge; Landfills; Source Unknown; Urban Runoff/Storm Sewers; Wet Weather Discharges (Non-Point Source)

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L12R-01-BAC** Craddock Creek (XME)

Cause Location: An unnamed tributary (XME) to Craddock Creek from it's headwaters downstream to it's inundation on Smith Mountain Lake.

Cause City/County: Bedford County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/5A

Cause Description: Craddock Creek is newly 303(d) listed during the 2020 data window for the Recreational Use.

4ACCK004.26 (Surry Drive Bridge) The new E.coli WQS confirms impairment due to 2 or more Statistical Threshold Value (STV) hits in the same 90-day period with < 10 samples. The 2020 data window finds nine of 23 samples in exceedance of the 235 cfu/100 ml instantaneous criterion. Five of 12 E.coli samples exceed the 235 cfu/100 ml instantaneous criterion during the 2018 data window. The exceedances range from 399 to 2,282 cfu/100 ml. Prior to the 2018 IR, there were no additional data beyond the 2012 IR where three of 11 escherichia coli (E.coli) samples exceed the WQS instantaneous criterion of 235 cfu/100 ml. Exceedances range from 320 to 980 cfu/100 ml.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L12R_XME01A02 / Craddock Creek, UT (XME) / An unnamed tributary to Craddock Creek and Smith Mountain Lake. These waters are within the WQS public water supply (PWS) designated section 6i eg. 5 miles of the 795 ft. pool elevation of Smith Mtn. Lake (RU27).	5A	Escherichia coli (E. coli)	2012	L	1.24

Craddock Creek (XME)

<b>Recreation</b>	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:			1.24

Sources: Livestock (Grazing or Feeding Operations); On-site Treatment Systems (Septic Systems and Similar Decentralized Systems); Unspecified Domestic Waste; Wet Weather Discharges (Non-Point Source)

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L13L-02-BAC** Leesville Lake (Pigg River)

Cause Location: Pigg River from its confluence with the Roanoke River in Leesville Lake upstream to its backwaters.

Cause City/County: Pittsylvania County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: The Pigg River TMDL received U.S. EPA approval on 9/11/2006. Fed ID 30413 and SWCB approval on 6/27/2007.

4APGG003.29- (Rt. 605 Graves Bridge) 2022: E.coli- Impaired- 2 or more STV hits in the same 90-day period with < 10 samples. 2020: Eleven of 29 escherichia coli (E.coli) observations exceed the WQS instantaneous criterion of 235 cfu/100 ml. 2018: Eleven of 35 escherichia coli (E.coli) observations exceed the WQS instantaneous criterion of 235 cfu/100 ml. Excessive values range from 300 to 19863 cfu/100 ml. 2016: Seven of 24 escherichia coli (E.coli) observations exceed the WQS instantaneous criterion of 235 cfu/100 ml. Excessive values range from 300 to greater than 2000 cfu/100 ml. 2014: Three of 12 E.coli samples exceeding the 235 cfu/10 ml instantaneous criterion. The range of exceeding values is from 300 cfu/100 ml to 1200. There are no additional data beyond the 2008 assessment where nine of 27 E.coli exceed the instantaneous criterion. The range of exceeding values is from 300 cfu/100 ml to 1200. The station is located in the immediate backwaters of Leesville Reservoir.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L13L_PGG01A02 / Leesville Lake (Pigg R.) / Pigg River from its confluence with the Roanoke River in Leesville Lake upstream to its backwaters (RU37).	4A	Escherichia coli (E. coli)	2006	L	158.37

Leesville Lake (Pigg River)

**Recreation**

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:		158.37	

Sources: Livestock (Grazing or Feeding Operations); On-site Treatment Systems (Septic Systems and Similar Decentralized Systems); Unspecified Domestic Waste; Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L13L-03-DO** Leesville Lake

Cause Location: From the Leesville Dam upstream to the Smith Mountain Lake Dam.

Cause City/County: Bedford County; Campbell County; Pittsylvania County

Use(s): Aquatic Life

Causes(s)/VA Category: Dissolved Oxygen/5A

Cause Description: Station ID: 4AROA140.66 DO exceeds the Dissolved Oxygen WQS 64 out of 217 samples. Station ID: 4AROA145.34 DO exceeds the Dissolved Oxygen WQS 37 out of 255 samples.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L13L_ROA01A18 / Leesville Lake / Roanoke River from the mouth of Old Womans Creek downstream to Leesville Dam.	5A	Dissolved Oxygen	2022	L	403.54
VAW-L13L_ROA02A18 / Leesville Lake Middle (Roanoke R.) / Roanoke River from the Pigg River mouth downstream to the Old Womans Creek mouth.	5A	Dissolved Oxygen	2022	L	1586.64
VAW-L13L_ROA03A18 / Leesville Lake / Roanoke River from the Smith Mountain Dam downstream to the Pigg River confluence.	5A	Dissolved Oxygen	2022	L	336.90

Leesville Lake

**Aquatic Life**

Dissolved Oxygen - Total Impaired Size by Water Type:

Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
	2327.08	

Sources: Source Unknown

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L13R-01-BAC** **Old Womans Creek**

Cause Location: Old Womans Creek mainstem perennial headwaters downstream to its inundation at Leesville Lake.

Cause City/County: Pittsylvania County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: Old Womans Creek was originally 303(d) listed for the Recreational Use during the 2006 assessment cycle. These waters are included in the Bacteria TMDL for Pigg River, Snow Creek, Story Creek and Old Womans Creek which was EPA approved 9/11/06 and SWCB approved 6/27/07 [Fed ID 30411].

4AOWC002.35 (TMDL Monitoring)(Paisley Rd. (Rt. 756)) - 2022: E.coli - 3/10 Exceedance Rate. 2020: E.coli - 10/24 Exceedance Rate. 2018: E.coli - 7/18 Exceedance Rate. Previous cycle E. coli - 3/9 Exceedance Rate

4AOWC005.36 (Ambient)(Station #17 Route 760 Bridge) - E. coli - 5/12 Exceedance Rate.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L13R_OWC01A18 / Old Womans Creek / Old Womans Creek mainstem perennial headwaters downstream to its inundation at Leesville Lake (RU38).	4A	Escherichia coli (E. coli)	2006	L	4.9

Old Womans Creek

**Recreation**

Escherichia coli (E. coli) - Total Impaired Size by Water Type:	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
			4.9

Sources: Livestock (Grazing or Feeding Operations); On-site Treatment Systems (Septic Systems and Similar Decentralized Systems); Unspecified Domestic Waste; Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code: L14R-01-BAC Pigg River and Doe Run**

Cause Location: Pigg River from near the Five Mile Mountain Road (~ 1 mile upstream of the South Prong Pigg River confluence with the Pigg River) on downstream of the Rocky Mount STP to an unnamed tributary to the Pigg River upstream of the community of Gladehill. Doe Run mainstem from its mouth on the Pigg River upstream to its headwaters. (Rocky Mount & Gladehill Quads).

Cause City/County: Franklin County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A; Fecal Coliform/4A

Cause Description: The Pigg River Bacteria Total Maximum Daily Load (TMDL) is U.S. EPA approved 9/11/2006 and SWCB approved 6/27/2007. The Bacteria Implementation Plan received SWCB approval on 12/13/2010. The Doe Run bacteria impairment is not specifically addressed by the TMDL due to the listing occurring after initial study contractual design. The allocation scenario development is for the entire drainage to provide pollutant reductions for all watersheds contributing to the bacteria impairment.

The 2004 Integrated Report (IR) extended the 1996 Pigg R bacteria 303(d) Listing upstream from the confluence of Storey Cr on the Pigg R continuing upstream to the mouth of the South Prong Pigg R due to sample collections in support of the Bacteria TMDL Study. Additional upstream samples from station 4APGG077.15 within the 2016 data window extend the impairment further upstream adding 2.95 miles to the total impairment. Below describes the upper 37.76 mile impaired portion including the 2004 addition of 13.40 miles to the original 1996 impaired miles (21.41) and the 2016 addition of 2.95 miles on the Pigg R. Doe Run is a nested 2006 addition (5.68 miles). The Lower Pigg R portion is described in a separate fact sheet (L18R-01-BAC) and comprises 28.95 miles.

4ADOE002.47- (Rt. 720 Br) No additional data beyond the 2006 IR where 3/12 fecal coliform (FC) exceedances of the 400 cfu/100 ml inst. criterion. Escherichia coli (E.coli) has replaced FC as the indicator organism.  
 4APGG077.15 2020: 22/29 samples exceed the 235 cfu/100 ml inst. 2018 & 2016: 12/17 E.coli exceedances adding an additional 2.95 miles during the 2016 assessment cycle. 4APGG074.87- (Rt. 908 Ford) No additional data beyond the 2010 IR. 2010: 12/24 E.coli exceedances. 2008: 5/12 exceedances. 2006: 4/9 obs. 4APGG068.49- (Rt. 756 Br) 2020: 27/42 exceedances. 2018 & 2016: 18/30 and 9/18. No additional data beyond the 2008 IR where 8/12 samples exceed. 2006: 4/6. 4APGG0057.85 (Bus. 220 Br - above Old STP) 2010: 5/12 samples exceed. No additional data beyond the 2010 IR. 4APGG055.72 (Rt. 220 Br - below Old STP) No additional data beyond the 2010 IR 4/12. 4APGG052.73- (Rt. 713 Br) 2020: 20/36. 2018: 17/36 exceed. 2016: 14/35 exceed 275 to >2000 cfu/100 ml. 2014: 13/35 exceed. 2012: 16/38 exceed. 2010: 19/38 exceed. 2008: 16/26 exceed. 2006: 8/11 exceed.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L14R_DOE01A06 / Doe Run / Doe Run mainstem from its mouth on the Pigg River upstream to its headwaters (RU30).	4A	Fecal Coliform	2006	L	5.68

Pigg River and Doe Run

**Recreation**

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Fecal Coliform - Total Impaired Size by Water Type:			5.68

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L14R_PGG02A00 / Pigg River / Pigg River mainstem from the town of Rocky Mount STP downstream to an unnamed tributary confluence on the Pigg River (RU30).	4A	Escherichia coli (E. coli)	2008	L	10.92
VAW-L14R_PGG03A00 / Pigg River / Pigg River mainstem from just downstream of the Rt. 220 Business Bridge on downstream to the Town of Rocky Mount STP (RU30).	4A	Escherichia coli (E. coli)	2006	L	4.73
VAW-L14R_PGG04A00 / Pigg River / Pigg River mainstem from the Storey Creek mouth on down to just downstream of the Rt. 220 Business Bridge (RU30).	4A	Escherichia coli (E. coli)	2006	L	5.77
VAW-L14R_PGG05A02 / Pigg River / Pigg River mainstem from the confluence of the South Prong Pigg River downstream to the mouth of Storey Creek (RU29).	4A	Escherichia coli (E. coli)	2006	L	11.93
VAW-L14R_PGG05B12 / Pigg River / Pigg River mainstem from the confluence of the South Prong Pigg River downstream to the confluence of Turners Creek (RU29).	4A	Escherichia coli (E. coli)	2006	L	1.49
VAW-L14R_PGG06A02 / Pigg River / Pigg River mainstem from one mile above the mouth of the South Prong of the Pigg River downstream to the South Prong Pigg River confluence on the Pigg River (RU29).	4A	Escherichia coli (E. coli)	2016	L	1.02
VAW-L14R_PGG06B12 / Pigg River / Pigg River mainstem from one mile above the mouth of the South Prong Pigg upstream to near Five Mile Mountain Rd. (Rt. 748) (RU29).	4A	Escherichia coli (E. coli)	2016	L	1.95

Pigg River and Doe Run

**Recreation**

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:			37.81

Sources: Livestock (Grazing or Feeding Operations); Municipal (Urbanized High Density Area); On-site Treatment Systems (Septic Systems and Similar Decentralized Systems); Residential Districts; Unspecified Domestic Waste; Wastes from Pets; Wildlife Other than Waterfowl

# Virginia Department of Environmental Quality

## Appendix 4 - Fact Sheets for Impaired (Category 4 or 5) Waters in 2022

### Roanoke and Yadkin River Basins

**Cause Group Code:** L14R-01-BEN **Pigg River**

Cause Location: Pigg River mainstem from near Five Mile Mountain Road (Rt. 748) on downstream to the confluence of Turners Creek.

Cause City/County: Franklin County

Use(s): Aquatic Life

Causes(s)/VA Category: Benthic Macroinvertebrates Bioassessments/5A

Cause Description: The Aquatic Life Use is impaired with this initial 2012 General Standard- Benthic Listing for 4.43 miles.

4APGG077.15 (Ferrum Mtn. Rd. (Rt. 602) Bridge) Bio 'IM' from six VSCI scores avg 55 (2015, 2017-19) during the 2022 data window. The immediate land use at this station is pasture or grain fields. Within the sampling reach there is a minimal riparian zone unless steep hill slopes exist. The 2020 data window adds two 2017 VSCI scores (54.8, 56.5) and one 2018 score of 46.9 bringing the VSCI average to 55.7. Bio 'IM' The 2018 data window finds four VSCI scores averaging 58.0. The 2018 window adds the spring VSCI score of 55.4 to the three scores within the 2016 IR window. Three Virginia Stream Condition Index (VSCI) surveys (fall 2013 and 2014 spring/fall) with an average 2016 score of 58.8. This station surveyed as a follow up to an initial 303(d) listing at 4APGG076.93. The average Stream Condition Index (SCI) score was 58.8 indicating a stressed benthic community. The two metrics that vary most are % Scrapers and %Chiro. The metric % 2Dom averaged 57% indicating that 2 taxa of benthic macroinvertebrates made up >50% of the samples. Total Habitat scores averaged 98, yielding a marginal score. Stream bank and riparian zone scores were poor and sediment deposition scores were all marginal

4APGG076.93 (~ 1 mile upstream of the South Prong Pigg River confluence) Bio 'IM' A 2009 Probabilistic site. Two 2009 VSCI surveys with an average score of 50.5. There are no additional data beyond the 2012 Integrated Report. A stressed benthic community. A high number of mayflies were in this sample; however, the family Ephemerellidae is tolerant of moderate sediment impacts. The stream substrate was impacted by sediment deposition and some benthic macroinvertebrates were covered with bacteria which may indicate nutrient enrichment.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L14R_PGG05B12 / Pigg River / Pigg River mainstem from the confluence of the South Prong Pigg River downstream to the confluence of Turners Creek (RU29).	5A	Benthic Macroinvertebrates Bioassessments	2012	H	1.49
VAW-L14R_PGG06A02 / Pigg River / Pigg River mainstem from one mile above the mouth of the South Prong of the Pigg River downstream to the South Prong Pigg River confluence on the Pigg River (RU29).	5A	Benthic Macroinvertebrates Bioassessments	2012	H	1.02
VAW-L14R_PGG06B12 / Pigg River / Pigg River mainstem from one mile above the mouth of the South Prong Pigg upstream to near Five Mile Mountain Rd. (Rt. 748) (RU29).	5A	Benthic Macroinvertebrates Bioassessments	2012	H	1.95

Pigg River

#### Aquatic Life

Benthic Macroinvertebrates Bioassessments - Total Impaired Size by Water Type:

Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
		4.46

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

Sources: Crop Production (Crop Land or Dry Land); Dairies; Livestock (Grazing or Feeding Operations); Wet Weather Discharges (Non-Point Source)

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L14R-02-BAC** **Storey Creek**

Cause Location: The Storey Creek upper limit is west of Ferrum near the intersection of Rt. 40 and Rt. 748, perennial headwaters (Ferrum Quad). The downstream limit is the mouth of Storey Creek on the Pigg River (RU29).

Cause City/County: Franklin County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: The Pigg River Bacteria Total Maximum Daily Load (TMDL) is U.S. EPA approved on 9/11/2006 [Fed ID 30412] and incorporates the Storey Creek drainage. The Pigg River bacteria study received approval from the State Water Control Board (SWCB) on 6/27/2007 incorporating the Storey Creek 11.86 mile impairment. The Bacteria Implementation Plan received SWCB approval on 12/13/2010. Additional stations were added along Storey Creek in support of the Bacteria TMDL Study. Stations on Storey Creek find the recreational use impaired due to exceedance of the former fecal coliform (FC) bacteria 400 cfu/100 ml instantaneous criterion and the current escherichia coli (E.coli) instantaneous criterion of 235 cfu/100 ml.

4ASDA009.79- (Rt. 623 above Ferrum STP) 2010 escherichia coli (E.coli) samples exceed the 235 cfu/100 ml instantaneous criterion in 10 of 23 collections ranging from 250 to greater than 2000 cfu/100 ml. E.coli exceeds the instantaneous criterion in five of 12 samples in 2008 ranging from 250 to greater than 2000 cfu/100 ml. The 2006 Integrated Report (IR) finds E.coli exceeds the criterion in three of nine samples with the same range of exceedance.

4ASDA009.77- (off Rt. 864 below Ferrum STP) There are no additional data beyond the 2010 Integrated Report (IR) where E.coli exceed the 235 cfu/100 ml instantaneous criterion in three of 12 samples within the 2010 data window. Exceedances range from 300 to greater than 2000 cfu/100 ml. The 2004 IR reports fecal coliform (FC) exceeds the former instantaneous criterion of 400 cfu/100 ml in 13 of 37 samples. Exceeding values range from 500 cfu/100 ml to greater than 8000. There are no additional data reported in 2008 where no FC excursions are found from five samples.

4ASDA007.24- (Rt. 40 Bridge) There are no additional data beyond the 2010 IR where 10 of 18 E.coli samples exceed the 235 cfu/100 ml instantaneous criterion within the 2010 data window ranging from 250 cfu/100 ml to greater than 2000. The 2008 assessment finds two of six E.coli samples exceed the instantaneous criterion at 250 cfu/100 ml and 1000. This station added in support of the Bacteria TMDL Study.

4ASDA004.19- (Pleasant Hill Rd. (Rt. 619) Bridge) There are no new data beyond the 2016 data window where E.coli exceeding values range from 250 to greater than 2000 cfu/100 ml in five of 12 samples.

4ASDA000.67- (Davis Mill Bridge - Rt. 754) Fourteen of 31 excursions of the 235 cfu/100 ml instantaneous criterion are reported during the 2020 data window. Eight of 19 and Five of 12 E.coli samples exceed the instantaneous criterion within the 2018 and 2016 data windows, respectively. Values in excess of the criterion range from 256 to 2,613 cfu/100 ml. There were no additional data within the 2010, 2012 or 2014 IRs. The 2008 IR reports seven of 12 E.coli samples exceed the instantaneous criterion. Excessive values range from 255 to 1000 cfu/100 ml. Four of six E.coli samples exceed the criterion ranging from 310 to 1000 cfu/100 ml in 2006. This station added in support of the Bacteria TMDL Study.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L14R_SDA01A00 / Story Creek / Story Creek mainstem from the Ferrum Water and Sewerage Authority POTW downstream to the Storey Creek mouth on the Pigg River (RU29).	4A	Escherichia coli (E. coli)	2006	L	9.83

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

*(continued)*

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L14R_SDA02A00 / Story Creek / Story Creek mainstem perennial headwaters downstream to the Ferrum Water and Sewerage Authority POTW (RU29).	4A	Escherichia coli (E. coli)	2006	L	2.04

Storey Creek

**Recreation**

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:			11.87

Sources: Livestock (Grazing or Feeding Operations); Municipal (Urbanized High Density Area); On-site Treatment Systems (Septic Systems and Similar Decentralized Systems); Unspecified Domestic Waste; Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L14R-02-BEN** **Storey Creek**

Cause Location: Storey Creek mainstem from the Ferrum Water and Sewerage Authority POTW downstream to the Storey Creek mouth on the Pigg River (RU29).

Cause City/County: Franklin County

Use(s): Aquatic Life

Causes(s)/VA Category: Benthic Macroinvertebrates Bioassessments/5A

Cause Description: These waters (9.82 miles) are initially 2016 listed for impairment of the Aquatic Life Use. Impairment is based on Virginia Stream Condition Index (VSCI) surveys conducted at station 4ASDA004.94.

4ASDA004.94 (Between Bridges on Waidsober Rd. (607) & Pleasant Hill Rd. (619)) Bio 'IM' There are no new VSCI scores beyond the 2016 data window where two 2013 VSCI surveys with an average score of 51.7 indicating a benthic community lacking in diversity and pollution-sensitive organisms. Some instream habitat scores are good; however, those related to sediment deposition were low. Bank erosion and bank vegetative cover were impacted by highly eroded stream banks in this reach.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L14R_SDA01A00 / Storey Creek / Storey Creek mainstem from the Ferrum Water and Sewerage Authority POTW downstream to the Storey Creek mouth on the Pigg River (RU29).	5A	Benthic Macroinvertebrates Bioassessments	2016	L	9.83

Storey Creek

**Aquatic Life**

Benthic Macroinvertebrates Bioassessments - Total Impaired Size by Water Type:

Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
		9.83

Sources: Crop Production (Crop Land or Dry Land); Dairies; Livestock (Grazing or Feeding Operations); Wet Weather Discharges (Non-Point Source)

# Virginia Department of Environmental Quality

## Appendix 4 - Fact Sheets for Impaired (Category 4 or 5) Waters in 2022

---

### Roanoke and Yadkin River Basins

**Cause Group Code:** **L15R-01-BAC** **Big Chestnut Creek**

Cause Location: Big Chestnut Creek from the confluence of Muddy Fork downstream to its confluence with the Pigg River.

Cause City/County: Franklin County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: The Pigg River Bacteria Total Maximum Daily Load (TMDL) is U.S. EPA approved on 9/11/2006 [Fed ID 30414] and SWCB approved 6/27/2007. The Bacteria Implementation Plan received SWCB approval on 12/13/2010. Big Chestnut Creek is a 2004 bacteria 303(d) Listing and is nested within the TMDL Watershed.

The Big Chestnut Creek 12.87 mile bacteria impairment is not specifically addressed by the TMDL due to the 303(d) Listing occurring after initial study contractual design. However allocation scenario development is for the entire Pigg River drainage and provides pollutant reductions for all watersheds contributing to the bacteria impairment including Big Chestnut Creek. The entirety of the approved TMDL and allocations can be viewed at <http://www.deq.virginia.gov>.

The original 12.43 waters were de-listed with the 2014 Integrated Report (IR) where bacteria (escherichia coli (E.coli)) excursions of the 235 cfu/100 ml instantaneous criterion are one of 12 observations with an exceedance rate of 8.3% at station 4ACNT001.32 (Route 715 Bridge, Franklin County). These waters return and an additional 6.77 miles added as impaired with the 2016 IR (station 4ACNT017.37).

4ACNT001.32- (Chestnut Mtn. Road (Rt. 715) Bridge) There is no additional data beyond the 2016 IR where three of 24 E.coli observations in excess of the WQS instantaneous criterion. Excessive values range from 700 to 1575 cfu/100 ml. The 2014 assessment finds one of 12 samples exceeding and resulted in a de-listing of this station. There were no additional data within the 2010 or 2012 data windows. The 2008 assessment reports E.coli sample results are six exceeding values ranging from 250 to greater than 2000 cfu/100 ml from 12 samples. All in excess of the 235 cfu/100 ml instantaneous criterion. 2006 E.coli sample results report six exceeding values with the same range of exceedance as 2008. The original 2004 Listing is a result of fecal coliform samples exceeding the former WQS 400 cfu/100 ml instantaneous criterion in two of 17 observations. The exceedances are 600 and 2300 cfu/100 ml.

4ACNT017.37- (McNeil Mill Road (Rt. 718) Bridge) No new data exist for the 2020 or 2018 data windows. The 2016 data window finds four of 11 E.coli samples exceed the WQS instantaneous criterion. Excessive values range from 350 cfu/100 ml to 950.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L15R_CNT01A00 / Big Chestnut Creek / Big Chestnut Creek mainstem from its mouth on the Pigg River upstream to the confluence of Little Chestnut Creek (RU31).	4A	Escherichia coli (E. coli)	2006	L	12.43
VAW-L15R_CNT02A14 / Big Chestnut Creek / Big Chestnut mainstem waters from the Muddy Fork mouth downstream to the confluence of Little Chestnut Creek. (RU31).	4A	Escherichia coli (E. coli)	2016	L	6.78

Big Chestnut Creek

#### Recreation

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:			19.21

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

Sources: Livestock (Grazing or Feeding Operations); On-site Treatment Systems (Septic Systems and Similar Decentralized Systems); Unspecified Domestic Waste; Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L15R-02-BAC** **Root Mill Creek**

Cause Location: Root Mill Creek mainstem from its confluence with Canton Creek upstream to its headwaters (RU31).

Cause City/County: Franklin County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: The initial 2020 303(d) listing for the Root Mill Creek Recreational Use occurs based on Escherichia coli (E.coli) data collections and lists the entire 3.45 miles. These waters are nested in the Pigg R. Bacteria TMDL (U.S. EPA approved 9/11/2006 Fed ID: 30414; SWCB approved 6/27/2007).

4AROT000.08 - The 2020 data window finds five of twelve E.coli samples in exceedance of the 235 cfu/100 ml instantaneous criterion.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L15R_ROT01A10 / Root Mill Creek / Root Mill Creek mainstem from its confluence with Canton Creek upstream to its headwaters (RU31).	4A	Escherichia coli (E. coli)	2020	L	3.46

Root Mill Creek

**Recreation**

Escherichia coli (E. coli) - Total Impaired Size by Water Type:

Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
		3.46

Sources: Livestock (Grazing or Feeding Operations); Unspecified Urban Stormwater; Wastes from Pets; Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L15R-03-BEN** **Upper North Fork Little Chestnut Creek**

Cause Location: North Fork Little Chestnut Creek mainstem from a private pond at Rt. 434 Peaceful Valley Ln. upstream to its headwaters (RU31).

Cause City/County: Franklin County

Use(s): Aquatic Life

Causes(s)/VA Category: Benthic Macroinvertebrates Bioassessments/5A

Cause Description: The 2022 data window finds the initial 303(d) listing of the Aquatic Life Use on Upper North Fork Little Chestnut Creek based on benthic macroinvertebrate community collections in 2019.

4ALNF006.42 (Upstr of Fishburn Mt Rd, Rt. 756) - Bio 'IM' from two 2019 VSCI scores of 54 (Spring) and 47 (Fall). This station was sampled because it was a randomly chosen site in the Probabilistic Monitoring network. The average Stream Condition Index (SCI) score was 50.6 indicating a benthic community with low diversity and high abundance of pollution-tolerant taxa.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L15R_LNF02A22 / North Fork Little Chestnut Creek, Upper / North Fork Little Chestnut Creek mainstem from a private pond at Rt. 434 Peaceful Valley Ln. upstream to its headwaters (RU31).	5A	Benthic Macroinvertebrates Bioassessments	2022	L	4.85

Upper North Fork Little Chestnut Creek

**Aquatic Life**

Benthic Macroinvertebrates Bioassessments - Total Impaired Size by Water Type:

Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
		4.85

Sources: Source Unknown

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L17R-01-BAC** **Snow Creek and Turkeycock Creek**

Cause Location: Snow Creek from the Crab Creek confluence downstream to its mouth on the Pigg River (Penhook & Sandy Level Quads). Turkeycock Creek from its mouth on Snow Creek upstream to the confluence of Sailor Creek.

Cause City/County: Franklin County; Henry County; Pittsylvania County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: The Snow Creek Bacteria Total Maximum Daily Load (TMDL) is U.S. EPA approved on 9/11/2006 [Fed ID 30410] and SWCB approved 6/27/2007. The Pigg River Implementation Plan received SWCB approval on 12/13/2010. Allocation scenario development is for the entire drainage to provide pollutant reductions for all watersheds contributing to the bacteria impairment.

The 1999 Federal Consent Decree includes 4ASNW000.60 as an Attachment B station (10.95 miles). The initial 303(d) fecal coliform (FC) bacteria Listing in 2002 of Snow Creek is in response to the 1999 Consent Decree resulting in a 2010 TMDL Schedule. The 2002 assessment reports five of 22 samples in excess of the former (2002) 1000 cfu/100 ml instantaneous criterion. An exceedance rate of 22 percent. The 10.95 mile bacteria impairment remains- Category 4A. The 2012 Integrated Report (IR) extends the impairment 6.49 miles upstream from Ditto Branch to the confluence of Crab Creek from data collected at 4ASNW016.24. Turkeycock Creek adds an additional 6.46 miles and is Category 4A as the data collected for TMDL development includes Turkeycock Creek data and is nested within the TMDL Watershed and allocations.

4ASNW016.24 (Snow Cr. Rd Bridge at Parkers Store) The 2020 data window reports 6 of 12 E.coli samples in exceedance of the 235 cfu/100 ml instantaneous criterion. Prior to 2020, there were no additional data beyond the 2012 IR where E.coli exceeds the 235 cfu/100 ml WQS instantaneous criterion in 6 of 11 samples. The range of exceeding values is from 350 to greater than 2000 cfu/10 ml. The impairment is extended upstream 8.19 miles on Snow Creek with the 2012 assessment.

4ASNW000.60- (Kirby Ford Bridge) The new Ecoli WQS confirms impairment based on 2 or more STV hits in the same 90-day period with < 10 samples during the 2022 data window. The 2020 data window reports 13 of 36 excursions. Twelve of 35 and 9 of 35 E.coli samples exceed the WQS instantaneous criterion within the 2018 and 2016 data windows, respectively. Values in excess of the criterion range from 250 to greater than 2000 cfu/100 ml. 2014 E.coli data find 8 of 35 samples in excess of the instantaneous criterion ranging from 250 to greater than 2000 cfu/100 ml. Seven of 30 E.coli samples exceed the instantaneous criterion in 2012. Exceedances range from 290 to greater than 2000 cfu/10 ml. 2010 data reveal E.coli exceed the instantaneous criterion in 10 of 30 samples ranging from 290 to 1600 cfu/100 ml. 2008 results find E.coli exceed the instantaneous criterion in 8 of 18 samples ranging from 290 to 1600 cfu/100 ml. The 2006 Integrated Report (IR) range of exceedance is from 480 to 880 cfu/100 ml from 5 of 12 samples.

4ATCC003.71-(Danville Turnpike near Sago, Rt. 969) Six of 12 E.coli samples exceed during the 2018 IR. Excursions range from 256 to 3,255 cfu/100 ml. There are no additional data beyond the 2012 IR where E.coli results produce 2 samples exceeding the 235 cfu/100 ml instantaneous criterion from 12 sample collections. The exceeding values are 620 and 1600 cfu/100 ml. There were no additional data beyond the 2008 assessment where 2 of 6 E.coli samples exceed the instantaneous criterion at 250 and 680 cfu/100 ml. Turkeycock Creek is a 6.35 mile 2008 addition to the original 2002 Snow Creek 303(d) Listing.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L17R_SNW01A00 / Snow Creek / Snow Creek mainstem from the mouth of Ditto Branch downstream to the mouth of Snow Creek on the Pigg River (RU35).	4A	Escherichia coli (E. coli)	2006	L	10.95

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

*(continued)*

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L17R_SNW02A12 / Snow Creek / Snow Creek from the Grassy Fork confluence with Snow Creek downstream to the mouth of Ditto Branch (RU35).	4A	Escherichia coli (E. coli)	2012	L	2.55
VAW-L17R_SNW03A14 / Snow Creek / Snow Creek from the Crab Creek confluence with Snow Creek downstream to the mouth of Grassy Fork (RU33).	4A	Escherichia coli (E. coli)	2012	L	3.95
VAW-L17R_TCC01A06 / Turkeycock Creek / Turkeycock Creek from its mouth on Snow Creek upstream to the confluence of Sailor Creek (RU34).	4A	Escherichia coli (E. coli)	2008	L	6.50

Snow Creek and Turkeycock Creek

**Recreation**

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:			23.95

Sources: Livestock (Grazing or Feeding Operations); On-site Treatment Systems (Septic Systems and Similar Decentralized Systems); Unspecified Domestic Waste; Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L17R-01-BEN** **Poplar Branch**

Cause Location: Poplar Branch headwaters downstream to its confluence with Snow Creek.

Cause City/County: Franklin County

Use(s): Aquatic Life

Causes(s)/VA Category: Benthic Macroinvertebrates Bioassessments/5A

Cause Description: The Aquatic Life Use is impaired for 2.53 miles with the 2008 303(d) Listing of these waters from data at station 4APAA000.24.

4APAA000.71- Bio 'IM' from eight VSCI scores (2013-14, 2017-18) averaging 53.5. Bio 'IM' Four VSCI (2013-2014) surveys with an average score of 58.2. Fall samples had higher percentages of pollution sensitive taxa and less chironomidae. The habitat available for sampling at this bridge crossing is dominated by bedrock and may be better than the available habitat upstream yielding a VSCI score that is not indicative of all segments. Habitat survey scores for sediment were low in this reach due to landuse impacts to the watershed.

4APAA000.24 (Below Rt. 629)- Bio 'IM' There are no additional data beyond the 2008 assessment where two Virginia Stream Condition Index (VSCI) surveys score spring 54.0 and fall 55.5. The immediate land use at this station is forested with a closed canopy and excellent riparian vegetation. However, the watershed upstream from this station has pasture land with many small ponds that appear to reduce stream flow and subsequently allows fine sediment to accumulate in the stream.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L17R_PAA01A04 / Poplar Branch / Poplar Branch headwaters downstream to its confluence with Snow Creek (RU35).	5A	Benthic Macroinvertebrates Bioassessments	2008	H	2.57

Poplar Branch

**Aquatic Life**

Benthic Macroinvertebrates Bioassessments - Total Impaired Size by Water Type:

Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
		2.57

Sources: Sediment Resuspension (Clean Sediment); Wet Weather Discharges (Non-Point Source)

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L17R-02-BAC** **Poplar Branch**

Cause Location: Poplar Branch headwaters downstream to its confluence with Snow Creek.

Cause City/County: Franklin County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: The 2.53 mile Recreational Use impairment is based on data collection within the 2016 data window.

4APAA000.71 (Hatchett Rd. (Rt. 629) Crossing) Three of 22 and two of 12 escherichia coli (E.coli) samples exceed the WQS 235 cfu/10 ml instantaneous criterion during the 2020 and 2018 data windows, respectively.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L17R_PAA01A04 / Poplar Branch / Poplar Branch headwaters downstream to its confluence with Snow Creek (RU35).	4A	Escherichia coli (E. coli)	2016	L	2.57

Poplar Branch

<b>Recreation</b>	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:			2.57

Sources: Livestock (Grazing or Feeding Operations); On-site Treatment Systems (Septic Systems and Similar Decentralized Systems); Unspecified Domestic Waste; Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code: L18R-01-BAC Pigg River**

Cause Location: Pigg River from the mouth of Big Chestnut Creek (RM 32.99) downstream to the backwaters of Leesville Lake (RM 3.29) (Penhook & Sandy Level Quads). Note: These impaired waters now incorporate the former State TMDL ID of VAW-L16R-01 (15.54 miles) initially listed in 2002. The former VAW-L13L-02 (Bacteria 157.24 acres) impairment is described in the Cause Group Code L13L-02-BAC Leesville Lake Fact Sheet.

Cause City/County: Franklin County; Pittsylvania County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: The Pigg River Bacteria Total Maximum Daily Load (TMDL) is U.S. EPA approved on 9/11/2006 [Fed ID 30414] and SWCB approved 6/27/07. The Bacteria Implementation Plan received SWCB approval on 12/13/10. This Fact Sheet addresses the lower riverine portion of the Pigg River 28.95 mile bacteria impairment. The Pigg River bacteria 2002 15.53 mile impairment extension from the original 1998 13.36 mile 303(d) Listing is the result of additional ambient and TMDL support sampling. A separate fact sheet (L14R-01-BAC) describes the Upper Pigg River 34.81 mile bacteria impairment.

4APGG030.62- (Rt. 646, Fralin Bridge) Nine of 34 and five of 23 E.coli samples exceed the 235 cfu/100 ml instantaneous criterion during the 2020 and 2018 data windows, respectively. Excursions range from 288 to 645 cfu/100 ml. The 2016 data window produces two of 12 escherichia coli (E.coli) exceedances of the WQS 235 cfu/100 ml instantaneous criterion. The two excessive values are 301 and 325 cfu/100 ml. There are no additional data within the 2012 or 2014 data windows. The 2010 IR finds E.coli samples exceed the instantaneous criterion in 13 of 33 samples. Values in excess of the criterion range from 250 to 930 cfu/100 ml. Nine of 21 E.coli samples exceed the instantaneous criterion in 2008. Values in excess of the criterion range from 260 to 930 cfu/100 ml. Four of six E.coli samples exceed the criterion in 2006 with the same range of exceedance.

4APGG016.06- (Rt. 626 Bridge) There are no additional data within the 2012, 2014 or 2016 data windows. 2010 and 2008 E.coli exceedances of the instantaneous criterion range from 300 to greater than 2000 cfu/100 ml in nine of 21 samples as there are no additional data beyond the 2008 assessment. 2006 reports E.coli exceeds the instantaneous criterion in five of nine samples ranging from 400 to greater than 2000 cfu/100 ml.

4APGG008.87- (Off Rt. 40 at USGS Gage) The 2020 data window finds fourteen of 33 excursions. Escherichia coli (E.coli) exceed the 235 cfu/10 ml instantaneous criterion in eleven of 33 and nine of 34 observations within the 2018 and 2016 data windows, respectively. Exceedances range from 262 to greater than 2000 cfu/100 ml. 2014 E.coli exceed the 235 cfu/100 ml instantaneous criterion in seven of 24 samples. 400 to greater than 2000 cfu/100 ml is the exceedance range. The 2012 assessment finds E.coli exceeds the instantaneous criterion in eight of 24 samples ranging from 280 to greater than 2000 cfu/100 ml. Both the 2008 and 2010 assessments find E.coli exceeds the instantaneous criterion in nine of 21 samples ranging from 280 to 1900 cfu/100 ml. 2006 E.coli exceedances range from 500 to greater than 800 cfu/100 ml in five of nine samples.

4APGG003.29- (Rt. 605 Bridge) 2022 data window finds impairment with 2 or more Statistical Threshold Value (STV) hits in the same 90-day period with < 10 samples. E.coli exceedances occur in seven of 24 observations. Excessive values range from 350 cfu/100 ml to greater than 2000 within the 2016 data window. Three of 12 E.coli samples exceed the 235 cfu/100 ml instantaneous criterion in 2014. There are no additional data within the 2012 data window. 2008 data reveal E.coli exceed the instantaneous criterion in nine of 27 samples ranging from 300 to 1200 cfu/100 ml with no additional data beyond the 2008 assessment. Five of 12 E.coli samples exceed in 2006.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L16R_PGG01A00 / Pigg River / Pigg River mainstem from the mouth of Dinner Creek downstream to the mouth of Snow Creek on the Pigg River (RU32).	4A	Escherichia coli (E. coli)	2006	L	6.67

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

(continued)

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L16R_PGG02A00 / Pigg River / Pigg River mainstem from the Big Chestnut Creek mouth downstream to the mouth of Dinner Creek on the Pigg River (RU32).	4A	Escherichia coli (E. coli)	2006	L	8.93
VAW-L18R_PGG01A00 / Pigg River / Pigg River mainstem from the Harpen Creek mouth downstream to backwaters of Leesville Lake (RU36).	4A	Escherichia coli (E. coli)	2006	L	5.58
VAW-L18R_PGG02A00 / Pigg River / Pigg River mainstem from the mouth of Snow Creek downstream to the mouth of Harpen Creek on the Pigg River (RU36).	4A	Escherichia coli (E. coli)	2006	L	7.79

Pigg River

**Recreation**

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:			28.97

Sources: Livestock (Grazing or Feeding Operations); On-site Treatment Systems (Septic Systems and Similar Decentralized Systems); Unspecified Domestic Waste; Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L18R-01-BEN** **Fryingpan Creek**

Cause Location: Headwaters of Fryingpan Creek downstream ~0.85 miles of the Rt. 40 crossing (36°57'30" / 79°26'54").

Cause City/County: Pittsylvania County

Use(s): Aquatic Life

Causes(s)/VA Category: Benthic Macroinvertebrates Bioassessments/5A

Cause Description: The waters of Fryingpan Creek are impaired for the Aquatic Life Use due to contravention of the WQS General Standard (Benthic). The 2006 303(d) 2.56 mile 303(d) Listing is a result of benthic impairments found at station 4AFRY006.08 (Rt. 40 Bridge) where two 2003 Virginia Stream Condition Index (VSCI) scores are spring 42.4 and fall 32.8. Four additional 2011 and 2013 VSCI surveys find continued impairment with an average score of 44.4. There are no additional data beyond the 2016 303(d)/305(b) Integrated Report data window until the 2020 IR which reports on eight VSCI scores averaging 56.4 (2013-14, 2017-18).

The stream has a small watershed (5.2 square miles) which is approximately 46% agricultural land. The stream channel is impacted by deposits of fine sediment and some areas of eroded stream bank. Both sides of the stream are protected by a good riparian buffer. The benthic community has low diversity of pollution sensitive families and is dominated by those tolerant of excessive sediment.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L18R_FRY01A06 / Fryingpan Creek / Headwaters of Fryingpan Creek on downstream ~0.85 miles of the Rt. 40 crossing (36°57'30" / 79°26'54") (RU37).	5A	Benthic Macroinvertebrates Bioassessments	2006	H	2.56

Fryingpan Creek

**Aquatic Life**

Benthic Macroinvertebrates Bioassessments - Total Impaired Size by Water Type:

Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
		2.56

Sources: Livestock (Grazing or Feeding Operations); Sediment Resuspension (Clean Sediment)

# Virginia Department of Environmental Quality

## Appendix 4 - Fact Sheets for Impaired (Category 4 or 5) Waters in 2022

---

### Roanoke and Yadkin River Basins

**Cause Group Code:** **L18R-02-BAC** Harpen Creek

Cause Location: Harpen Creek from its mouth on the Pigg River upstream to near Climax (36°53'28" / 79°30'30").

Cause City/County: Pittsylvania County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: The Pigg River Bacteria Total Maximum Daily Load (TMDL) is U.S. EPA approved on 9/11/2006 [Fed ID 30414] and SWCB approved 6/27/2007. The Bacteria Implementation Plan received SWCB approval on 12/13/2010. Harpen Creek is a 2006 bacteria 303(d) Listing and nested within the Pigg River TMDL in 2008.

The Harpen Creek 5.35 mile bacteria impairment is not specifically addressed by the TMDL due to the 303(d) Listing occurring after initial study contractual design. However allocation scenario development is for the entire Pigg River drainage to provide pollutant reductions for all watersheds contributing to the bacteria impairment including Harpen Creek. Harpen Creek is nested within the Pigg River TMDL Watershed. The entirety of the approved TMDL and allocations can be viewed at <http://www.deq.virginia.gov>.

4AHPN001.62- (Rt. 785 Bridge) Twenty of 35 and 17 of 24 E.coli samples exceed the 235 cfu/100 ml E.coli water quality criterion in the 2020 and 2018 data windows, respectively. Excursions range from 317 to 2,613 cfu/100 ml. 2016 exceeding values range from 1100 to greater than 2000 cfu/100 ml in seven of 12 escherichia coli (E.coli) observations. There are no additional data beyond the 2008 assessment where E.coli exceed in 13 of 21 samples in excess of the 235 cfu/100 ml instantaneous criterion both 2008 and 2010. The range of exceedance is 450 to greater than 2000 cfu/100 ml. The 2006 Integrated Report (IR) results find E.coli exceeds in four of nine samples with the same range of exceedance.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L18R_HPNO1A06 / Harpen Creek / Harpen Creek from its mouth on the Pigg River upstream to near Climax (36°53'28" / 79°30'30") (RU36).	4A	Escherichia coli (E. coli)	2006	L	5.36

Harpen Creek

**Recreation**

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:			5.36

Sources: Livestock (Grazing or Feeding Operations); On-site Treatment Systems (Septic Systems and Similar Decentralized Systems); Unspecified Domestic Waste; Wildlife Other than Waterfowl

# Virginia Department of Environmental Quality

## Appendix 4 - Fact Sheets for Impaired (Category 4 or 5) Waters in 2022

---

### Roanoke and Yadkin River Basins

**Cause Group Code:** **L18R-03-BAC** Tomahawk Creek

Cause Location: Tomahawk Creek from its mouth on the Pigg River upstream to above Andersons Mill (36°52'28" / 79°32'15").

Cause City/County: Pittsylvania County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: The Pigg River Bacteria Total Maximum Daily Load (TMDL) is U.S. EPA approved on 9/11/2006 [Fed ID 30414] and SWCB approved 6/27/2007. The Bacteria Implementation Plan received SWCB approval on 12/13/2010. The Study encompasses the Pigg River drainage, Old Womans Creek, Snow Creek, Storey Creek and Leesville Lake. Tomahawk Creek is a 2006 bacteria 303(d) Listing.

The Tomahawk Creek bacteria impairment is not specifically addressed by the TMDL due to the listing occurring after initial TMDL Study contractual design. However allocation scenario development is for the entire Pigg River drainage to provide pollutant reductions for all watersheds contributing to the bacteria impairment including Tomahawk Creek. Tomahawk Creek is nested within the Pigg River Bacteria TMDL Watershed. The entirety of the approved TMDL and allocations can be viewed at <http://www.deq.virginia.gov>.

4ATMA001.46 (Rt. 644 Bridge)- The 2020 data window finds fifteen of 34 E.coli excursions. Twelve of 24 and four of 12 E.coli samples exceed the 235 cfu/100 ml instantaneous criterion within the 2018 and 2016 data windows, respectively. Values exceeding the criterion range from 288 to greater than 10,000 cfu/100 ml. There are no additional data beyond the 2008 assessment where escherichia coli (E.coli) exceed in five of 21 samples in excess of the 235 cfu/100 ml criterion in 2008 and 2010. The range of exceedance is 350 to greater than 800 cfu/100 ml. 2006 assessment data reveal E.coli exceed in two of nine samples in excess of the 235 cfu/100 ml criterion. The range of exceedance is 680 to greater than 800 cfu/100 ml.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L18R_TMA01A06 / Tomahawk Creek / Tomahawk Creek from its mouth on the Pigg River upstream to above Andersons Mill (36°52'28" / 79°32'15") (RU36).	4A	Escherichia coli (E. coli)	2006	L	4.58

Tomahawk Creek

<b>Recreation</b>	<table> <tr> <td>Estuary (Sq. Miles)</td> <td>Reservoir (Acres)</td> <td>River (Miles)</td> </tr> <tr> <td></td> <td></td> <td>4.58</td> </tr> </table>	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)			4.58
Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)					
		4.58					
Escherichia coli (E. coli) - Total Impaired Size by Water Type:							

Sources: Livestock (Grazing or Feeding Operations); On-site Treatment Systems (Septic Systems and Similar Decentralized Systems); Unspecified Domestic Waste; Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L18R-04-BAC** **Fryingpan Creek**

Cause Location: Headwaters of Fryingpan Creek downstream ~0.85 miles of the Rt. 40 crossing (36°57'30" / 79°26'54").

Cause City/County: Pittsylvania County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: The Pigg River Bacteria Total Maximum Daily Load (TMDL) is U.S. EPA approved on 9/11/2006 [Fed ID 30414] and SWCB approved 6/27/2007. The Bacteria Implementation Plan received SWCB approval on 12/13/2010. The Study encompasses the Pigg River drainage, Old Womans Creek, Snow Creek, Storey Creek and Leesville Lake. Fryingpan Creek is a 2016 bacteria 303(d) Listing.

The Fryingpan Creek bacteria impairment is not specifically addressed by the TMDL due to the listing occurring after initial TMDL Study contractual design. However allocation scenario development is for the entire Pigg River drainage to provide pollutant reductions for all watersheds contributing to the bacteria impairment including Fryingpan Creek. Fryingpan Creek is nested within the Pigg River Bacteria TMDL Watershed. The entirety of the approved TMDL and allocations can be viewed at <http://www.deq.virginia.gov>.

4AFRY006.08- (Rt. 40 Bridge) Six of 14 E.coli samples exceed the 235 cfu/100 ml instantaneous criterion during the 2020 data window. The 2016 Integrated Report (IR) finds six of 12 escherichia coli (E.coli) samples exceed the WQS 235 cfu/100 ml instantaneous criterion. Excessive values range from 300 to 1,153 cfu/100 ml. There are no additional data collected during the 2018 data window.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L18R_FRY01A06 / Fryingpan Creek / Headwaters of Fryingpan Creek on downstream ~0.85 miles of the Rt. 40 crossing (36°57'30" / 79°26'54") (RU37).	4A	Escherichia coli (E. coli)	2016	L	2.56

Fryingpan Creek

**Recreation**

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:			2.56

Sources: Livestock (Grazing or Feeding Operations); On-site Treatment Systems (Septic Systems and Similar Decentralized Systems); Unspecified Domestic Waste; Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L18R-05-BEN** **Jonnikin Creek**

Cause Location: Jonnikin Creek mainstem from its mouth on Pigg R. to its headwaters (RU36).

Cause City/County: Pittsylvania County

Use(s): Aquatic Life

Causes(s)/VA Category: Benthic Macroinvertebrates Bioassessments/5A

Cause Description: Jonnikin Creek is impaired for the Aquatic Life Use due to contravention of the WQS General Standard (Benthic). The 2020 303(d) 4.52 mile 303(d) Listing is a result of benthic impairments found at station 4AJKN003.18 (Upstream of Rt. 40) where two 2018 Virginia Stream Condition Index (VSCI) scores are 50.2 (spring) and 57.6 (fall).

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L18R_JKN01A20 / Jonnikin Creek / Jonnikin Creek mainstem from its mouth on Pigg R. to its headwaters (RU36).	5A	Benthic Macroinvertebrates Bioassessments	2020	L	4.53

Jonnikin Creek

**Aquatic Life**

Benthic Macroinvertebrates Bioassessments - Total Impaired Size by Water Type:

Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
		4.53

Sources: Agriculture; Clean Sediments; Loss of Riparian Habitat

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

**Roanoke and Yadkin River Basins**

**Cause Group Code: L19R-01-BAC Roanoke (Staunton) River**

Cause Location: Roanoke (Staunton) River mainstem from the Buffalo Creek confluence downstream to the backwaters of Kerr Reservoir.

Cause City/County: Campbell County; Charlotte County; Halifax County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: This impairment is addressed by the Staunton (Roanoke) River Bacteria TMDL (EPA Approved: 6/22/2006, SWCB Approved: 6/27/2007). A 5.05 mile nested segment extends the current impairment during the 2020 data window.

4AROA097.46 - 2022: E. coli - 9/45 Exceedance Rate of the Statistical Threshold Value and 4/4 exceedances of the Geomean. 2020: E. coli - 11/36 Exceedance Rate

4AROA067.91 (Ambient)(Route 746 Bridge (WATKINS BRIDGE) - 7/12 E.coli exceedance rate.

2020: E. coli - 11/36 Exceedance Rate. 2022: E.coli - 10/51 exceed the Statistical Threshold Value and 4/4 exceedances of the Geomean. 4AROA059.12 (Ambient)(Route 360 Bridge, East of Clover)

2022: E. coli - 7/45 Exceedance Rate of the Statistical Threshold Value and 4/4 Geomean exceedances. 2020: E. coli - 10/36 Exceedance Rate. 2018: E. coli - 10/36 Exceedance Rate.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L30R_ROA01A00 / Roanoke (Staunton) River / Roanoke (Staunton) River mainstem from the Falling River mouth at the Campbell/Charlotte/Halifax County line downstream to the confluence of Catawba Creek.	4A	Escherichia coli (E. coli)	2006	L	3.89
VAW-L30R_ROA02A00 / Roanoke (Staunton) River / Roanoke (Staunton) River mainstem from the Brookneal Staunton River POTW downstream to the confluence of Falling River at the Campbell/Charlotte/Halifax County Line.	4A	Escherichia coli (E. coli)	2008	L	2.24
VAW-L30R_ROA03A00 / Roanoke (Staunton) River / Roanoke (Staunton) River mainstem from Dan River, Inc. downstream to the Brookneal Staunton River POTW.	4A	Escherichia coli (E. coli)	2008	L	0.92
VAW-L30R_ROA04A00 / Roanoke (Staunton) River / Roanoke (Staunton) River mainstem from Buffalo Creek confluence downstream to Dan River, Inc. (RU63, RU64).	4A	Escherichia coli (E. coli)	2020	L	5.06
VAW-L36R_ROA01A98 / Roanoke (Staunton) River / Childrey Creek to Cub Creek.	4A	Escherichia coli (E. coli)	2006	L	12.79
VAW-L38R_ROA02A98 / Roanoke (Staunton) River / Cub Creek to Roanoke Creek.	4A	Escherichia coli (E. coli)	2006	L	12.50
VAW-L40R_ROA03A98 / Roanoke (Staunton) River / Roanoke Creek to the pipeline crossing approximately 5.4 miles downstream of the Route 360 bridge.	4A	Escherichia coli (E. coli)	2006	L	10.20

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

*(continued)*

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L40R_ROA04A98 / Roanoke (Staunton) River / The pipeline crossing about 5.4 miles downstream of the Route 360 bridge to Kerr Reservoir.	4A	Escherichia coli (E. coli)	2006	L	3.82

Roanoke (Staunton) River

**Recreation**

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:			51.42

Sources: Livestock (Grazing or Feeding Operations); Unspecified Domestic Waste; Wastes from Pets; Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

**Roanoke and Yadkin River Basins**

**Cause Group Code: L19R-01-HG Roanoke (Staunton) River, Cub Creek, Kerr Reservoir**

Cause Location: Roanoke (Staunton) River from Leesville Dam to the John H. Kerr Dam including Kerr Reservoir, its tributaries Eastland Creek and Nutbush Creek (within the state of Virginia) and Cub Creek from its mouth to the crossing of Rough Creek Road near Rough Creek.

Cause City/County: Campbell County; Charlotte County; Halifax County; Mecklenburg County; Pittsylvania County

Use(s): Fish Consumption

Causes(s)/VA Category: Mercury in Fish Tissue/5A

Cause Description: VDH Fish Advisory - PCBs: Issued 7/24/98 , revised 8/31/07 & Mercury: Issued 8/31/07 Roanoke (Staunton) River from below Leesville Dam downstream ~ 98 miles to the confluence of Dan River including its tributary Cub Creek up to Rough Creek Road (State Route 695) near Rough Creek.

**Mercury Fish Tissue Sampling Results**

4AROA129.55(Near Route 29 - Altavista) (2019) one species exceeds WQS TV 0.3ppm; Smallmouth bass (4 fish) at .48ppm. (2006 FT/Sediment) - 2 species exceed Mercury VDH level of concern

4AROA097.07 (Near Brookneal) (2018 FT) - 2 species exceed WQS TV 0.3 ppm; Walleye (2 fish) at .48ppm and Blue Catfish (1 fish) at .90ppm. (2006 FT/Sediment) - 1 species exceeded Mercury VDH level of concern

4AROA067.91 (Near Route 746 - Randolph) (2018 FT) - 1 species exceeds WQS TV 0.3ppm; Walleye. (2006 FT/Sediment) - 1 species exceeded Mercury VDH level of concern

4AROA059.12 (Near Route 360 - Clover) (2018 FT) 2018; one species exceeds WQS TV 0.3 ppm; Blue Catfish (3 fish) at .64 ppm; (2017): three species exceed WQS TV of 0.3 ppm; Striped Bass (2 Fish) at 0.62ppm, (2 Fish) at 0.58 ppm, (2 fish) at 0.37 ppm, (2 fish) at 0.38 ppm, (2 fish) at 0.33 ppm, Walleye (1 fish) at 0.31 ppm; and Golden Redhorse Sucker (3 Fish) at 0.30 ppm); (2016) three species exceed WQS TV of 0.3ppm; largemouth bass (1 fish) at 0.45 ppm; Walleye (1 fish ) at 0.90 ppm, ( 1 fish ) at 0.36 ppm, and ( 1 fish ) at 0.54 ppm; flathead catfish (1 fish ) at 0.59 ppm and ( 1 fish ) at 0.32 ppm:(2015): one species exceeds WQS TV of 0.3ppm; spotted bass (1 fish) at 0.70 ppm and (1 fish ) at 0.42 ppm.

4AROA036.59 (Sta #18 Buoy Kerr Reservoir) (2020): one species exceeds the WQS (TV) of 0.3 ppm; Largemouth bass (4 fish) at .34 ppm; (2019) Three species exceed WQS (TV) of 0.3ppm; Largemouth bass (2 fish) at .74ppm, Freshwater Drum (1 fish) at .57ppm, and Flathead Catfish (1 fish) at .68ppm. (2018) One species exceeds the WQS (TV) 0.3ppm; Largemouth Bass (4 fish) at .40ppm. (2017 FT) - 2 species exceeded WQS based Tissue Value (2006 FT/Sediment) - 1 species exceeded Mercury VDH level of concern

4AROA028.04 (Kerr Reservoir near Ivy Hill) (2006 FT/Sediment) - 2 species exceed Mercury VDH level of concern

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L19R_ROA01A00 / Roanoke (Staunton) River / Roanoke (Staunton) River mainstem from the Town of Altavista POTW downstream to the Big Otter River confluence with the Roanoke (Staunton) River (RU48).	5A	Mercury in Fish Tissue	2008	L	3.76
VAW-L19R_ROA03A00 / Roanoke (Staunton) River / Roanoke (Staunton) River mainstem from the Goose Creek mouth on downstream to the Town of Altavista POTW (RU48).	5A	Mercury in Fish Tissue	2008	L	6.78
VAW-L19R_ROA04A00 / Roanoke (Staunton) River / Roanoke (Staunton) River mainstem from Leesville Dam downstream to the mouth of Goose Creek.	5A	Mercury in Fish Tissue	2008	L	3.46

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

(continued)

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L30R_ROA01A00 / Roanoke (Staunton) River / Roanoke (Staunton) River mainstem from the Falling River mouth at the Campbell/Charlotte/Halifax County line downstream to the confluence of Catawba Creek.	5A	Mercury in Fish Tissue	2008	L	3.89
VAW-L30R_ROA02A00 / Roanoke (Staunton) River / Roanoke (Staunton) River mainstem from the Brookneal Staunton River POTW downstream to the confluence of Falling River at the Campbell/Charlotte/Halifax County Line.	5A	Mercury in Fish Tissue	2008	L	2.24
VAW-L30R_ROA03A00 / Roanoke (Staunton) River / Roanoke (Staunton) River mainstem from Dan River, Inc. downstream to the Brookneal Staunton River POTW.	5A	Mercury in Fish Tissue	2008	L	0.92
VAW-L30R_ROA04A00 / Roanoke (Staunton) River / Roanoke (Staunton) River mainstem from Buffalo Creek confluence downstream to Dan River, Inc. (RU63, RU64).	5A	Mercury in Fish Tissue	2008	L	5.06
VAW-L30R_ROA06A00 / Roanoke (Staunton) River / Roanoke (Staunton) River mainstem from the mouth of Hills Creek (37 7 9.187 N, -79 12 57.062) downstream to the confluence of Buffalo Creek.	5A	Mercury in Fish Tissue	2008	L	17.65
VAW-L30R_ROA07A18 / Roanoke (Staunton) River / Roanoke (Staunton) River mainstem from the Big Otter River mouth downstream to the confluence of Hills Creek (37 7 9.187 N, -79 12 57.062 W) (RU60).	5A	Mercury in Fish Tissue	2018	L	4.71
VAW-L36R_ROA01A98 / Roanoke (Staunton) River / Childrey Creek to Cub Creek.	5A	Mercury in Fish Tissue	2008	L	12.79
VAW-L37R_CUB01B08 / Cub Creek / The Rough Creek Road Crossing near Rough Creek to the confluence with Terrys Creek (RU78).	5A	Mercury in Fish Tissue	2008	L	5.59
VAW-L37R_CUB02A06 / Cub Creek / From Terrys Creek to the mouth at the Roanoke (Staunton) River (RU79).	5A	Mercury in Fish Tissue	2008	L	8.80
VAW-L38R_ROA02A98 / Roanoke (Staunton) River / Cub Creek to Roanoke Creek.	5A	Mercury in Fish Tissue	2008	L	12.50
VAW-L40R_ROA03A98 / Roanoke (Staunton) River / Roanoke Creek to the pipeline crossing approximately 5.4 miles downstream of the Route 360 bridge.	5A	Mercury in Fish Tissue	2008	L	10.20
VAW-L40R_ROA04A98 / Roanoke (Staunton) River / The pipeline crossing about 5.4 miles downstream of the Route 360 bridge to Kerr Reservoir.	5A	Mercury in Fish Tissue	2008	L	3.82
VAW-L57R_DAN02A00 / Dan River / Dan River mainstem from the Schoolfield Dam upstream to the backwaters of the impoundment (RD33).	5A	Mercury in Fish Tissue	2018	L	2.52

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

(continued)

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L57R_DAN04A00 / Dan River / Dan River mainstem from the downstream most Virginia/North Carolina State Line (exiting Virginia) in Watershed L57R upstream to the Rt. 880 crossing (Virginia/North Carolina State Line entering Virginia) (RD32)	5A	Mercury in Fish Tissue	2018	L	7.37
VAW-L75L_BHB01A22 / Butcher Creek / Butcher Creek and Tribs included in the boundaries of Kerr Reservoir.	5A	Mercury in Fish Tissue	2008	L	2196.07
VAW-L75L_ROA05L98 / Kerr Reservoir / Kerr Reservoir from the John H. Kerr dam to ~ Long Grass Branch confluence.	5A	Mercury in Fish Tissue	2008	L	7018.24
VAW-L75L_ROA05M22 / Kerr Reservoir / Kerr Reservoir from ~Long Grass Branch confluence to about 2 miles upstream of the confluence with Grassy Creek..	5A	Mercury in Fish Tissue	2008	L	14828.39
VAW-L75L_ROA05N22 / Kerr Reservoir / Kerr Reservoir from about 2 miles upstream of the confluence of Grassy Creek tot about 1 mile upstream of the confluence with Bluestone Creek.	5A	Mercury in Fish Tissue	2008	L	4182.41
VAW-L75L_ROA05O22 / Kerr Reservoir / Kerr Reservoir from about 1 mile upstream of the confluence of Bluestone Creek to the backwaters, excluding the Dan River, Bluestone Creek, Buffalo Creek, and Butcher Creek.	5A	Mercury in Fish Tissue	2008	L	2440.31
VAW-L76L_BMA01A06 / Buffalo Creek / Buffalo Creek and Tribs included in the boundaries of Kerr Reservoir	5A	Mercury in Fish Tissue	2008	L	358.96
VAW-L77L_BST01A06 / Bluestone Creek / Bluestone Creek and Tribs included in the boundaries of Kerr Reservoir	5A	Mercury in Fish Tissue	2008	L	860.22

Roanoke (Staunton) River, Cub Creek, Kerr Reservoir

**Fish Consumption**

Mercury in Fish Tissue - Total Impaired Size by Water Type:

Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
	31884.6	112.06

Sources: Contaminated Sediments; Municipal Point Source Discharges; Non-Point Source; Source Unknown; Unspecified Urban Stormwater

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L19R-01-PCB** **Roanoke (Staunton) River, Cub Creek**

Cause Location: Roanoke (Staunton) River from Leesville Dam to the backwaters of Kerr Reservoir, and Cub Creek from its mouth to the crossing of Rough Creek Road near Rough Creek.

Cause City/County: Campbell County; Charlotte County; Halifax County; Pittsylvania County

Use(s): Fish Consumption; Public Water Supply

Causes(s)/VA Category: PCBs in Fish Tissue/4A; Polychlorinated biphenyls (PCBs)/4A

Cause Description: VDH Fish Advisory - PCBs: Issued 7/24/98, revised 8/31/07 & Mercury: Issued 8/31/07

Roanoke (Staunton) River from below Leesville Dam downstream ~ 98 miles to the confluence of Dan River including its tributary Cub Creek up to Rough Creek Road (Rt. 695) near Rough Creek.

The Roanoke (Staunton) River is impaired for the Public Water Supply Use due to violations of the PCB in Water human health criteria. The PWS impairment extends from the confluence of the Big Otter River to the backwaters of Kerr Reservoir. Violation information is provided below.

4AROA137.00 (upstream of Goose Creek) 2013 one sp exceeded VDH upper level of concern (LOC) (500 ppb); Flathead catfish. Four sp exceeded VDH lower LOC (50 ppb); Carp, Flathead catfish, Channel catfish, and shorthead redhorse sucker.

4AROA129.95 (near Bus Rt. 29 Bridge near Altavista Gage) 2013 three sp exceeded VDH lower LOC (50 ppb); Flathead catfish, channel catfish, and Carp. 2006 one sp exceeded VDH upper LOC (500 ppb); carp. 2006 six sp exceeded VDH lower LOC (50 ppb); Smouth bass, Rock bass, Redbreast sunfish, Channel catfish, Carp, Redhorse sucker.

4AROA108.09 (near Long Island) 2013 one sp exceeded VDH upper LOC (500 ppb); Flathead catfish. Four sp exceeded VDH lower LOC (50 ppb); Channel catfish, Carp, Shorthead redhorse sucker, and gizzard shad. 2006 one sp exceeded VDH upper LOC (500 ppb); carp. Three sp exceeded VDH lower LOC (50 ppb); Smouth bass, Channel catfish, Carp, Redhorse sucker.

4AROA097.07 (Rt. 501 at Brookneal) 2013 two sp exceeded VDH upper LOC (500 ppb); Blue catfish and Flathead catfish. Four sp exceeded VDH lower LOC (50 ppb); striped bass, Blue catfish, carp, and Channel catfish. 2006 one sp exceeded VDH upper LOC (500 ppb); Striped bass. Five sp exceeded VDH lower LOC (50 ppb); Striped bass, Black crappie, Channel catfish, Carp, and Redhorse sucker.

4AROA067.91 (Rt. 746 Bridge) 2006 two sp exceeded VDH upper LOC (500 ppb); Walleye, and Carp. Five sp exceeded VDH lower LOC (50 ppb); Blue catfish, Channel catfish, carp, Golden redhorse sucker, and Gizzard shad.

4AROA059.12 (Rt. 360 Bridge, east of Clover) 2006 two sp exceeded VDH upper LOC (500 ppb); Striped bass and Carp. Seven sp exceeded VDH lower LOC (50 ppb); Striped bass, White bass, Lmouth bass, walleye, Channel catfish, carp, and Redhorse sucker.

4AROA036.59 (Station #B Buoy 18 Kerr Reservoir) 2006 two sp exceeded VDH lower LOC (50 ppb); Carp and golden redhorse sucker.

4AROA028.04 (Station #B-9 Kerr Reservoir - Buoy 9) 2006 two sp exceeded VDH lower LOC (50 ppb); Lmouth bass and Longnose gar.

4AROA004.54 (Lake Gaston near state line) 2006 one sp exceeded: VDH lower LOC (50 ppb); carp

4ACUB010.96 (near Rt. 40 Gaging Station) ° 2006 one sp exceeded VDH upper LOC (500 ppb); carp. Three sp exceeded VDH lower LOC (50 ppb); channel catfish, carp, and Redhorse sucker

Station IDs:

2007-2008 PCB TMDL Monitoring

4AROA124.59

tPCB in Water Violations - 2909 pg/L & 4466 pg/L

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

4AROA097.76

tPCB in Water Violations - 1115 pg/L & 4304 pg/L

4AROA090.50

tPCB in Water Violations - 1192 pg/L & 1625 pg/L

4AROA067.91

tPCB in Water Violations - 1336 pg/L & 1307 pg/L

4AROA059.12

tPCB in Water Violations - 1627 pg/L & 1359 pg/L

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L19R_ROA01A00 / Roanoke (Staunton) River / Roanoke (Staunton) River mainstem from the Town of Altavista POTW downstream to the Big Otter River confluence with the Roanoke (Staunton) River (RU48).	4A	PCBs in Fish Tissue	1998	L	3.76
VAW-L19R_ROA03A00 / Roanoke (Staunton) River / Roanoke (Staunton) River mainstem from the Goose Creek mouth on downstream to the Town of Altavista POTW (RU48).	4A	PCBs in Fish Tissue	1998	L	6.78
VAW-L19R_ROA04A00 / Roanoke (Staunton) River / Roanoke (Staunton) River mainstem from Leesville Dam downstream to the mouth of Goose Creek.	4A	PCBs in Fish Tissue	2002	L	3.46
VAW-L30R_ROA01A00 / Roanoke (Staunton) River / Roanoke (Staunton) River mainstem from the Falling River mouth at the Campbell/Charlotte/Halifax County line downstream to the confluence of Catawba Creek.	4A	PCBs in Fish Tissue	2002	L	3.89
VAW-L30R_ROA02A00 / Roanoke (Staunton) River / Roanoke (Staunton) River mainstem from the Brookneal Staunton River POTW downstream to the confluence of Falling River at the Campbell/Charlotte/Halifax County Line.	4A	PCBs in Fish Tissue	2002	L	2.24
VAW-L30R_ROA03A00 / Roanoke (Staunton) River / Roanoke (Staunton) River mainstem from Dan River, Inc. downstream to the Brookneal Staunton River POTW.	4A	PCBs in Fish Tissue	2002	L	0.92
VAW-L30R_ROA04A00 / Roanoke (Staunton) River / Roanoke (Staunton) River mainstem from Buffalo Creek confluence downstream to Dan River, Inc. (RU63, RU64).	4A	PCBs in Fish Tissue	2002	L	5.06
VAW-L30R_ROA06A00 / Roanoke (Staunton) River / Roanoke (Staunton) River mainstem from the mouth of Hills Creek (37 7 9.187 N, -79 12 57.062) downstream to the confluence of Buffalo Creek.	4A	PCBs in Fish Tissue	2002	L	17.65
VAW-L30R_ROA07A18 / Roanoke (Staunton) River / Roanoke (Staunton) River mainstem from the Big Otter River mouth downstream to the confluence of Hills Creek (37 7 9.187 N, -79 12 57.062 W) (RU60).	4A	PCBs in Fish Tissue	2002	L	4.71

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

(continued)

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L36R_ROA01A98 / Roanoke (Staunton) River / Childrey Creek to Cub Creek.	4A	PCBs in Fish Tissue	2002	L	12.79
VAW-L37R_CUB01B08 / Cub Creek / The Rough Creek Road Crossing near Rough Creek to the confluence with Terrys Creek (RU78).	4A	PCBs in Fish Tissue	2008	L	5.59
VAW-L37R_CUB02A06 / Cub Creek / From Terrys Creek to the mouth at the Roanoke (Staunton) River (RU79).	4A	PCBs in Fish Tissue	2008	L	8.80
VAW-L38R_ROA02A98 / Roanoke (Staunton) River / Cub Creek to Roanoke Creek.	4A	PCBs in Fish Tissue	2002	L	12.50
VAW-L40R_ROA03A98 / Roanoke (Staunton) River / Roanoke Creek to the pipeline crossing approximately 5.4 miles downstream of the Route 360 bridge.	4A	PCBs in Fish Tissue	1998	L	10.20
VAW-L40R_ROA04A98 / Roanoke (Staunton) River / The pipeline crossing about 5.4 miles downstream of the Route 360 bridge to Kerr Reservoir.	4A	PCBs in Fish Tissue	1998	L	3.82

Roanoke (Staunton) River, Cub Creek

**Fish Consumption**

PCBs in Fish Tissue - Total Impaired Size by Water Type:

Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
		102.17

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L30R_ROA01A00 / Roanoke (Staunton) River / Roanoke (Staunton) River mainstem from the Falling River mouth at the Campbell/Charlotte/Halifax County line downstream to the confluence of Catawba Creek.	4A	Polychlorinated biphenyls (PCBs)	2010	L	3.89
VAW-L30R_ROA02A00 / Roanoke (Staunton) River / Roanoke (Staunton) River mainstem from the Brookneal Staunton River POTW downstream to the confluence of Falling River at the Campbell/Charlotte/Halifax County Line.	4A	Polychlorinated biphenyls (PCBs)	2010	L	2.24
VAW-L30R_ROA03A00 / Roanoke (Staunton) River / Roanoke (Staunton) River mainstem from Dan River, Inc. downstream to the Brookneal Staunton River POTW.	4A	Polychlorinated biphenyls (PCBs)	2010	L	0.92
VAW-L30R_ROA04A00 / Roanoke (Staunton) River / Roanoke (Staunton) River mainstem from Buffalo Creek confluence downstream to Dan River, Inc. (RU63, RU64).	4A	Polychlorinated biphenyls (PCBs)	2010	L	5.06
VAW-L30R_ROA06A00 / Roanoke (Staunton) River / Roanoke (Staunton) River mainstem from the mouth of Hills Creek (37 7 9.187 N, -79 12 57.062) downstream to the confluence of Buffalo Creek.	4A	Polychlorinated biphenyls (PCBs)	2010	L	17.65

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

(continued)

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L30R_ROA07A18 / Roanoke (Staunton) River / Roanoke (Staunton) River mainstem from the Big Otter River mouth downstream to the confluence of Hills Creek (37 7 9.187 N, -79 12 57.062 W) (RU60).	4A	Polychlorinated biphenyls (PCBs)	2010	L	4.71
VAW-L36R_ROA01A98 / Roanoke (Staunton) River / Childrey Creek to Cub Creek.	4A	Polychlorinated biphenyls (PCBs)	2010	L	12.79
VAW-L38R_ROA02A98 / Roanoke (Staunton) River / Cub Creek to Roanoke Creek.	4A	Polychlorinated biphenyls (PCBs)	2010	L	12.50
VAW-L40R_ROA03A98 / Roanoke (Staunton) River / Roanoke Creek to the pipeline crossing approximately 5.4 miles downstream of the Route 360 bridge.	4A	Polychlorinated biphenyls (PCBs)	2010	L	10.20
VAW-L40R_ROA04A98 / Roanoke (Staunton) River / The pipeline crossing about 5.4 miles downstream of the Route 360 bridge to Kerr Reservoir.	4A	Polychlorinated biphenyls (PCBs)	2010	L	3.82

Roanoke (Staunton) River, Cub Creek

**Fish Consumption**

Polychlorinated biphenyls (PCBs) - Total Impaired Size by Water Type:

Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
		73.78

Roanoke (Staunton) River, Cub Creek

**Public Water Supply**

Polychlorinated biphenyls (PCBs) - Total Impaired Size by Water Type:

Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
		73.78

Sources: Contaminated Sediments; Municipal Point Source Discharges; Non-Point Source; Source Unknown; Unspecified Urban Stormwater

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L19R-02-BAC** Lynch Creek

Cause Location: Lynch Creek from its headwaters to the mouth on the Roanoke (Staunton) River.

Cause City/County: Campbell County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: NESTED 2014: 24386, 06/20/2006(2018)

The Cub Creek, Turnip Creek, Buffalo Creek, Buffalo Creek (UT), and Staunton River Watersheds Bacteria TMDL Study received U.S. EPA approval on 6/20/2006 [Fed. ID.24386] and SWCB approval on 6/27/2007 for these 2004 303(d) Listed waters for fecal coliform and 2006 303(d) Listed waters for Bacteria. Escherichia coli (E.coli) replaces fecal coliform (FC) bacteria as the indicator as per Water Quality Standards [9 VAC 25-260-170. Bacteria; other waters]. 24386, 6/20/2006

One station is located within the 3.90 miles of impaired waters. 4ALYH000.50 (Ambient)(Lynch Cr @ Foot Bridge - City Park)

4ALYH000.50 (Ambient) (Lynch Cr @ Foot Bridge - City Park) 2022: Nine of 12 samples in excess of the Statistical Threshold value. 2020: 10 of 11 samples in excess of the instantaneous criterion. 2018: Nine of 11 samples in excess of the instantaneous criterion.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L19R_LYH01A02 / Lynch Creek / Lynch Creek from its mouth on the Roanoke (Staunton) River upstream to Bus. 29 (RU48).	4A	Escherichia coli (E. coli)	2010	L	0.37
VAW-L19R_LYH02A02 / Lynch Creek / Lynch Creek from Bus. Rte. 29 upstream to its headwaters (RU48).	4A	Escherichia coli (E. coli)	2008	L	3.53

Lynch Creek

**Recreation**

Escherichia coli (E. coli) - Total Impaired Size by Water Type:

Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
		3.9

Sources: Livestock (Grazing or Feeding Operations); Unspecified Domestic Waste; Wastes from Pets; Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L19R-02-BEN** **Lynch Creek**

Cause Location: Lynch Creek from its headwaters to the mouth on the Roanoke (Staunton) River.

Cause City/County: Campbell County

Use(s): Aquatic Life

Causes(s)/VA Category: Benthic Macroinvertebrates Bioassessments/5A

Cause Description: Station ID: 4ALYH000.50 (Ambient, Bio) (Lynch Cr @ Foot Bridge - City Park) 2022: Bio 'IM' from four VSCI surveys (2017, 2015) with an average score of 45 (Spring avg 33, Fall avg 57). The 2018 data window finds Bio 'IM' from four VSCI surveys (2012, 2015) with an average score of 31.1.

2008 Bio: IM - Located in a City Park with significant impervious surface coverage in the riparian zone.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L19R_LYH01A02 / Lynch Creek / Lynch Creek from its mouth on the Roanoke (Staunton) River upstream to Bus. 29 (RU48).	5A	Benthic Macroinvertebrates Bioassessments	2010	L	0.37
VAW-L19R_LYH02A02 / Lynch Creek / Lynch Creek from Bus. Rte. 29 upstream to its headwaters (RU48).	5A	Benthic Macroinvertebrates Bioassessments	2010	L	3.53

Lynch Creek

**Aquatic Life**

Benthic Macroinvertebrates Bioassessments - Total Impaired Size by Water Type:

Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
		3.9

Sources: Source Unknown

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L19R-03-BAC** **Reed Creek**

Cause Location: Reed Creek mainstem from its mouth on the Roanoke (Staunton) River upstream to its perennial headwaters.

Cause City/County: Pittsylvania County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: The 2020 data window 303(d) lists 8.9 miles of Reed Creek for the Recreational Use.

4ARAB003.64 - 2022: Five of 12 samples exceed the Statistical Threshold Value of 410 cfu/100ml. 2020: Six of 12 E.coli samples exceed the 235 cfu/100 ml instantaneous criterion.

4ARAB000.52 - 2022: Six of 12 E.coli samples exceed the Statistical Threshold Value. 2020:Seven of 12 E.coli samples exceed the 235 cfu/100 ml instantaneous criterion.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L19R_RAB01A00 / Reed Creek / Reed Creek mainstem from its mouth on the Roanoke (Staunton) River upstream to its perennial headwaters (RU48).	4A	Escherichia coli (E. coli)	2020	L	8.91

Reed Creek

**Recreation**

Escherichia coli (E. coli) - Total Impaired Size by Water Type:

Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
		8.91

Sources: Livestock (Grazing or Feeding Operations); Unspecified Domestic Waste; Wastes from Pets; Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L19R-03-BEN** Reed Creek

Cause Location: Reed Creek mainstem from its mouth on the Roanoke (Staunton) River upstream to its perennial headwaters.

Cause City/County: Pittsylvania County

Use(s): Aquatic Life

Causes(s)/VA Category: Benthic Macroinvertebrates Bioassessments/5A

Cause Description: Station ID:

4ARAB000.52 (Bio)(Reed Cr @ Grit Road (Rt 668)) - The 2020 data window finds two spring VSCI scores impaired at 57.6 (2015) and 59.1 (2017). The two fall VSCI scores are 75 and 65.3 (2015 and 2017, respectively). 2008 & 2012 Bio 'IM' exhibited high seasonal variability, with one score approaching the impairment cutoff of 60. Sedimentation and elevated nutrients may be negatively affecting the stream community. Further sampling is needed to accurately assess the benthic community.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L19R_RAB01A00 / Reed Creek / Reed Creek mainstem from its mouth on the Roanoke (Staunton) River upstream to its perennial headwaters (RU48).	5A	Benthic Macroinvertebrates Bioassessments	2010	L	8.91

Reed Creek

**Aquatic Life**

Benthic Macroinvertebrates Bioassessments - Total Impaired Size by Water Type:

Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
		8.91

Sources: Source Unknown

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L19R-04-BAC** **Roanoke (Staunton) River, Unnamed tributary**

Cause Location: An unnamed tributary to the Roanoke (Staunton) River downstream of Frazier Creek from its mouth on the Roanoke River upstream to its headwaters.

Cause City/County: Campbell County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: The 2020 data window is the initial Recreational Use 303(d) listing of 4.1 miles of Unnamed Tributary (XCN) to the Roanoke (Staunton) River.

4AXCN000.61 (UT to Staunton River @ Rt. 711) - 2022: Three of 11 E.coli samples exceed the Statistical Threshold Value of 410 cfu/100 ml. The 2020 data window finds four of 10 E.coli samples in exceedance of the 235 cfu/100 ml instantaneous criterion.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L19R_XCN01A02 / Roanoke (Staunton) River, Unnamed Tributary / An unnamed tributary to the Roanoke (Staunton) River downstream of Frazier Creek from its mouth on the Roanoke River upstream to its headwaters.	4A	Escherichia coli (E. coli)	2020	L	4.1

Roanoke (Staunton) River, Unnamed tributary

**Recreation**

Escherichia coli (E. coli) - Total Impaired Size by Water Type:

Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
		4.1

Sources: Livestock (Grazing or Feeding Operations); Unspecified Domestic Waste; Wastes from Pets; Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L19R-04-BEN** **Roanoke (Staunton) River, Unnamed tributary**

Cause Location: An unnamed tributary to the Roanoke (Staunton) River downstream of Frazier Creek from its mouth on the Roanoke River upstream to its headwaters.

Cause City/County: Campbell County

Use(s): Aquatic Life

Causes(s)/VA Category: Benthic Macroinvertebrates Bioassessments/5A

Cause Description: Station ID: 4AXCN000.31 (2008 Bio)(UT to Staunton R @ Bus29 & rt 714)

IM - appears to be negatively affected by high nutrient levels and suburban storm flows. VSCI scores from 2014-15 and 2017 find impaired conditions with an average of 63.8.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L19R_XCN01A02 / Roanoke (Staunton) River, Unnamed Tributary / An unnamed tributary to the Roanoke (Staunton) River downstream of Frazier Creek from its mouth on the Roanoke River upstream to its headwaters.	5A	Benthic Macroinvertebrates Bioassessments	2010	L	4.1

Roanoke (Staunton) River, Unnamed tributary

**Aquatic Life**

Benthic Macroinvertebrates Bioassessments - Total Impaired Size by Water Type:

Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
		4.1

Sources: Source Unknown

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

**Roanoke and Yadkin River Basins**

**Cause Group Code: L19R-05-BAC Roanoke (Staunton) River and Sycamore Creek**

Cause Location: Roanoke (Staunton) River mainstem from the confluence with Goose Creek downstream to the confluence of Buffalo Creek. Sycamore Creek from its mouth on Roanoke (Staunton) River upstream to the confluence with Little Sycamore Creek.

Cause City/County: Campbell County; Halifax County; Pittsylvania County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: NESTED 2018: 24386, 06/20/2006 (2018)

The Cub Creek, Turnip Creek, Buffalo Creek, Buffalo Creek (UT), and Staunton River Watersheds Bacteria TMDL Study received U.S. EPA approval on 6/20/2006 [Fed. ID.24386] and SWCB approval on 6/27/2007 for these 2004 303(d) Listed waters for fecal coliform and 2006 303(d) Listed waters for Bacteria. Escherichia coli (E.coli) replaces fecal coliform (FC) bacteria as the indicator as per Water Quality Standards [9 VAC 25-260-170. Bacteria; other waters]. 24386, 6/20/2006. The 2022 data window extends the impairment upstream by 6.77 miles to the Goose Creek confluence.

4AROA129.55 (Business Rt. 29 Bridge, at gage) The 2022 data window finds 2 or more STV hits in the same 90-day period with < 10 samples. The 2018 IR reports seven of 35 E.coli exceedances of the 235 cfu/100 ml instantaneous water quality standard. Excursions range from 325 cfu/100 ml to greater than 2,000 cfu/100 ml.

4AROA124.59 (Rt. 640 Bridge, Pitts. Line Old Mansion) - Three of 12 E.coli samples exceed the 235 cfu/100 ml instantaneous criterion. Excursions range from 281 to 4884 cfu/100 ml.

4AROA107.97 (Long Island Boat Ramp) - This station led to the impairment extension with 2022 data window E.coli samples exceeding the Statistical Threshold Value (STV) of 410 CFU / 100 mL in 3 of 10 samples which is exceeds the >10% exceedance rate in the same 90-day window. An exceedance of the 126 cfu/100 ml water geometric mean in a 90-day period was also recorded.

4ASYC000.26 (Rt. 929 Bridge) The 2018 data window finds three of 11 E.coli samples in exceedance of the 235 cfu/100 ml instantaneous criterion. Excursions range from 457 cfu/100 ml to greater than 6,000.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L19R_ROA01A00 / Roanoke (Staunton) River / Roanoke (Staunton) River mainstem from the Town of Altavista POTW downstream to the Big Otter River confluence with the Roanoke (Staunton) River (RU48).	4A	Escherichia coli (E. coli)	2018	L	3.76
VAW-L19R_ROA03A00 / Roanoke (Staunton) River / Roanoke (Staunton) River mainstem from the Goose Creek mouth on downstream to the Town of Altavista POTW (RU48).	4A	Escherichia coli (E. coli)	2022	L	6.78
VAW-L19R_SCE01A00 / Sycamore Creek / Lower Sycamore Creek mainstem from its mouth to the confluence with Little Sycamore Creek (RU47).	4A	Escherichia coli (E. coli)	2018	L	8.29
VAW-L30R_ROA06A00 / Roanoke (Staunton) River / Roanoke (Staunton) River mainstem from the mouth of Hills Creek (37 7 9.187 N, -79 12 57.062) downstream to the confluence of Buffalo Creek.	4A	Escherichia coli (E. coli)	2022	L	17.65

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

*(continued)*

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L30R_ROA07A18 / Roanoke (Staunton) River / Roanoke (Staunton) River mainstem from the Big Otter River mouth downstream to the confluence of Hills Creek (37 7 9.187 N, -79 12 57.062 W) (RU60).	4A	Escherichia coli (E. coli)	2018	L	4.71

Roanoke (Staunton) River and Sycamore Creek

<b>Recreation</b>	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:			41.19

Sources: Livestock (Grazing or Feeding Operations); Unspecified Domestic Waste; Wastes from Pets; Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code: L20R-01-BAC Goose Creek**

Cause Location: The impairment begins at the confluence of the North and South Forks of Goose Creek extending downstream to the mouth of Bore Auger Creek.

Cause City/County: Bedford County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: Escherichia coli (E.coli) replaces the 2004 6.78 mile fecal coliform (FC) bacteria 2006 303(d) Listing as the indicator as per Water Quality Standards [9 VAC 25-260-170. Bacteria; other waters]. The Staunton River Bacteria Total Maximum Daily Load (TMDL) is U.S. EPA approved 6/22/2006 [Fed IDs 24386 / 23315 / 23316 / 24387] and SWCB approved 6/17/2007. Goose Creek [Fed ID 24552] and its tributaries are nested within the Staunton River TMDL Watershed. Allocation scenario development is for the entire drainage to provide pollutant reductions for all watersheds contributing to the bacteria impairment. The entirety of the approved TMDL and allocations can be viewed at <http://www.deq.virginia.gov>.

4AGSE037.78- (Rt. 755 Bridge) Two of 11 E.coli samples exceed the instantaneous criterion during the 2020 data window. There are no additional data beyond the 2014 Integrated Report (IR). The 2014 IR results find escherichia coli (E.coli) exceedances of the 235 cfu/100 ml instantaneous criterion occur in six of 12 samples. Exceeding values range from 250 to 1500 cfu/100 ml. There are no additional data within the 2012 data window. Both the 2008 and 2010 assessments reveal escherichia coli (E.coli) samples exceed the 235 cfu/100 ml instantaneous criterion in eight of 12 samples. Exceeding values range from 280 to 930 cfu/100 ml. The 2006 Integrated Report (IR) records E.coli exceedances of the instantaneous criterion in seven of nine samples with the same range of exceedance as in 2008.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L20R_GSE01A00 / Goose Creek / Goose Creek mainstem from the North and South Fork confluence downstream to the Bore Auger Creek mouth (RU39).	4A	Escherichia coli (E. coli)	2006	L	6.94

Goose Creek

**Recreation**

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:			6.94

Sources: Livestock (Grazing or Feeding Operations); Municipal (Urbanized High Density Area); Residential Districts; Unspecified Domestic Waste; Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L21R-01-BAC** **Goose Creek**

Cause Location: Goose Creek from the mouth of Rocky Branch downstream to the confluence of Stony Fork Creek.

Cause City/County: Bedford County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: The Staunton River Bacteria Total Maximum Daily Load (TMDL) is U.S. EPA approved 6/22/2006 [Fed IDs 24386 / 23315 / 23316 / 24387] and SWCB approved 6/17/2007. Goose Creek [Fed ID 24552] and its tributaries are nested within the Staunton River TMDL Watershed. The 2012 Bore Auger Creek nested Listing extends the Recreational Use impairment for 7.24 miles. Allocation scenario development is for the entire drainage to provide pollutant reductions for all watersheds contributing to the bacteria impairment. The entirety of the approved TMDL and allocations can be viewed at <http://www.deq.virginia.gov>.

The 1999 Federal Consent Decree includes station 4AGSE022.55 as an Attachment B station for fecal coliform bacteria. The station was not 2002 303(d) listed as the 2002 exceedance rate is 8 percent where two of 23 analyses exceed the former 1000 cfu/100 ml instantaneous criterion (2002). The 2004 fecal coliform (FC) bacteria assessment results in 303(d) Listing finding nonsupport based on the former 400 cfu/100 ml instantaneous criterion in 2004.

4AGSE025.64- There are no additional data beyond the 2008 assessment. Escherichia coli (E.coli) exceed the 235 cfu/100 ml criterion in three of nine samples ranging from 250 to 700 cfu/100 ml in both 2008 and 2010.

4AGSE022.55- Seven of 12 E.coli samples exceed the 235 cfu/100 ml instantaneous criterion during the 2018 data window. Excursions range from 249 - 7701 cfu/100 ml. There are no additional data beyond the 2004 IR. The 2004 Integrated Report (IR) records FC exceeds the 400 cfu/100 ml instantaneous criterion in two of 18 samples. The exceeding values are 800 and 3100 cfu/100 ml. 2008 IR finds one of three FC samples exceeding the instantaneous criterion.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L21R_GSE01A00 / Goose Creek / Goose Creek mainstem from the Rocky Branch mouth on downstream to the confluence of Stony Fork Creek (RU41).	4A	Escherichia coli (E. coli)	2008	L	7.24

Goose Creek

**Recreation**

Escherichia coli (E. coli) - Total Impaired Size by Water Type:	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
			7.24

Sources: Livestock (Grazing or Feeding Operations); On-site Treatment Systems (Septic Systems and Similar Decentralized Systems); Unspecified Domestic Waste; Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L21R-01-BEN** **Wolf Creek**

Cause Location: Wolf Creek from its headwaters downstream to the Wolf Creek confluence on Goose Creek.

Cause City/County: Bedford County

Use(s): Aquatic Life

Causes(s)/VA Category: Benthic Macroinvertebrates Bioassessments/5A

Cause Description: The Aquatic Life Use is impaired with this 2012 303(d) Listing for contravention of the General Standard (Benthic). There are no additional data within the 2016 data window.

4AWLF001.20- (Upstream of Joppa Mill) Bio 'IM' There are no additional data beyond the 2012 Integrated Report (IR). Two 2010 VSCI surveys with an average score of 51.5. The benthic macroinvertebrate community is dominated by filter-feeding taxa indicating an environment high in organic matter. The station had relatively good habitat scores except for moderate sedimentation. Land cover upstream of this site is approximately 43% agriculture which could be a source of sediment and nutrients. Impairment remains due to additional data collection and further evaluation by Regional Biologists. Note that downstream station (4AWLF000.09) finds Bio 'FS' from four 2015 and 2016 VSCI scores averaging 63.0 and two 2020 VSCI scores of 50.3 (Spring) and 77.3 (Fall).

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L21R_WLF01A08 / Wolf Creek / Wolf Creek from the Fiddler Creek mouth downstream to the Wolf Creek confluence with Goose Creek (RU41).	5A	Benthic Macroinvertebrates Bioassessments	2012	L	4.16
VAW-L21R_WLF02A08 / Wolf Creek / Wolf Creek headwaters downstream to the Fiddler Creek confluence on Wolf Creek (RU41).	5A	Benthic Macroinvertebrates Bioassessments	2012	L	2.97

Wolf Creek

<b>Aquatic Life</b>	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Benthic Macroinvertebrates Bioassessments - Total Impaired Size by Water Type:			7.13

Sources: Crop Production (Crop Land or Dry Land); Livestock (Grazing or Feeding Operations); Wet Weather Discharges (Non-Point Source)

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L21R-02-BAC** **Wolf Creek**

Cause Location: Wolf Creek from its headwaters downstream to the Wolf Creek confluence on Goose Creek

Cause City/County: Bedford County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: The Recreation Use is impaired for 7.13 miles in this 2008 initial 303(d) Listing due to exceedances for Escherichia coli (E.coli) bacteria. The Staunton River Bacteria Total Maximum Daily Load (TMDL) is U.S. EPA approved 6/22/2006 [Fed IDs 24386 / 23315 / 23316 / 24387]. SWCB approved 6/17/2007. Goose Creek [Fed ID 24552] and its tributaries including Wolf Creek are nested within the Staunton River Bacteria TMDL Watershed. Allocation scenario development is for the entire drainage to provide pollutant reductions for all watersheds contributing to the bacteria impairment. The entirety of the approved TMDL and allocations can be viewed at <http://www.deq.virginia.gov>.

4AWLF000.09- (Rt. 691 Bridge at Joppa Mill) The 2020 and 2018 data windows find five of 18 and four of 12 E.coli samples exceed the 235 cfu/100 ml instantaneous criterion, respectively. Excursions range from 243 to 12,997 cfu/100 ml. Both 2008 and 2010 data reveal E.coli exceeds the 235 cfu/100 ml criterion in three of nine samples. E.coli exceedances range from 320 to 1400 cfu/100 ml. There are no additional data beyond the 2008 Integrated Report (IR).

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L21R_WLF01A08 / Wolf Creek / Wolf Creek from the Fiddler Creek mouth downstream to the Wolf Creek confluence with Goose Creek (RU41).	4A	Escherichia coli (E. coli)	2008	L	4.16
VAW-L21R_WLF02A08 / Wolf Creek / Wolf Creek headwaters downstream to the Fiddler Creek confluence on Wolf Creek (RU41).	4A	Escherichia coli (E. coli)	2008	L	2.97

Wolf Creek

**Recreation**

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:			7.13

Sources: Livestock (Grazing or Feeding Operations); On-site Treatment Systems (Septic Systems and Similar Decentralized Systems); Unspecified Domestic Waste; Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L21R-02-BEN** **Bore Auger Creek**

Cause Location: Bore Auger Creek from just upstream of the Rt. 619 crossing at an unnamed tributary downstream to its mouth on Goose Creek (RU40).

Cause City/County: Bedford County

Use(s): Aquatic Life

Causes(s)/VA Category: Benthic Macroinvertebrates Bioassessments/5A

Cause Description: These waters are initially listed with the 2014 Integrated Report (IR). These waters are partially delisted (3.83 miles) with the 2018 IR based on data from 4ABOE004.86. Additional data is needed to evaluate delist of the lower Aquatic Life Use impairment.

4ABOE005.27 (Rt. 806 Bridge) Bio 'IM' Two 2012 VSCI surveys scoring spring 48.7 and fall 59.6. These surveys indicate a community dominated by pollution-tolerant taxa in the spring including midges and blackflies. There are a higher percentage of mayflies in the fall but both seasons had relatively low taxa richness, low numbers of stoneflies and low numbers of organisms in the scraper feeding category which require clean rock surfaces to feed upon. The instream habitat is affected by sediment deposition (low Sed score) with more than 50% of the stream bottom covered by fine particles. The sediment load in the stream also results in the low Embeddedness score meaning that the interstitial spaces between rocks is clogged by fine material thus limiting available habitat for sensitive macroinvertebrates. The watershed has a mix of forested and agricultural land cover.

The waters are partially delisted for Aquatic Life Use based on Virginia Stream Condition (VSCI) surveys collected at station 4ABOE004.86 (Saunders Rd./Rt. 616 Bridge, Bedford Co.) which represents Probabilistic Monitoring station 4ABOE005.27 for present and future monitoring. 4ABOE004.86 VSCI scores collected in 2015 and 2016 average 67.8. Spring 2015 and 2016 VSCI scores are 66.3 and 76.2, respectively; Fall 2015 and 2016 scores are 60.6 and 68.1, respectively. The VSCI surveys collected during the 2018 data window show full support of the Aquatic Life Use.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L21R_BOE01A08 / Bore Auger Creek / Bore Auger Creek from just upstream of the Rt. 619 crossing at an unnamed tributary downstream to its mouth on Goose Creek (RU40).	5A	Benthic Macroinvertebrates Bioassessments	2014	L	5.73

Bore Auger Creek

**Aquatic Life**

Benthic Macroinvertebrates Bioassessments - Total Impaired Size by Water Type:

Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
		5.73

Sources: Loss of Riparian Habitat; Non-Point Source; Wet Weather Discharges (Non-Point Source)

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code: L21R-03-BAC Bore Auger Creek**

Cause Location: Bore Auger Creek from near it's headwaters downstream to it's confluence with Goose Creek.

Cause City/County: Bedford County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: The Staunton River Bacteria Total Maximum Daily Load (TMDL) is U.S. EPA approved 6/22/2006 [Fed IDs 24386 / 23315 / 23316 / 24387] and SWCB approved 6/17/2007. Goose Creek [Fed ID 24552] and its tributaries are nested within the Staunton River TMDL Watershed. The 2012 Bore Auger Creek nested Listing is due to excessive escherichia coli (E.coli) bacteria. The Recreational Use impairment extends 9.56 miles. Allocation scenario development is for the entire drainage to provide pollutant reductions for all watersheds contributing to the bacteria impairment. The entirety of the approved TMDL and allocations can be viewed at <http://www.deq.virginia.gov>.

4ABOE004.86 (Saunders Road Bridge (Rt. 616)) - Six of 18 E.coli samples exceed during the 2020 data window. The 2018 data window finds five of 12 E.coli samples exceed the 235 cfu/100 ml criterion. Excursions range from 389 to 556 cfu/100 ml.

4ABOE001.34 (Rt. 754 Bridge N. of Chamblissburg) The 2012 assessment initially 303(d) Lists this portion of Bore Auger Creek based on Escherichia coli (E.coli) exceedances of the 235 cfu/100 ml WQS instantaneous criterion in four of 12 samples. The range of exceeding values is from 350 cfu/100 ml to 2000. There are no additional data within the 2014 or 2016 data windows.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L21R_BOE01A08 / Bore Auger Creek / Bore Auger Creek from just upstream of the Rt. 619 crossing at an unnamed tributary downstream to its mouth on Goose Creek (RU40).	4A	Escherichia coli (E. coli)	2012	L	5.73
VAW-L21R_BOE02A08 / Bore Auger Creek / Bore Auger Creek from near it's headwaters downstream to an unnamed tributary just upstream of the Rt. 619 crossing (RU40).	4A	Escherichia coli (E. coli)	2012	L	3.84

Bore Auger Creek

**Recreation**

Escherichia coli (E. coli) - Total Impaired Size by Water Type:

Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
		9.57

Sources: Livestock (Grazing or Feeding Operations); On-site Treatment Systems (Septic Systems and Similar Decentralized Systems); Unspecified Domestic Waste; Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L21R-04-BAC** **Stony Fork**

Cause Location: Stony Fork from it's headwaters downstream to it's confluence with Goose Creek.

Cause City/County: Bedford County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: The Staunton River Bacteria Total Maximum Daily Load (TMDL) is U.S. EPA approved 6/22/2006 [Fed IDs 24386 / 23315 / 23316 / 24387] and SWCB approved 6/17/2007. Goose Creek [Fed ID 24552] and its tributaries are nested within the Staunton River TMDL Watershed. The 2012 Stony Fork nested Listing is due to excessive Escherichia coli (E.coli) bacteria. The Recreational Use impairment extends 13.17 miles. Allocation scenario development is for the entire drainage to provide pollutant reductions for all watersheds contributing to the bacteria impairment. The entirety of the approved TMDL and allocations can be viewed at <http://www.deq.virginia.gov>.

4ASBA004.54 (Rucker Road, Rt. 806 Bridge) Nine of 12 escherichia coli (E.coli) samples exceed the 235 cfu/100 ml WQS instantaneous criterion within the 2018 data window. The range of exceeding values is from 452 cfu/100 ml to 5172. The 2012 assessment initially Lists this portion of Stony Fork based on escherichia coli (E.coli) exceedances of the 235 cfu/100 ml WQS instantaneous criterion in six of 11 samples. The range of exceeding values is from 250 cfu/100 ml to greater than 2000. There are no additional data within the 2014 or 2016 data windows.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L21R_SBA01A08 / Stony Fork / Stony Fork from the Shoulder Run confluence downstream to the Stony Fork mouth on Goose Creek (RU42).	4A	Escherichia coli (E. coli)	2012	L	4.75
VAW-L21R_SBA02A08 / Stony Fork / Stony Fork from its headwaters downstream to the Shoulder Run confluence on Stony Fork (RU42).	4A	Escherichia coli (E. coli)	2012	L	8.43

Stony Fork

<b>Recreation</b>	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:			13.18

Sources: Livestock (Grazing or Feeding Operations); On-site Treatment Systems (Septic Systems and Similar Decentralized Systems); Unspecified Domestic Waste; Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L21R-05-BEN** **Stony Fork**

Cause Location: Stony Fork from its headwaters downstream to the Shoulder Run confluence on Stony Fork (RU42).

Cause City/County: Bedford County

Use(s): Aquatic Life

Causes(s)/VA Category: Benthic Macroinvertebrates Bioassessments/5A

Cause Description: The 2022 Stony Fork 303(d) listing is due to impaired benthic macroinvertebrate community collections from samples taken during the 2022 data window.

4ASBA008.39 (Rt. 749, Meadors Spur Rd.) Bio 'IM' from two 2019 VSCI Scores: Spring 29.3 and Fall 38.8. This station was surveyed as a regional biological monitoring site. The average VSCI was 34.1 indicating a benthic community that is impaired and dominated by Chironomid midges in the spring and net-spinning caddisflies in the fall. This station was surveyed as a regional biological monitoring site. The average VSCI was 34.1 indicating a benthic community that is impaired and dominated by Chironomid midges in the spring and net-spinning caddisflies in the fall.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L21R_SBA02A08 / Stony Fork / Stony Fork from its headwaters downstream to the Shoulder Run confluence on Stony Fork (RU42).	5A	Benthic Macroinvertebrates Bioassessments	2022	L	8.43

Stony Fork

**Aquatic Life**

Benthic Macroinvertebrates Bioassessments - Total Impaired Size by Water Type:

Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
		8.43

Sources: Source Unknown

# Virginia Department of Environmental Quality

## Appendix 4 - Fact Sheets for Impaired (Category 4 or 5) Waters in 2022

---

### Roanoke and Yadkin River Basins

**Cause Group Code:** **L22R-01-BAC** **Goose Creek**

Cause Location: The upstream limit is at the Stony Fork mouth on Goose Creek extending downstream to the Carter Mill Creek confluence with Goose Creek.

Cause City/County: Bedford County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: The waters remain impaired for failure to support the Recreational Use. The Staunton River Bacteria Total Maximum Daily Load (TMDL) is U.S. EPA approved 6/22/2006 [Fed IDs 24386 / 23315 / 23316 / 24387] and SWCB approved 6/17/2007. Goose Creek [Fed ID 24552] and its tributaries are nested within the Staunton River TMDL Watershed. Escherichia coli data from station 4AGSE013.78 extends the bacteria impairment upstream 8.93 miles from the original 10.03 miles. Allocation scenario development is for the entire drainage to provide pollutant reductions for all watersheds contributing to the bacteria impairment. Note: 4AGSE013.45 replaces 4AGSE013.78 and represents the actual sampling location for the data previously assigned to 4AGSE013.78.

Goose Creek from the Carter Mill Creek confluence downstream to the Goose Creek mouth on the Roanoke (Staunton) River (RU45) is de-listed for 7.89 miles from the 2002 original 10.03 miles. The waters remain impaired for 11.11 miles. There are no additional data beyond the 2014 Integrated Report where no exceeding values are observed from 23 samples at 4AGSE000.20 (Rt. 630 Bridge).

4AGSE013.78 / 4AGSE013.45 replaces 4AGSE013.78 and represents the actual sampling location for the data previously assigned to 4AGSE013.78. The 2022 data window applies the new Ecoli and confirms the impairment based on 2 or more STV hits in the same 90-day period with < 10 samples. Nine of 35 E.coli samples exceed during the 2020 data window. The 2018 Integrated Reporting window finds seven of 24 E.Coli samples exceed 235 cfu/100 ml WQS instantaneous criteria at 249 to 24,196 cfu/100 ml. Four escherichia coli (E.coli) samples exceed the WQS 235 cfu/100 ml instantaneous criterion from 23 observations within the 2016 data window. Excessive values range from 350 to greater than 2000 cfu/100 ml. There are no additional data beyond the 2012 Integrated Report (IR) where two of 11 escherichia coli (E.coli) samples exceed the WQS instantaneous criterion at 580 and greater than 2000 cfu/100 ml.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L22R_GSE01A14 / Goose Creek / Goose Creek from the Crab Orchard Creek confluence downstream to the Carter Mill Creek mouth on Goose Creek (RU43).	4A	Escherichia coli (E. coli)	2012	L	2.19
VAW-L22R_GSE02A02 / Goose Creek / Goose Creek mainstem from the Stony Fork mouth on Goose Creek (watershed boundary) on downstream to the Crab Orchard Creek mouth on Goose Creek (RU43).	4A	Escherichia coli (E. coli)	2012	L	8.94

Goose Creek

**Recreation**

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:			11.13

Sources: Livestock (Grazing or Feeding Operations); Non-Point Source; On-site Treatment Systems (Septic Systems and Similar Decentralized Systems); Sewage Discharges in Unsewered Areas; Unspecified Domestic Waste; Wet

Virginia Department of Environmental Quality  
Appendix 4 - Fact Sheets for  
Impaired (Category 4 or 5) Waters in 2022

---

Weather Discharges (Non-Point Source); Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L22R-02-BAC** Mill Creek

Cause Location: Mill Creek upstream to the mouth of Hunting Creek

Cause City/County: Bedford County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: The 2010 assessment finds the Recreational Use impaired for this initial 303(d) Listing. The Staunton River Bacteria Total Maximum Daily Load (TMDL) is U.S. EPA approved 6/22/2006 [Fed IDs 24386 / 23315 / 23316 / 24387] and SWCB approved 6/17/2007. Goose Creek [Fed ID 24552] and its tributaries are nested within the Staunton River TMDL Watershed. Therefore Mill Creek is nested within the Staunton River Bacteria TMDL Watershed. Allocation scenario development is for the entire drainage to provide pollutant reductions for all watersheds contributing to the bacteria impairment. The entirety of the approved TMDL and allocations can be viewed at <http://www.deq.virginia.gov>.

4AMWW004.53 (Rt. 654 Bridge - Felspar Rd.) The 2020 data window reports four of 12 excursions. The 2016 Integrated Report (IR) finds four of 12 escherichia coli (E.coli) samples exceed the WQS instantaneous criterion of 235 cfu/100 ml. Values in excess of the criterion range from 300 to 600 cfu/100 ml. There are no additional data beyond the 2010 IR where three of 12 E.coli samples exceed the instantaneous criterion within the 2010 and 2012 data windows. Exceeding values range from 280 cfu/100 ml to 1900.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L22R_MWW01A10 / Mill Creek / Mill Creek from its confluence with Goose Creek upstream to the mouth of Hunting Creek (RU43).	4A	Escherichia coli (E. coli)	2010	L	5.26

Mill Creek

**Recreation**

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:			5.26

Sources: Livestock (Grazing or Feeding Operations); On-site Treatment Systems (Septic Systems and Similar Decentralized Systems); Unspecified Domestic Waste; Wet Weather Discharges (Non-Point Source); Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L22R-03-BAC** **Hunting Creek**

Cause Location: Hunting Creek from its confluence with Mill Creek upstream to its headwaters.

Cause City/County: Bedford County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: This initial 2010 303(d) Listing is based on escherichia coli (E.coli) exceedances of the WQS 235 cfu/100 ml instantaneous criterion. Hunting Creek is tributary to Mill Creek and thence to Goose Creek. The Staunton River Bacteria Total Maximum Daily Load (TMDL) is U.S. EPA approved 6/22/2006 [Fed IDs 24386 / 23315 / 23316 / 24387] and SWCB approved 6/17/2007. Goose Creek [Fed ID 24552] and its tributaries are nested within the Staunton River TMDL Watershed. Therefore Hunting Creek is nested within the Staunton River Bacteria TMDL Watershed. Allocation scenario development is for the entire drainage to provide pollutant reductions for all watersheds contributing to the bacteria impairment. The entirety of the approved TMDL and allocations can be viewed at <http://www.deq.virginia.gov>.

4AHNT001.29 (Rt.608 Bridge - White House Rd.) - There are no additional data beyond the 2010 Integrated Report. 2012 and 2010 escherichia coli (E.coli) data exceed the 235 cfu/100 ml instantaneous criterion in eleven of 12 samples. Values in excess of the criterion range from 300 cfu/100 ml to greater than 2000. There are six samples greater than 2000 cfu/100 ml.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L22R_HNT01A10 / Hunting Creek / Hunting Creek from its confluence with Mill Creek upstream to its headwaters (RU43).	4A	Escherichia coli (E. coli)	2010	L	2.64

Hunting Creek

**Recreation**

Escherichia coli (E. coli) - Total Impaired Size by Water Type:	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
			2.64

Sources: Landfills; On-site Treatment Systems (Septic Systems and Similar Decentralized Systems); Unspecified Domestic Waste; Wet Weather Discharges (Non-Point Source); Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L22R-04-BAC** Carter Mill Creek

Cause Location: Carter Mill Creek from the mouth of Fitzpatrick Branch downstream to the confluence of Carter Mill Creek with Goose Creek

Cause City/County: Bedford County; Campbell County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: The Staunton River Bacteria Total Maximum Daily Load (TMDL) is U.S. EPA approved 6/22/2006 [Fed IDs 24386 / 23315 / 23316 / 24387] and SWCB approved 6/17/2007. Goose Creek [Fed ID 24552] and its tributaries are nested within the Staunton River TMDL Watershed. Therefore Carter Mill Creek is nested within the Staunton River Bacteria TMDL Watershed. Allocation scenario development is for the entire drainage to provide pollutant reductions for all watersheds contributing to the bacteria impairment. The entirety of the approved TMDL and allocations can be viewed at <http://www.deq.virginia.gov>.

This initial 2012 bacteria Listing is due to escherichia coli (E.coli) exceedances causing non-support of the Recreational Use.

4ACMC001.58- Escherichia coli (E.coli) exceed the 235 cfu/100 ml WQS instantaneous criterion in four of 12 samples at 256 cfu/100 ml to greater than 2000 within the 2018 data window. 2012 Escherichia coli (E.coli) data finds exceedances of the 235 cfu/100 ml WQS instantaneous criterion in two of 12 samples at 550 cfu/100 ml and greater than 2000.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L22R_CMC01A12 / Carter Mill Creek / Carter Mill Creek from the mouth of Fitzpatrick Branch downstream to the confluence of Carter Mill Creek with Goose Creek (RU44).	4A	Escherichia coli (E. coli)	2012	L	7.27

Carter Mill Creek

**Recreation**

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:			7.27

Sources: Livestock (Grazing or Feeding Operations); On-site Treatment Systems (Septic Systems and Similar Decentralized Systems); Unspecified Domestic Waste; Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

### Roanoke and Yadkin River Basins

**Cause Group Code:** **L23R-01-BAC** **Big Otter River and Sheeps Creek**

**Cause Location:** The impairment begins on Sheeps Creek form just north of Reba, Va on Campbells Mountain off Rt. 614 (Montvale Quad) downstream to the confluence of Stony Creek forming the Big Otter River (Peaks of Otter Quad 37°23'25" /79°33'21"). The impairment continues downstream on the Big Otter River from the mouth of Sheeps Creek to the confluence of North Otter Creek. Note: The original downstream end was ~0.25 miles west of the Rt. 43 Bridge where Sheeps Creek and Stony Creek join to form the Big Otter River, 1996 (Peaks of Otter Quad 37°23'25" /79°33'21"). The 2004 ending of the impairment is at the mouth of North Otter Creek on the Big Otter River.

**Cause City/County:** Bedford County

**Use(s):** Recreation

**Causes(s)/VA Category:** Escherichia coli (E. coli)/4A

**Cause Description:** The Big Otter River / Sheeps Creek Bacteria Total Maximum Daily Load (TMDL) is U.S. EPA approved on 2/02/2001 [Fed ID 1650 / 7798 / 23400]. The SWCB approved the TMDL 6/17/2004 (formerly VAW-L23R-01) and the Bacteria Implementation Plan (IP) on 3/27/2007. The waters are therefore Category 4A for bacteria. The Bacteria Study encompasses the Little Otter drainage (L26) including Machine Creek (L26), Big Otter drainage (L23, L24, L27, L28- delisted 2008 13.98 mi.) including Sheeps (L23), North Otter (L24) and Elk (L25) Creeks. Allocation scenario development is for the entire drainage to provide pollutant reductions for all watersheds contributing to the bacteria impairment. The entirety of the approved TMDL and allocations can be viewed at <http://www.deq.virginia.gov>.

The original Sheeps Creek 303(d) Listing for fecal coliform (FC) bacteria in 1996 and again in 1998 (8.13 miles) is based on ambient data collections showing contravention of the former 1000 cfu/100 ml fecal coliform bacteria standard in greater than 25 percent of the samples collected. The waters remain impaired for the recreational use and is expanded to include the Big Otter River. The 2004 expansion adds an additional 9.62 miles to the impaired waters listing to include the Big Otter River from river mile 41.48 downstream to 32.01. Escherichia coli (E.coli) replaces fecal coliform bacteria 303(d) Listing as the indicator as per Water Quality Standards [9 VAC 25-260-170. Bacteria; other waters].

Sheeps Creek (8.13 miles)

4ASEE003.16- (Rt. 680 Bridge) During the 2018 data window, eleven of 30 samples exceed the 235 cfu/100 ml instantaneous criterion. Excursions ranged from 300 to 5,172 cfu/100 ml. The 2016 data window reveals escherichia coli (E.coli) exceeds the 235 WQS cfu/100 ml instantaneous criterion in 10 of 36 samples. The range of exceeding values is from 250 cfu/100 ml to greater than 2000. E.coli exceeds the instantaneous criterion in five of 35 samples in 2014 with excessive values ranging from 250 cfu/100 ml to 1300. The 2012 assessment reports five of 23 E.coli samples exceeding the 235 cfu/100 ml instantaneous criterion. The exceeding values also range from 250 cfu/10 ml to 1300. 2010 E.coli data find two of eleven samples exceeding the 235 cfu/100 ml instantaneous criterion. Values in excess of the criterion are 250 and 380 cfu/100 ml. The 2008 assessment found four of 14 fecal coliform (FC) samples exceeding the former 400 cfu/100 ml instantaneous criterion as there were no E.coli data to assess. The range of exceeding values is from 500 to 900 cfu/100 ml. FC exceeds the instantaneous criterion in eight of 24 samples within the 2006 data window with the range of exceedance from 450 cfu/100 ml to 1500. The 2004 Integrated Report (IR) finds 10 of 27 observations exceed the instantaneous criterion. The 2004 exceedance range is from 500 cfu/100 ml to greater than 8000.

Big Otter River (9.62 miles)

4ABOR034.32- (Rt. 644 Bridge) There are no additional data beyond the 2010 Integrated Report (IR) where four of 23 E.coli samples exceed the 235 cfu/100 ml instantaneous criterion. The range of exceedance is from 280 cfu/100 ml to 1000. E.coli exceed the 235 cfu/100 ml criterion in four of 11 samples ranging from 280 to 1000 cfu/100 ml in 2008. E.coli exceed the criterion in four of eight samples in 2006 with the same range of exceedance as 2008.

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L23R_BOR01A02 / Big Otter River / Big Otter River mainstem from the mouth of North Otter Creek (Watershed Boundary) upstream to an unnamed tributary located at 37°23'24" / 79°30'19" (RU49).	4A	Escherichia coli (E. coli)	2006	L	6.00
VAW-L23R_BOR02A02 / Big Otter River / Big Otter River mainstem from an unnamed tributary located at 37°23'24" / 79°30'19" upstream to the Bedford City raw water intake on the Big Otter River (RU49).	4A	Escherichia coli (E. coli)	2006	L	3.58
VAW-L23R_BOR03A02 / Big Otter River / Big Otter River mainstem from the Bedford City raw water intake upstream to the confluence of Sheeps Creek and Stony Creek forming the Big Otter River (RU49).	4A	Escherichia coli (E. coli)	2006	L	0.05
VAW-L23R_SEE01A00 / Sheeps Creek / Sheeps Creek mainstem from the upstream end of WQS public water supply (PWS) section just downstream of Reba Creek on downstream to Sheeps Creek's confluence with Stony Creek (RU49).	4A	Escherichia coli (E. coli)	2010	L	4.90
VAW-L23R_SEE02A00 / Sheeps Creek / Headwaters north of Reba, VA on Campbells Mountain downstream to an unnamed tributary just downstream of Reba Creek (RU49).	4A	Escherichia coli (E. coli)	2010	L	3.24

Big Otter River and Sheeps Creek

**Recreation**

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:			17.77

Sources: Livestock (Grazing or Feeding Operations); On-site Treatment Systems (Septic Systems and Similar Decentralized Systems); Unspecified Domestic Waste; Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L23R-02-BAC** **Stony Creek**

Cause Location: Stony Creek from its confluence with Sheeps Creek upstream to the mouth of Little Stony Creek

Cause City/County: Bedford County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: This 2010 303(d) Listing is based on data within the 2010 data window showing a Recreational Use impairment. The Big Otter River / Sheeps Creek Bacteria Total Maximum Daily Load (TMDL) is U.S. EPA approved on 2/02/2001 [Fed ID 1650 / 7798 / 23400]. The SWCB approved the TMDL 6/17/2004 (formerly VAW-L23R-01) and the Bacteria Implementation Plan (IP) on 3/27/2007. The waters are therefore Category 4A for bacteria. The Bacteria TMDL encompasses the Little Otter drainage (L26) including Machine Creek (L26), Big Otter drainage (L23, L24, L27, L28- delisted 2008 13.98 mi.) including Sheeps (L23), North Otter (L24) and Elk (L25) Creeks. Stony Creek is nested within the TMDL Watershed and not specifically addressed by the Bacteria TMDL. Allocation scenario development is for the entire drainage to provide pollutant reductions for all watersheds contributing to the bacteria impairment. The entirety of the approved TMDL and allocations can be viewed at <http://www.deq.virginia.gov>.

4ASCB000.16 (Rt. 43 Bridge at intersection of 43 & 682)- There are no additional data beyond the 2010 assessment. 2014, 2012 and 2010 assessments results find two of eleven escherichia coli (E.coli) samples exceed the 235 cfu/100 ml instantaneous criterion. Values in excess of the criterion are 250 and 320 cfu/100 ml.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L23R_SCB01A00 / Stony Creek / Stony Creek mainstem within the WQS designated public water supply (PWS) section from the Bedford Reservoir downstream to its confluence with Sheep Creek (RU49).	4A	Escherichia coli (E. coli)	2010	L	4.37

Stony Creek

**Recreation**

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:			4.37

Sources: Livestock (Grazing or Feeding Operations); On-site Treatment Systems (Septic Systems and Similar Decentralized Systems); Unspecified Domestic Waste; Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L24R-01-BAC** **Oslin Creek, U.T. (XOJ)**

Cause Location: Unnamed tributary (XOJ) from its confluence with Oslin Creek upstream to its headwaters.

Cause City/County: Bedford County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: The initial 303(d) listing of U.T. Oslin Creek (XOJ) extends the entire 7.13 mile length and occurs in the 2018 data window. The Big Otter River / Elk Creek Bacteria Total Maximum Daily Load (TMDL) is U.S. EPA approved on 2/02/2001 [Fed. ID 1498/9595/18708/23401/36497] and SWCB approved on 6/17/2004 (formerly VAW-L25R-01). The Bacteria Implementation Plan (IP) received SWCB approval on 3/27/2007. The waters are NESTED and therefore Category 4A for bacteria. The Bacteria TMDL encompasses the Little Otter drainage (L26R) including Machine Creek (L26R), Big Otter drainage (L23R, L24R, L27R, L28R- mainstem delisted 2008 13.98 mi.) including Sheeps (L23R), North Otter (L24R) and Elk (L25R) Creeks. Allocation scenario development is for the entire drainage to provide pollutant reductions for all watersheds contributing to the bacteria impairment. Ultimately escherichia coli (E.coli) replaces fecal coliform (FC) bacteria as the indicator as per Water Quality Standards [9 VAC 25-260-170. Bacteria; other waters].

4AXOJ000.60 (Oslin Cr. Rd. [Rt. 637] Bridge) - The 2018 data window finds all twelve E.coli samples in exceedance of the 235 cfu/100 ml instantaneous criterion. Exceedances range from 256 - 12,997 cfu/100 ml.

4AXOJ001.34 (Off Charlemont Rd. [Rt. 638] Bridge) - This 2015 Probabilistic station reports one E.coli sample in exceedance of the 235 cfu/100 ml instantaneous criterion at 4,352 cfu/100 ml.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L24R_XOJ01A18 / Oslin Creek, UT, Lower (XOJ) / Unnamed tributary (XOJ) from its confluence with Oslin Creek upstream to its confluence with unnamed tributary (37°27'39" / 79°24'08") (RU50).	4A	Escherichia coli (E. coli)	2018	L	1.38
VAW-L24R_XOJ02A18 / Oslin Creek, U.T. (XOJ) / Unnamed tributary (XOJ) to Oslin Creek from its confluence with unnamed tributary (37°27'39" / 79°24'08") to its headwaters (RU50).	4A	Escherichia coli (E. coli)	2018	L	5.75

Oslin Creek, U.T. (XOJ)

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
<b>Recreation</b>			
Escherichia coli (E. coli) - Total Impaired Size by Water Type:			7.13

Sources: Livestock (Grazing or Feeding Operations); On-site Treatment Systems (Septic Systems and Similar Decentralized Systems); Unspecified Domestic Waste; Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L24R-02-BEN** **Oslin Creek, U.T. (XOJ)**

Cause Location: Unnamed tributary (XOJ) to Oslin Creek from its confluence with unnamed tributary (37°27'39" / 79°24'08") to its headwaters (RU50).

Cause City/County: Bedford County

Use(s): Aquatic Life

Causes(s)/VA Category: Benthic Macroinvertebrates Bioassessments/5A

Cause Description: The 2018 303(d) list represents the initial impairment of this 5.77 mile segment for the Aquatic Life Use (benthic macroinvertebrate community).

4AXOJ001.34 - The 2018 data window finds Bio 'IM' from two 2015 VSCI scores: Spring 46.4 and Fall 33.4. This station was surveyed as part of the Probabilistic monitoring program in 2015. The average Stream Condition Index (SCI) score was 39.91 indicating a benthic community which has low diversity and is dominated by pollution-tolerant taxa.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L24R_XOJ02A18 / Oslin Creek, U.T. (XOJ) / Unnamed tributary (XOJ) to Oslin Creek from its confluence with unnamed tributary (37°27'39" / 79°24'08") to its headwaters (RU50).	5A	Benthic Macroinvertebrates Bioassessments	2018	L	5.75

Oslin Creek, U.T. (XOJ)

**Aquatic Life**

Benthic Macroinvertebrates Bioassessments - Total Impaired Size by Water Type:

Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
		5.75

Sources: Agriculture; Loss of Riparian Habitat; Non-Point Source

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code: L25R-01-BAC Big Otter River, Elk Creek and North Otter Creek**

Cause Location: Big Otter River from the mouth of North Otter Creek downstream to the confluence of the Little Otter River. Elk Creek from the Rt. 644 crossing at Perrowville downstream to the Elk Creek confluence on the Big Otter River. North Otter Creek from near the Rt. 122 crossing downstream to the its mouth on the Big Otter River. Note: The original 1998 bacteria 7.28 mile impairment on Elk Creek is extended with the 2004 IR to include the lower portion of North Otter Creek and the Big Otter River.

Cause City/County: Bedford County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A; Fecal Coliform/4A

Cause Description: The Big Otter River/Elk Creek Bacteria Total Maximum Daily Load (TMDL) is U.S. EPA approved 2/2/2001 [Fed. ID 1498/9595/18708/23401/36497] and SWCB approved 6/17/04 (formerly VAW-L25R-01). The Bacteria Implementation Plan (IP) received SWCB approval 3/27/07. The waters are therefore Category 4A for bacteria. The Bacteria TMDL encompasses the Little Otter drainage (L26R) including Machine Creek (L26R), Big Otter (L23R, L24R, L27R, L28R- mainstem delisted 2008 13.98 mi.) including Sheeps (L23R), North Otter (L24R) and Elk (L25R) Creeks. Allocation scenario development is for the entire drainage to provide pollutant reductions for all watersheds contributing to the bacteria impairment. Escherichia coli (E.coli) replaces fecal coliform (FC) bacteria as the indicator per WQS [9 VAC 25-260-170. Bacteria; other waters].

The 2004 extension is the result of additional data collections made conducting the TMDL Study. The bacteria impairment encompasses the original Elk Creek 7.52 mi and the total 2004 extension of 32.17 mi. The original 1998 and 2004 extensions totaling 38.97 mi are described below: The 1998 Elk Creek (L25R) original 7.52 mi bacteria upper limit is at Rt. 622 west of Forest ending at its mouth on the Big Otter River. The 2004 extension runs from near Perrowville downstream to the Rt. 622 crossing adding 12.83 mi. The original 1998 and 2002 303(d) Listing basis is for FC bacteria exceedances at 4AECR003.02. These data show contravention of the former 1000 cfu/100 ml FC criterion in greater than 25% of samples collected.

Elk Creek (20.35 miles): 4AECR016.66- (Below Rt. 664 near Norwood) There are no additional data beyond the 2008 IR where 6/9 E.coli samples exceed in the 2008 and 2010 IRs. 4AECR007.42- (intersection of Rts 643 & 705) No additional data beyond the 2008 IR where E.coli exceeded 6/9 samples. 4AECR003.02- (Rt. 668 Br) 2022: New E.coli WQS finds impairment from 2 or more Statistical Threshold Value (STV) hits in the same 90-day period with < 10 samples. 2016: 14/23. 2014: No additional data in window. 2012: 17/32. 2010: 11/21. 2008: 6/9.

The 2004 North Otter Creek (L24R) extension is 6.80 mi. The extension includes the lower portion of North Otter Creek from near the Rt. 122 crossing extending downstream to its mouth on the Big Otter River. 4ANOT001.06- (Rt. 644 Br - Langford Mill Rd.) 2022: 2 or more STV hits in the same 90-day period with < 10 samples. 2016 and 2018: 16/35 and 16/30, respectively. 2014: 11/35. 2012: 7/23. 2010: 2/12. No additional data beyond the 2006 IR. 2008: 4/13. 2006: 7/20 FC. 2004: 10/28 samples exceed FC bacteria criterion.

Big Otter River (L25R; 2004 extension of 11.82 mi): The Big Otter River (L25R) from the confluence of North Otter Creek rm 32.01 downstream to the confluence of Little Otter River on the Big Otter River rm 20.27. 4ABOR029.74- (Rt.221 Br intersection Rts 221 & 670) No additional data beyond the 2004 assessment where 2/2 FC samples exceed the former 400 cfu/100 ml criterion. 4ABOR024.46- (Rt. 460 Br near intersection Rts 460 & 706) 2020: 6/12 excursions. 2014, 2016 and 2018: 2/12. 2008 and 2010: 3/9. The 2006 and 2004 assessments find two of two FC samples exceed the former 400 cfu/100 ml instantaneous criterion.

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L24R_NOT01A02 / North Otter Creek / North Otter Creek from the Rt. 122 crossing at Coltons Mill downstream to the North Otter Creek mouth on the Big Otter River (RU50).	4A	Escherichia coli (E. coli)	2010	L	6.81
VAW-L25R_BOR01A02 / Big Otter River / Big Otter River mainstem from the mouth of the Little Otter River upstream to the Elk Creek confluence on the Big Otter River (RU52).	4A	Escherichia coli (E. coli)	2008	L	4.50
VAW-L25R_ECR01A00 / Elk Creek / Elk Creek mainstem from its mouth on the Big Otter River upstream to the Rt. 622 crossing west of Forest, VA (RU51).	4A	Escherichia coli (E. coli)	2008	L	7.52
VAW-L25R_ECR02A02 / Elk Creek / Elk Creek mainstem from and unnamed tributary near Norwood (37°20'25" / 79°21'32") Rt. 622 crossing, upstream to near Perrowville (37°24'58" / 79°21'07") at another unnamed tributary (RU51).	4A	Escherichia coli (E. coli)	2008	L	12.84

Big Otter River, Elk Creek and North Otter Creek

**Recreation**

Escherichia coli (E. coli) - Total Impaired Size by Water Type:

Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
		31.67

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L25R_BOR02A02 / Big Otter River / Big Otter River mainstem from the confluence of Elk Creek upstream to the mouth of Roaring Run (RU52).	4A	Fecal Coliform	2004	L	5.98
VAW-L25R_BOR03A04 / Big Otter River / Confluence of North Otter Creek downstream to the mouth of Roaring Run (RU52).	4A	Fecal Coliform	2004	L	1.36

Big Otter River, Elk Creek and North Otter Creek

**Recreation**

Fecal Coliform - Total Impaired Size by Water Type:

Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
		7.34

Sources: Livestock (Grazing or Feeding Operations); On-site Treatment Systems (Septic Systems and Similar Decentralized Systems); Unspecified Domestic Waste; Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code: L26R-01-BAC Little Otter River and Machine Creek**

Cause Location: Little Otter River from its perennial headwaters west of Rt. 680 at Cobbs Mountain on the Peaks of Otter Quad on downstream to the mouth of the Little Otter River on the Big Otter River. Machine Creek from its perennial headwaters downstream to its confluence with the Little Otter River.

Cause City/County: Bedford County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: The Little Otter River Bacteria Total Maximum Daily Load (TMDL) is U.S. EPA approved 2/2/01 [Fed ID 1547/9486/19639/24557] (VAW-L26R-01) and Machine Cr [Fed ID 1547/9467/20210] (VAW-L26R-02). SWCB approval on 6/17/04. The SWCB approved the Bacteria Implementation Plan (IP) on 3/27/2007. The waters are Category 4A for bacteria. The Bacteria Study encompasses the Little Otter drainage (L26R) including Machine Cr (L26R), Big Otter drainage (L23R, L24R, L27R, L28R- mainstem delisted 2008 13.98 mi.) including Sheeps (L23R), North Otter (L24R) and Elk (L25R) Creeks. Allocation scenario development is for the entire drainage to provide pollutant reductions for all watersheds contributing to the bacteria impairment. Escherichia coli (E.coli) replaces fecal coliform (FC) bacteria as the indicator per WQS [9 VAC 25-260-170. Bacteria; other waters]. The 1996/1998/2002 303(d) Listing basis for FC bacteria are ambient collections showing contravention of the former 1000 cfu/100 ml criterion in > 10 and 25% of samples as well as the former 400 cfu/100 ml instantaneous (inst) criterion.

The Little Otter River waters remain impaired for recreational use for 27.63 mi. Little Otter River [Fed ID 1547/9486/19639/24557] 27.63 miles:

4ALOR021.92- (Rt. 838 Bridge) There are no additional data beyond the 2010 Integrated Report (IR) where E.coli exceed the inst criterion in 10/12 samples. The 2002 IR finds FC bacteria exceeds the former 400 cfu/100 ml inst criterion in 2/2 samples.

4ALOR018.96- (Rt. 122 Bridge north of the intersection of Rts 122 & 211) There are no additional data beyond the 2002 IR where 2/2 FC exceed the former inst criterion. 4ALOR014.75- (Rt. 718 Bridge above Bedford STP) 2022: 2 or more Statistical Threshold Value (STV) hits in the same 90-day period with < 10 samples. 2020 IR: 24/36 E.coli excursions. 2018 and 2016 IRs: 20/36 and 16/36, respectively. 2014: 10/36. 2012: 11/36. 2010: 10/33. 2008: 8/21. 2006: 4/9. 2006: 16/52 FC samples exceed former FC 400 cfu/100 ml inst criterion.

4ALOR014.33- 2014: 2/3. No additional data beyond the 2016 or 2018 data windows.

4ALOR010.78- (Rt. 460 Br) No additional data beyond the 2002 IR where 2/2 FC samples exceed the former inst criterion. 4ALOR008.64- (Rt. 784 Br) 2016 and 2018 IR: 4/18. 2014: 7/24. No new data within the 2012 IR. 2010: 5/12 E.coli samples exceed. No new E.coli data to assess in 2008. 2008: 3/17 FC exceedances of the former 400 cfu/100 ml inst criterion. 2006: 13/31 FC exceedances of the former criterion.

Machine Creek [Fed ID 1547/9467/20210/24780] 11.59 miles:

4AMCR004.60- (Rt. 804 Bridge) 2022: 2 or more STV hits in the same 90-day period with < 10 samples. 2018: 20/36. 2016: 17/36. 2014: 13/36. 2012: 10/24. 2010: 3/12. 2008: 3/14 FC samples exceed. 2006: 7/18 FC samples exceed the former instantaneous criterion.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L26R_LOR01A00 / Little Otter River / Little Otter River mainstem from the mouth of Machine Creek downstream to the Little Otter River confluence with the Big Otter River (RU54).	4A	Escherichia coli (E. coli)	2010	L	4.48
VAW-L26R_LOR02A00 / Little Otter River / Little Otter River mainstem from the mouth of Poorhouse Creek downstream to the mouth of Machine Creek (RU54).	4A	Escherichia coli (E. coli)	2010	L	4.24

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

(continued)

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L26R_LOR03A00 / Little Otter River / Little Otter River mainstem from the Bedford City POTW downstream to mouth of Poorhouse Creek (RU54).	4A	Escherichia coli (E. coli)	2010	L	5.90
VAW-L26R_LOR04A00 / Little Otter River / Little Otter River mainstem from the Bedford City boundary at the Rt. 43 crossing downstream to Bedford City POTW (RU54).	4A	Escherichia coli (E. coli)	2008	L	7.44
VAW-L26R_LOR05A00 / Little Otter River / Little Otter River mainstem from its perennial headwaters downstream to the Bedford City boundary at the Rt. 43 crossing (RU54).	4A	Escherichia coli (E. coli)	2010	L	5.58
VAW-L26R_MCR01A00 / Machine Creek / Machine Creek mainstem from it perennial headwaters downstream to its mouth on the Little Otter River (RU53).	4A	Escherichia coli (E. coli)	2010	L	11.60

Little Otter River and Machine Creek

<b>Recreation</b>	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:			39.24

Sources: Livestock (Grazing or Feeding Operations); Municipal (Urbanized High Density Area); On-site Treatment Systems (Septic Systems and Similar Decentralized Systems); Unspecified Domestic Waste; Wet Weather Discharges (Non-Point Source); Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L26R-01-BEN** **Little Otter River**

Cause Location: Little Otter River mainstem from the Bedford City POTW downstream to mouth to its confluence with the Big Otter River.

Cause City/County: Bedford County

Use(s): Aquatic Life

Causes(s)/VA Category: Benthic Macroinvertebrates Bioassessments/4A

Cause Description: TMDLs for Benthic Impairments in Little Otter R. (Sediment and Total Phosphorus), Johns Cr, Wells Cr, and Buffalo Cr (Sediment) were EPA approved on 2/3/15 [Fed IDs 65480 / 63924]. The original 2002 303(d) Listed 5.90 mile General Standard (Benthic) impairment is extended upstream in 2008 with an additional 7.44 miles due to impairment at station 4ALOR014.75 for an additional impaired length of 13.34 miles. The 2010 assessment extends the impairment downstream 8.71 mi based on impaired benthic conditions at stations 4ALOR012.20, 4ALOR008.64 and 4ALOR007.20. Total impaired miles are 22.05.

4ALOR014.75 (Rt. 718 Bridge above Bedford STP) Bio 'IM' 4 Virginia Stream Condition Index (VSCI) surveys (2011-2012) report an average score of 57.9 within the 2016 and 2018 data windows. The 2014 IR reports 6 VSCI surveys (2008, 2011-2012) with an average score of 59.9. The 2010 and 2012 assessments record 3 VSCI surveys (2006 and 2008) scoring fall 2006 58.7; and spring 56.7 and fall 67.8 in 2008. The 2008 IR reports the fall 2006 VSCI survey as noted previously. Habitat impacts include stream substrates that are embedded by fine sediment, eroded stream banks and riparian zone vegetation removal. Application of the VSCI to previous RBP II surveys (1994-2006 outside the 2008 data window) reveals an average VSCI score of 54.0. As a result the benthic community is assessed as impaired and is a 2008 7.30 mile extension upstream from the 2002 303(d) Benthic Listing.

4ALOR014.33 (Below Bedford STP) Bio 'IM'. The 2014, 2016 and 2018 Integrated Reports (IR) find 4 (2011-2012) VSCI surveys with an average score of 49.2. The preliminary stressor identification determined sediment and nutrients to be the cause of the impairment. There are no additional data between the 2004 and 2014 IRs where 3 2004 RBP II surveys Fall 1999 score 45; Spring '99 and '00 average score 53.95. This station is located below the City of Bedford's STP discharge at 4ALOR014.36 (excluding the mixing zone). Best Professional Judgment was used in spring 1999 because the sample had a high number of pollution tolerant organisms. The aquatic life use General Standard (Benthic) impairment is a 2002 original 303(d) Listing.

4ALOR012.20 (Pass the end of Dowdy Rock Rd.) Bio 'IM' 2 2008 VSCI surveys with an average score of 58.2. Habitat impacts include stream substrates that are embedded by fine sediment and eroded stream banks. This site replaces the historical downstream impact station (4ALOR014.33) that has become inaccessible.

4ALOR008.93 (Off Nicopolis Dr., Rt. 784) Bio 'IM' The 2014, 2016, and 2018 IRs report 2 2012 VSCI surveys scoring spring 48.9 and fall 27.2. Habitat surveys indicated a stream section with marginal bank stability, sediment impacts and lack of instream habitat. Preliminary stressor identification determined sediment and nutrients to be the cause of the impairment.

4ALOR008.64 (Nicopolis Dr., Rt. 784 Bridge) Bio 'IM' No new data since the 2010 data window where 1 2008 VSCI survey scored 56.5. This station was sampled as part of the Nutrient Criteria Special Study in 2008. Stations were selected based on historical nutrient levels and data on benthic macroinvertebrates, algae, periphyton and habitat were collected to be compared with nutrients. The VSCI score indicates a stressed community with low taxonomic diversity and low abundance of pollution-sensitive organisms. Habitat surveys indicated a stream section with substrates that were impacted by excessive fine sediments. Chemical analyses indicate high phosphorus levels.

4ALOR007.20 (Downstream of Nicopolis Dr., Rt. 784) Bio 'IM' A 2007 probabilistic site reports 2 VSCI surveys with an average score of 52.7. Both spring and fall samples had relatively low taxonomic diversity and low abundance of pollution-sensitive organisms. Habitat surveys indicated a stream section with substrates that were impaired

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L26R_LOR01A00 / Little Otter River / Little Otter River mainstem from the mouth of Machine Creek downstream to the Little Otter River confluence with the Big Otter River (RU54).	4A	Benthic Macroinvertebrates Bioassessments	2010	L	4.48
VAW-L26R_LOR02A00 / Little Otter River / Little Otter River mainstem from the mouth of Poorhouse Creek downstream to the mouth of Machine Creek (RU54).	4A	Benthic Macroinvertebrates Bioassessments	2010	L	4.24
VAW-L26R_LOR03A00 / Little Otter River / Little Otter River mainstem from the Bedford City POTW downstream to mouth of Poorhouse Creek (RU54).	4A	Benthic Macroinvertebrates Bioassessments	2002	L	5.90
VAW-L26R_LOR04A00 / Little Otter River / Little Otter River mainstem from the Bedford City boundary at the Rt. 43 crossing downstream to Bedford City POTW (RU54).	4A	Benthic Macroinvertebrates Bioassessments	2008	L	7.44

Little Otter River

<b>Aquatic Life</b>	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Benthic Macroinvertebrates Bioassessments - Total Impaired Size by Water Type:			22.06

Sources: Crop Production (Crop Land or Dry Land); Loss of Riparian Habitat; Municipal (Urbanized High Density Area); Municipal Point Source Discharges; Sediment Resuspension (Clean Sediment); Streambank Modifications/Destabilization; Wet Weather Discharges (Non-Point Source)

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code: L26R-01-HG Little Otter River**

Cause Location: Little Otter River mainstem from the Bedford City POTW downstream to the Little Otter River confluence with the Big Otter River.

Cause City/County: Bedford County

Use(s): Fish Consumption

Causes(s)/VA Category: Mercury in Fish Tissue/5A

Cause Description: This initial 2010 303(d) Listing is based on 2006 fish tissue collections and Water Quality Standards (WQS) effective 2/01/2010. Mercury (Hg) exceedances of the DEQ 0.3 parts per million (ppm) tissue value cause impairment of the Fish Consumption Use. No VDH Fish Consumption or Drinking Water Advisories are issued for mercury for these waters. The Virginia Department of Health (VDH) level of concern is 0.5 ppm. Please visit <http://www.deq.virginia.gov> for more information about mercury contamination and <http://www.vdh.virginia.gov/> for VDH Advisories or Bans.

4ALOR007.94 (Below Bedford)- There are no additional data beyond the 2008 data window. Mercury (Hg) is found in 2006 fish tissue results for one smallmouth bass (0.489 ppm) and one rock bass (0.450 ppm) each greater than the water quality based mercury tissue value (TV) of 0.3 ppm.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L26R_LOR01A00 / Little Otter River / Little Otter River mainstem from the mouth of Machine Creek downstream to the Little Otter River confluence with the Big Otter River (RU54).	5A	Mercury in Fish Tissue	2010	L	4.48
VAW-L26R_LOR02A00 / Little Otter River / Little Otter River mainstem from the mouth of Poorhouse Creek downstream to the mouth of Machine Creek (RU54).	5A	Mercury in Fish Tissue	2010	L	4.24
VAW-L26R_LOR03A00 / Little Otter River / Little Otter River mainstem from the Bedford City POTW downstream to mouth of Poorhouse Creek (RU54).	5A	Mercury in Fish Tissue	2010	L	5.90

Little Otter River

<b>Fish Consumption</b>	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Mercury in Fish Tissue - Total Impaired Size by Water Type:			14.62

Sources: Urban Runoff/Storm Sewers; Wet Weather Discharges (Non-Point Source)

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L26R-01-PCB** **Little Otter River**

Cause Location: Little Otter River mainstem from the Bedford City POTW downstream to the Little Otter River confluence with the Big Otter River.

Cause City/County: Bedford County

Use(s): Fish Consumption

Causes(s)/VA Category: PCBs in Fish Tissue/4A

Cause Description: The Roanoke R. PCB TMDL Study is US EPA approved 4/9/2010. Fed ID: 38522 and received SWCB approval on 12/9/2010. The Little Otter River is incorporated within the Roanoke River PCB TMDL with Fed IDs: 38461 / 38638 / 38639.

1999 Fish tissue collections at 4ALOR007.94 (below Bedford) find polychlorinated biphenyls (PCBs) in excess of the current 20 parts per billion (ppb) tissue value (TV) and former human health-risk carcinogenic WQS TV of 54 ppb from three species; Carp at 68.30; Smallmouth Bass at 54.8; and 1999 addition Redhorse Sucker at 28.50 ppb. Application of the new PCB WQS TV of 20 ppb to 2002 collections adds an additional species, Bluehead Chub at 21.28 ppb. The 14.33 mile fish consumption impairment is a 2002 addition to the initial Listing and the impairment remains in the 2014, 2016, and 2018 assessments with no additional data. A Virginia Department of Health fish consumption advisory has not been issued for these waters. The 2008 assessment found 2006 and 2002 fish tissue collections had no exceedances of the former WQS PCB TV of 54 ppb from species collected. However neither of these collections contained tissue results for carp or smallmouth bass, the original Listing basis.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L26R_LOR01A00 / Little Otter River / Little Otter River mainstem from the mouth of Machine Creek downstream to the Little Otter River confluence with the Big Otter River (RU54).	4A	PCBs in Fish Tissue	2002	L	4.48
VAW-L26R_LOR02A00 / Little Otter River / Little Otter River mainstem from the mouth of Poorhouse Creek downstream to the mouth of Machine Creek (RU54).	4A	PCBs in Fish Tissue	2002	L	4.24
VAW-L26R_LOR03A00 / Little Otter River / Little Otter River mainstem from the Bedford City POTW downstream to mouth of Poorhouse Creek (RU54).	4A	PCBs in Fish Tissue	2002	L	5.90

Little Otter River

<b>Fish Consumption</b>	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
PCBs in Fish Tissue - Total Impaired Size by Water Type:			14.62

Sources: Urban Runoff/Storm Sewers; Wet Weather Discharges (Non-Point Source)

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L26R-02-BAC** **Johns Creek**

Cause Location: Johns Creek mainstem from near its perennial headwaters in Bedford City downstream to the Johns Creek mouth on the Little Otter River (Bedford & Goode Quads).

Cause City/County: Bedford County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: The Little Otter River Bacteria Total Maximum Daily Load (TMDL) is U.S. EPA approved on 02/02/2001 [Fed ID 1547 / 9486 / 19639 / 24557] (VAW-L26R-01) and Machine Creek [Fed ID 1547 / 9467 / 20210] (VAW-L26R-02). SWCB approval achieved on 6/17/2004. The SWCB approved the Bacteria Implementation Plan (IP) on 3/27/2007. The waters are Category 4A for bacteria. The Bacteria Study encompasses the Little Otter drainage (L26R) including Johns Creek (L26R Nested 2014 IR), Machine Creek (L26R), Big Otter drainage (L23R, L24R, L27R, L28R- mainstem delisted 2008 13.98 mi.) including Sheeps (L23R), North Otter (L24R) and Elk (L25R) Creeks. Allocation scenario development is for the entire drainage to provide pollutant reductions for all watersheds contributing to the bacteria impairment. The entirety of the approved study and allocations can be viewed at <http://www.deq.virginia.gov>. Escherichia coli (E.coli) replaces fecal coliform (FC) bacteria as the indicator organism as per Water Quality Standards [9 VAC 25-260-170. Bacteria; other waters].

4AJHN000.01- (near the Johns Creek confluence with the Little Otter River) There are no additional data beyond the 2014 IR. The 2014 assessment finds the Recreational Use impaired from two of three escherichia coli samples. Values in excess of the 235 cfu/100 ml instantaneous criterion are 350 and 900 cfu/100 ml.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L26R_JHN01A00 / Johns Creek / Johns Creek mainstem from near its perennial headwaters in Bedford City downstream to the Johns Creek mouth on the Little Otter River (RU54).	4A	Escherichia coli (E. coli)	2014	L	2.24

Johns Creek

**Recreation**

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:			2.24

Sources: Livestock (Grazing or Feeding Operations); On-site Treatment Systems (Septic Systems and Similar Decentralized Systems); Unspecified Domestic Waste; Wet Weather Discharges (Non-Point Source); Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code: L26R-02-BEN Johns Creek**

Cause Location: Johns Creek mainstem from near its perennial headwaters in Bedford City downstream to the Johns Creek mouth on the Little Otter River (Bedford & Goode Quads).

Cause City/County: Bedford County

Use(s): Aquatic Life

Causes(s)/VA Category: Benthic Macroinvertebrates Bioassessments/4A

Cause Description: The TMDLs for Benthic Impairments in Little Otter River, Johns Creek, Wells Creek, and Buffalo Creek was EPA approved [Fed IDs 65480 / 63924] on 2/3/2015. Historical surveys of Johns Creek from the 1990s and 2000 also indicate an impaired benthic community. The original 2002 Benthic results show moderate impact to the benthic community from a total of three Rapid Bioassessment Protocol II (RBP II) surveys. BPJ used in spring 1999 because the number of total taxa and total individuals were low, and pollution tolerant taxa were dominant.

4AJHN000.01- (near the Johns Creek confluence with the Little Otter River) Bio 'IM' Four Virginia Stream Condition Index (VSCI) surveys (2011-2012) with an average score of 49.4 show an impaired condition within the 2016 data window. The 2014 data window contains six VSCI (2008-2012). The 2014 average score is 48.5 indicating continued impairment of the biota. The benthic community was dominated by midges (Chironomidae) and net-spinning caddisflies (Hydropsychidae). These organisms typically dominate streams that have high amounts of organic matter. Two surveys had low taxa richness and diversity and all had low numbers of pollution-sensitive taxa such as mayflies and stoneflies. There were no additional data within the 2012 data window. The 2010 assessment finds the benthic community impaired from three VSCI surveys (2006-2008) with an average score of 44.20. This stream is affected by urban and agricultural NPS pollution. Flashy flows appear to cause severe erosion of stream banks. The original 2002 2.13 mile General Standard (Benthic) 303(d) Listing remains. The 2008 assessment reports one 2006 fall Virginia Stream Condition Index (VSCI) survey scoring 40.7.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L26R_JHN01A00 / Johns Creek / Johns Creek mainstem from near its perennial headwaters in Bedford City downstream to the Johns Creek mouth on the Little Otter River (RU54).	4A	Benthic Macroinvertebrates Bioassessments	2002	L	2.24

Johns Creek

<b>Aquatic Life</b>	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Benthic Macroinvertebrates Bioassessments - Total Impaired Size by Water Type:			2.24

Sources: Municipal (Urbanized High Density Area); Sediment Resuspension (Clean Sediment)

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L26R-03-BAC** Wells Creek

Cause Location: Wells Creek mainstem from its mouth on Machine Creek upstream to its headwaters.

Cause City/County: Bedford County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: The Little Otter River Bacteria Total Maximum Daily Load (TMDL) is U.S. EPA approved on 02/02/2001 [Fed ID 1547 / 9486 / 19639 / 24557] (VAW-L26R-01) and Machine Creek [Fed ID 1547 / 9467 / 20210] (VAW-L26R-02). SWCB approval achieved on 6/17/2004. The SWCB approved the Bacteria Implementation Plan (IP) on 3/27/2007. The waters are Category 4A for bacteria. The Bacteria Study encompasses the Little Otter drainage (L26R) including Machine Creek (L26R), Big Otter drainage (L23R, L24R, L27R, L28R- mainstem delisted 2008 13.98 mi.) including Sheeps (L23R), North Otter (L24R) and Elk (L25R) Creeks. Allocation scenario development is for the entire drainage to provide pollutant reductions for all watersheds contributing to the bacteria impairment. The entirety of the approved study and allocations can be viewed at <http://www.deq.virginia.gov>.

The 2014 initial 303(d) Listing finds the Recreational Use impaired for 3.93 miles based on escherichia coli (E.coli) results at station 4AWEL001.14. The bacteria impairment is nested within the Little Otter River Bacteria TMDL.

4AWEL001.14- (Rt. 722 Bridge, Old Country Rd.) No data within the current cycle. The 2014, 2016, and 2018 assessments find eleven of 12 escherichia coli (E.coli) samples exceed the 235 cfu/100 ml instantaneous criterion. The range of exceeding values is from 300 to greater than 2000 cfu/100 ml.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L26R_WEL01A02 / Wells Creek / Wells Creek mainstem from its mouth on Machine Creek upstream to its headwaters (RU53).	4A	Escherichia coli (E. coli)	2014	L	3.94

Wells Creek

**Recreation**

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:			3.94

Sources: Livestock (Grazing or Feeding Operations); On-site Treatment Systems (Septic Systems and Similar Decentralized Systems); Unspecified Domestic Waste; Wet Weather Discharges (Non-Point Source); Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L26R-03-BEN** Wells Creek

Cause Location: Wells Creek mainstem from its mouth on Machine Creek upstream to its headwaters.

Cause City/County: Bedford County

Use(s): Aquatic Life

Causes(s)/VA Category: Benthic Macroinvertebrates Bioassessments/4A

Cause Description: The 2008 initial 303(d) Listing finds the Aquatic Life Use impaired for 3.93 miles based on results from benthic surveys at station 4AWEL000.59. These waters are included in the Little Otter River (Sediment and Total Phosphorus), Johns Creek, Wells Creek, and Buffalo Creek Benthic TMDL (Sediment) approved on 2/3/15 (EPA) and 12/11/14 (SWCB) [Fed IDs 65480 / 63924]. 4AWEL001.14- (Rt. 722 Bridge, Old Country Rd.) Bio 'IM' Four Virginia Stream Condition Index (VSCI) surveys (2011-2012) with an average score of 50.2. The habitat at this station is moderately impacted by hay fields and pastures. The riparian zone buffers are narrow and there is obvious stream bank erosion. The instream habitat is affected by deposition of fine sediment. The benthic community is dominated by organisms tolerant of nutrient and organic matter impacts.

4AWEL000.59- (Downstream of Rt. 747 Crossing) Bio 'IM' Both the 2010 and 2008 assessments find two 2005 VSCI surveys scoring spring 45.6 and fall 59.6. There are no additional data within the 2012, 2014, 2016, or 2018 data windows. The habitat is moderately impacted by hay fields and pastures. The riparian zone buffers are narrow and there is substantial stream bank erosion. The in stream habitat is affected by deposition of fine sediment. The benthic community is dominated by organisms tolerant of nutrient and organic matter impacts.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L26R_WEL01A02 / Wells Creek / Wells Creek mainstem from its mouth on Machine Creek upstream to its headwaters (RU53).	4A	Benthic Macroinvertebrates Bioassessments	2008	L	3.94

Wells Creek

<b>Aquatic Life</b>	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Benthic Macroinvertebrates Bioassessments - Total Impaired Size by Water Type:			3.94

Sources: Loss of Riparian Habitat; Sediment Resuspension (Clean Sediment); Streambank Modifications/Destabilization

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

**Roanoke and Yadkin River Basins**

**Cause Group Code: L27R-01-BAC Big Otter River and Falling Creek**

Cause Location: Big Otter River from the mouth of the Little Otter River on the Big Otter River extending downstream to the confluence of Buffalo Creek with the Big Otter River (Goode, Forest & Lynch Station Quads). Falling Creek from its headwaters downstream to the Falling Creek mouth on the Big Otter River.

Cause City/County: Bedford County; Campbell County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A; Fecal Coliform/4A

Cause Description: The Big Otter River Bacteria Total Maximum Daily Load (TMDL) received U.S. EPA approval on 02/02/01 [FED ID 1547 / 9486 / 36497] and SWCB approval on 6/17/04 (former VAW-L27R-01). The SWCB approved the Bacteria Implementation Plan (IP) on 3/27/07. The waters are Category 4A for bacteria. The Bacteria TMDL encompasses the Little Otter drainage (L26R) including Machine Creek (L26R), Big Otter drainage (L23R, L24R, L27R, L28R- delisted 2008 13.98 mi.) including Sheeps (L23R), North Otter (L24R) and Elk (L25R) Creeks. Falling Creek is nested within the TMDL Watershed and not specifically addressed by the Bacteria TMDL. However allocation scenario development is for the entire TMDL Watershed to provide pollutant reductions for all watersheds contributing to the bacteria impairment. Escherichia coli (E.coli) replaces fecal coliform (FC) bacteria as the indicator as per Water Quality Standards [9 VAC 25-260-170. Bacteria; other waters].

No recreational use impairments are noted in the 1998 303(d) List for the Big Otter River in watershed L27R. The 2002 5.37 mile fecal coliform portion is added to the original former downstream (L28R- 2008 delisted 13.98 miles) 1998 303(d) Listing. Big Otter bacteria impaired waters span from the mouth of Little Otter River on the Big Otter on downstream to the Buffalo Creek confluence. A 2004 IR Falling Creek addition with 5.92 miles brings the total bacteria impaired length to 11.29 miles. The entirety of the approved TMDL and allocations can be viewed at <http://www.deq.virginia.gov>.

Big Otter River (5.37 miles): 4ABOR016.26- (Rt. 24 Bridge) - The 2022 data window finds six of 11 E.coli samples in exceedance of the 410 cfu/100ml Statistical Threshold Value. The 2018 data window finds twelve of 23 E.coli samples in exceedance of the 235 cfu/100 ml instantaneous criterion with a range of 275 cfu/100 ml to greater than 11,000 cfu/100 ml. Eight of 23 E.coli samples exceed the WQS instantaneous criterion of 235 cfu/100 ml within the 2016 data window. There are no additional data beyond the 2012 Integrated Report (IR) where E.coli exceed the 235 cfu/100 ml WQS instantaneous criterion in four of 23 samples. The 2010 assessment finds E.coli exceed in one of 12 samples with the single exceedance at 280 cfu/100 ml. The 2004 IR reports FC exceeds the former 400 cfu/100 ml instantaneous criterion in three of 17 samples. The range of excursions is from 500 cfu/100 ml to greater than 160,000. Three FC samples within the 2008 data window find no exceedances of the instantaneous criterion. 2006 IR finds one of eight FC samples exceeds at 160,000 cfu/100 ml.

Falling Creek (5.92 miles): 4AFNG001.06- There are no additional data beyond the 2004 IR where two of two FC samples exceed the 400 cfu/100 ml instantaneous criterion at 2,400 and greater than 160,000 cfu/100 ml.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L27R_BOR01A00 / Big Otter River / Big Otter River mainstem from the upstream WQS designated public water supply (PWS) Sec. 5j end downstream to the Buffalo Creek mouth on the Big Otter River (RU55).	4A	Escherichia coli (E. coli)	2010	L	2.67
VAW-L27R_BOR02A00 / Big Otter River / Big Otter River mainstem from the mouth of Little Otter R. on Big Otter R. downstream to the upstream end of the WQS designated public water supply (PWS) section 5j (RU55).	4A	Escherichia coli (E. coli)	2010	L	2.72

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

Big Otter River and Falling Creek

**Recreation**

Escherichia coli (E. coli) - Total Impaired Size by Water Type:

Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
		5.39

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L27R_FNG01A02 / Falling Creek / Falling Creek mainstem from its mouth on the Big Otter River upstream to it headwaters (RU55).	4A	Fecal Coliform	2004	L	2.83
VAW-L27R_FNG02A18 / Falling Creek / Falling Creek mainstem from its confluence with Bold Branch upstream to its headwaters (RU55).	4A	Fecal Coliform	2004	L	3.09

Big Otter River and Falling Creek

**Recreation**

Fecal Coliform - Total Impaired Size by Water Type:

Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
		5.92

Sources: Livestock (Grazing or Feeding Operations); On-site Treatment Systems (Septic Systems and Similar Decentralized Systems); Unspecified Domestic Waste; Wet Weather Discharges (Non-Point Source); Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L27R-01-BEN** **Buffalo Creek**

Cause Location: Buffalo Creek from an unnamed tributary at the Route 811 crossing in Campbell County to its mouth on the Big Otter River.

Cause City/County: Bedford County; Campbell County

Use(s): Aquatic Life

Causes(s)/VA Category: Benthic Macroinvertebrates Bioassessments/4A

Cause Description: The Little Otter River (Sediment and Total Phosphorus), Johns Creek, Wells Creek, and Buffalo Creek (Sediment) TMDL Benthic Impairments received U.S. EPA approval on 2/3/15 [Fed ID: 65480 / 63924] and SWCB approval on 12/11/14.

4ABWA008.53 (2003 Probmon/2009/2012 Bio)(Along Rt. 623 near New London) - Bio 'IM'; flow regime and nutrients seem to negatively affect the stream community. Abundant periphyton and the presence of filamentous algae indicate elevated nutrients are the probable cause of the impairment. Five VSCI surveys (2009 & 2012).

Anecdotal information from 4ABWA002.00 finds Bio 'IM' from five VSCI scores averaging 57.3 (2012, 2014, 2016). 4ABWA002.00 exhibits significant seasonal variation. Follow-up monitoring continues the trend of good VSCI scores in the fall. The high number of taxa within the scraper functional feeding group may be an indication of nutrient enrichment.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L27R_BWA01A18 / Buffalo Creek / Buffalo Creek mainstem from its mouth on the Big Otter River upstream to the end of the WQS designated public water supply (PWS) Sec. 5j end (RU56).	4A	Benthic Macroinvertebrates Bioassessments	2008	L	2.11
VAW-L27R_BWA02A18 / Buffalo Creek / Buffalo Creek from the end of the WQS designated public water supply (PWS) section 5j upstream to an unnamed tributary at the Rt. 811 crossing in Campbell County (37° 14' 56"/79° 18' 20") (RU56).	4A	Benthic Macroinvertebrates Bioassessments	2008	L	6.43

Buffalo Creek

<b>Aquatic Life</b>	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Benthic Macroinvertebrates Bioassessments - Total Impaired Size by Water Type:			8.54

Sources: Clean Sediments

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L27R-02-BAC** **Buffalo Creek**

Cause Location: Buffalo Creek from an unnamed tributary at the Route 811 crossing in Campbell County to its mouth on the Big Otter River.

Cause City/County: Bedford County; Campbell County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: These Recreational Use impaired waters on Buffalo Creek are Nested (2014 assessment) in The Big Otter River Bacteria Total Maximum Daily Load (TMDL) received U.S. EPA approval on 02/02/01 [Fed. IDs: 1547 / 9486 / 36497] and SWCB approval on 6/17/04 (former VAW-L27R-01). The SWCB approved the Bacteria Implementation Plan (IP) on 3/27/07.

4ABWA002.00 (Below Rt. 24 Bridge) No new data since 2014 where E. coli showed 8/24 Exceedance Rate of the 235 cfu/100 ml instantaneous E.coli criteria.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L27R_BWA01A18 / Buffalo Creek / Buffalo Creek mainstem from its mouth on the Big Otter River upstream to the end of the WQS designated public water supply (PWS) Sec. 5j end (RU56).	4A	Escherichia coli (E. coli)	2006	L	2.11
VAW-L27R_BWA02A18 / Buffalo Creek / Buffalo Creek from the end of the WQS designated public water supply (PWS) section 5j upstream to an unnamed tributary at the Rt. 811 crossing in Campbell County (37° 14' 56"/79° 18' 20") (RU56).	4A	Escherichia coli (E. coli)	2006	L	6.43

Buffalo Creek

**Recreation**

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:			8.54

Sources: Livestock (Grazing or Feeding Operations); On-site Treatment Systems (Septic Systems and Similar Decentralized Systems); Unspecified Domestic Waste; Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L27R-03-BEN** **Falling Creek**

Cause Location: Falling Creek mainstem from its mouth on the Big Otter River upstream to its headwaters (RU55).

Cause City/County: Bedford County

Use(s): Aquatic Life

Causes(s)/VA Category: Benthic Macroinvertebrates Bioassessments/5A

Cause Description: The 2018 data window finds the initial Aquatic Life Use impairment for Falling Creek.

4AFNG003.54 (Rt. 707 Bridge) - The 2018 data window finds impairment from one 2016 VSCI score of 37.1 (Spring; stream was inaccessible in the fall). This station was surveyed as part of the Probabilistic Monitoring Program. Midges (Chironomidae) dominated the benthic community; however, the diversity and specific mayfly (Ephemeroptera) taxa collected at this station indicate potential for improvement.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L27R_FNG02A18 / Falling Creek / Falling Creek mainstem from its confluence with Bold Branch upstream to its headwaters (RU55).	5A	Benthic Macroinvertebrates Bioassessments	2018	L	3.09

Falling Creek

<b>Aquatic Life</b>	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Benthic Macroinvertebrates Bioassessments - Total Impaired Size by Water Type:			3.09

Sources: Source Unknown

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code: L28R-01-BAC Big Otter River**

Cause Location: Big Otter River mainstem from the mouth of Flat Creek downstream to Big Otter River confluence with the Roanoke (Staunton) River.

Cause City/County: Campbell County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: These Recreational Use impairments on Big Otter River are Nested in the Big Otter River Watershed TMDL (EPA Approved - 2/2/01, SWCB Approved - 6/17/04). Exceedance rates presented below are compared to the 235 cfu/100 ml Escherichia coli (E.coli) instantaneous Water Quality Standard.

4ABOR000.62 (Bernards Creek 30 m above mouth) 2022: E. coli - 10/35 Exceedance Rate. 2020: E. coli - 14/36 Exceedance Rate 2018: E. coli - 10/35 Exceedance Rate 4ABOR012.18 (Station #8, Route 644 Bridge) - 2020: E. coli - 2/12 Exceedance Rate. 2018: E. coli - 2/12 Exceedance Rate.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L28R_BOR01A00 / Big Otter River / Big Otter River mainstem from the mouth of Flat Creek downstream to Big Otter River confluence with the Roanoke (Staunton) River.	4A	Escherichia coli (E. coli)	2010	L	9.45
VAW-L28R_BOR02A00 / Big Otter River / Big Otter River mainstem from the Campbell County USA Otter River WTP downstream to mouth of Flat Creek.	4A	Escherichia coli (E. coli)	2016	L	2.22
VAW-L28R_BOR03A00 / Big Otter River / Big Otter River mainstem from the Buffalo Creek mouth on Big Otter River downstream to the Campbell County USA Otter River WTP (RU57).	4A	Escherichia coli (E. coli)	2016	L	2.35

Big Otter River

<b>Recreation</b>	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:			14.02

Sources: Livestock (Grazing or Feeding Operations); Unspecified Domestic Waste; Wastes from Pets; Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L29R-01-BEN** Flat Creek

Cause Location: Flat Creek from the confluence of Yellow Branch to its headwaters.

Cause City/County: Campbell County

Use(s): Aquatic Life

Causes(s)/VA Category: Benthic Macroinvertebrates Bioassessments/5A

Cause Description: Station ID:

2007/2012/2014 Bio

IM - 4AFCA010.95 ( Flat Cr @ RT 622 bridge) was listed as impaired in the 2008 IR. Sediment and scour are listed as probable stressors. It exhibits slight seasonal variability and moderate variability near the assessment threshold of 60. Recent sampling has indicated an improvement in VSCI scores, although sediment and scour are still affecting the community. Additional monitoring is required to accurately assess the waterbody.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L29R_FCA02A10 / Flat Creek / Flat Creek from the confluence of Yellow Branch to its headwaters (RU58).	5A	Benthic Macroinvertebrates Bioassessments	2010	L	8.21

Flat Creek

**Aquatic Life**

Benthic Macroinvertebrates Bioassessments - Total Impaired Size by Water Type:

Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
		8.21

Sources: Source Unknown

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L29R-02-BAC** Flat Creek

Cause Location: Flat Creek mainstem from Yellow Branch's mouth downstream to the Flat Creek mouth on the Big Otter River.

Cause City/County: Campbell County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: This 2018 initial bacteria listing for Flat Creek is nested within the Big Otter River Bacteria Total Maximum Daily Load (TMDL) which received U.S. EPA approval on 02/02/2001 [FED ID 1547 / 9486 / 36497] and SWCB approval on 6/17/2004 (former VAW-L27R-01). The SWCB approved the Bacteria Implementation Plan (IP) on 3/27/2007. The waters are Category 4A for bacteria. The Bacteria TMDL encompasses the Little Otter drainage (L26R) including Machine Creek (L26R), Big Otter drainage (L23R, L24R, L27R, L28R- delisted 2008 13.98 mi.) including Sheeps (L23R), North Otter (L24R) and Elk (L25R) Creeks. Flat Creek is included within this area.

4AFCA001.40 (Rt. 696 Bridge) - Two of 12 E.coli samples exceed the 235 cfu/100 ml instantaneous criterion within the 2018 data window. Excursions are 291 and 565 cfu/100 ml.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L29R_FCA01A00 / Flat Creek / Flat Creek mainstem from Yellow Branch's mouth downstream to the Flat Creek mouth on the Big Otter River (RU58).	4A	Escherichia coli (E. coli)	2018	L	7.67

Flat Creek

**Recreation**

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:			7.67

Sources: Livestock (Grazing or Feeding Operations); Unspecified Domestic Waste; Wastes from Pets; Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L30R-01-BAC** **Buffalo Creek**

Cause Location: Buffalo Creek mainstem from its mouth on the Roanoke (Staunton) River upstream to its headwaters.

Cause City/County: Halifax County; Pittsylvania County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: NESTED 2014: 24387, 6/20/2006

The Cub Creek, Turnip Creek, Buffalo Creek, Buffalo Creek (UT), and Staunton River Watersheds Bacteria TMDL Study (Staunton River) received U.S. EPA approval on 6/20/2006 [Fed. ID.24387] and SWCB approval on 6/27/2007 for these 2004 303(d) Listed waters for fecal coliform and 2006 303(d) Listed waters for Bacteria. Escherichia coli (E.coli) replaces fecal coliform (FC) bacteria as the indicator as per Water Quality Standards [9 VAC 25-260-170. Bacteria; other waters]. 24387, 6/20/2006

One station is located within the 10.23 miles of impaired waters. 4ABHA002.47 (Ambient)(Buffalo Cr @RTE 639 (Rockbarn Road))

4ABHA002.47 (Ambient)(Buffalo Cr @RTE 639 (Rockbarn Road)) Four of 11 samples in excess of the instantaneous criterion.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L30R_BHA01A02 / Buffalo Creek / Buffalo Creek mainstem from its mouth on the Roanoke (Staunton) River upstream to its headwaters.	4A	Escherichia coli (E. coli)	2008	L	10.23

Buffalo Creek

**Recreation**

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:			10.23

Sources: Livestock (Grazing or Feeding Operations); Unspecified Domestic Waste; Wastes from Pets; Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L30R-02-BAC** Childrey Creek

Cause Location: Childrey Creek mainstem from its headwaters downstream to the Childrey Creek mouth on the Roanoke (Staunton) River.

Cause City/County: Halifax County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: NESTED 2014: 24387, 6/20/2006

The Cub Creek, Turnip Creek, Buffalo Creek, Buffalo Creek (UT), and Staunton River Watersheds Bacteria TMDL Study (Staunton River) received U.S. EPA approval on 6/20/2006 [Fed. ID.24387] and SWCB approval on 6/27/2007 for these 2004 303(d) Listed waters for fecal coliform and 2006 303(d) Listed waters for Bacteria. Escherichia coli (E.coli) replaces fecal coliform (FC) bacteria as the indicator as per Water Quality Standards [9 VAC 25-260-170. Bacteria; other waters]. 24387, 6/20/2006

Two stations are located within the 14.54 miles of impaired waters. 4ACRE002.52 (Ambient)(2018)(Childrey Creek at Route 632 Bridge) and 4ACRE008.75 (Ambient)(Childrey Cr @ State Shed Rd (rt 645)

4ACRE002.52 (Ambient)(2018)(Childrey Creek at Route 632 Bridge) 0/0 samples in excess of the instantaneous criterion.

4ACRE008.75 (Ambient)(Childrey Cr @ State Shed Rd (rt 645)) 2022:Two of 12 samples in excess of the statistical Threshold Value of 410 cfu/100ml. 2018:Three of 12 samples in excess of the instantaneous criterion.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L30R_CRE01A00 / Childrey Creek / Childrey Creek mainstem from its headwaters downstream to the Childrey Creek mouth on the Roanoke (Staunton) River.	4A	Escherichia coli (E. coli)	2006	L	14.54

Childrey Creek

**Recreation**

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:			14.54

Sources: Livestock (Grazing or Feeding Operations); Unspecified Domestic Waste; Wastes from Pets; Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L30R-03-BAC** **Straightstone Creek**

Cause Location: Straightstone Creek mainstem from its mouth on the Roanoke (Staunton) River upstream to Little Straightstone Creek

Cause City/County: Pittsylvania County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: NESTED 2014: 24387, 6/20/2006

The Cub Creek, Turnip Creek, Buffalo Creek, Buffalo Creek (UT), and Staunton River Watersheds Bacteria TMDL Study (Staunton River) received U.S. EPA approval on 6/20/2006 [Fed. ID.24387] and SWCB approval on 6/27/2007 for these 2004 303(d) Listed waters for fecal coliform and 2006 303(d) Listed waters for Bacteria. Escherichia coli (E.coli) replaces fecal coliform (FC) bacteria as the indicator as per Water Quality Standards [9 VAC 25-260-170. Bacteria; other waters]. 24387, 6/20/2006

One station is located within the 8.75 miles of impaired waters. 4ASSC002.98 (TMDL Monitoring)(2018)(Route 761 (Straightstone Rd))

4ASSC002.98 (TMDL Monitoring)(Route 761 (Straightstone Rd) 2022: Five of 12 samples in excess of the Statistical Threshold Value of 410 cfu/100ml. instantaneous criterion. 2020: Eight of 12 samples in excess of the instantaneous criterion. 2018: Seven of 11 samples in excess of the instantaneous criterion.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L30R_SSC01A02 / Straightstone Creek / Straightstone Creek mainstem from its mouth on the Roanoke (Staunton) River upstream to Little Straightstone Creek (RU62).	4A	Escherichia coli (E. coli)	2006	L	8.75

Straightstone Creek

**Recreation**

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:			8.75

Sources: Livestock (Grazing or Feeding Operations); Unspecified Domestic Waste; Wastes from Pets; Wildlife Other than Waterfowl

# Virginia Department of Environmental Quality

## Appendix 4 - Fact Sheets for Impaired (Category 4 or 5) Waters in 2022

---

### Roanoke and Yadkin River Basins

**Cause Group Code:** **L30R-04-BAC** Whipping Creek

Cause Location: Whipping Creek mainstem from its mouth on the Roanoke (Staunton) River upstream to its headwaters.

Cause City/County: Campbell County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: NESTED 2014: 24387, 6/20/2006

The Cub Creek, Turnip Creek, Buffalo Creek, Buffalo Creek (UT), and Staunton River Watersheds Bacteria TMDL Study (Staunton River) received U.S. EPA approval on 6/20/2006 [Fed. ID.24387] and SWCB approval on 6/27/2007 for these 2004 303(d) Listed waters for fecal coliform and 2006 303(d) Listed waters for Bacteria. Escherichia coli (E.coli) replaces fecal coliform (FC) bacteria as the indicator as per Water Quality Standards [9 VAC 25-260-170. Bacteria; other waters]. 24387, 6/20/2006

One station is located within the 13.9 miles of impaired waters. 4AWPP002.53 (TMDL, Ambient)(Whipping Creek at Route 633)

4AWPP002.53 (TMDL, Ambient) (Whipping Creek at Route 633) Three of 24 samples in excess of the instantaneous criterion.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L30R_WPP01A02 / Whipping Creek / Whipping Creek mainstem from its mouth on the Roanoke (Staunton) River upstream to its headwaters.	4A	Escherichia coli (E. coli)	2006	L	13.91

Whipping Creek

**Recreation**

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:			13.91

Sources: Livestock (Grazing or Feeding Operations); Unspecified Domestic Waste; Wastes from Pets; Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L30R-05-BAC** **Little Straightstone Creek**

Cause Location: Little Straightstone Creek from its headwaters to the mouth

Cause City/County: Pittsylvania County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: NESTED 2014: 24387, 6/20/2006

The Cub Creek, Turnip Creek, Buffalo Creek, Buffalo Creek (UT), and Staunton River Watersheds Bacteria TMDL Study (Staunton River) received U.S. EPA approval on 6/20/2006 [Fed. ID.24387] and SWCB approval on 6/27/2007 for these 2004 303(d) Listed waters for fecal coliform and 2006 303(d) Listed waters for Bacteria. Escherichia coli (E.coli) replaces fecal coliform (FC) bacteria as the indicator as per Water Quality Standards [9 VAC 25-260-170. Bacteria; other waters]. 24387, 6/20/2006

One station is located within the 7.55 miles of impaired waters. 4ALHT000.70 (TMDL Monitoring) (Route 668 (Level Run Road))

4ALHT000.70 (TMDL Monitoring) (Route 668 (Level Run Road)) Five of 11 samples in excess of the instantaneous criterion.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L30R_LHT01A06 / Little Straightstone Creek / Little Straightstone Creek from its headwaters to the mouth	4A	Escherichia coli (E. coli)	2006	L	7.57

Little Straightstone Creek

**Recreation**

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:			7.57

Sources: Livestock (Grazing or Feeding Operations); Unspecified Domestic Waste; Wastes from Pets; Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L31R-01-BEN** **East Little Seneca Creek, Unnamed Tributary**

Cause Location: East Little Seneca Creek, Unnamed Tributary from the headwaters to the mouth

Cause City/County: Campbell County

Use(s): Aquatic Life

Causes(s)/VA Category: Benthic Macroinvertebrates Bioassessments/5A

Cause Description: Station ID:

4AXUP000.06 (2004 FPM) (Upstream of route 698) No additional data beyond the 2016 data window:

IM - seems to be negatively affected by flow regime and sedimentation.

2011/2013 Bio - IM - Sediment and nutrients are primary stressors to this reach. VSCI scores exhibit seasonal variability over several years.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L31R_XUP01A06 / East Little Seneca Creek, Unnamed Tributary / From the headwaters to the mouth	5A	Benthic Macroinvertebrates Bioassessments	2008	L	1.5

East Little Seneca Creek, Unnamed Tributary

**Aquatic Life**

Benthic Macroinvertebrates Bioassessments - Total Impaired Size by Water Type:

Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
		1.5

Sources: Source Unknown

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L32R-01-BAC** **Falling River**

Cause Location: Falling River from its headwaters to its confluence with South Fork Falling River

Cause City/County: Appomattox County; Campbell County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: The Falling River Bacteria TMDL Study received U.S. EPA approval on 7/09/2004 [Fed. ID.24388] and SWCB approval on 12/2/2004 for these 2004 303(d) Listed waters for fecal coliform. Escherichia coli (E.coli) replaces fecal coliform (FC) bacteria as the indicator as per Water Quality Standards [9 VAC 25-260-170. Bacteria; other waters]. 24388, 7/9/2004

Two stations are located within the 18.16 miles of impaired waters. 4AFRV025.34 (2004 Falling River Bacteria TMDL)(2018)(Falling River at Rt. 650 bridge) and 4AFRV029.24 (2004 Falling River Bacteria TMDL)(2018)(Falling River at Rt. 647 bridge)

4AFRV025.34 (2004 Falling River Bacteria TMDL)(2018)(Falling River at Rt. 650 bridge) Four of 12 samples in excess of the instantaneous criterion.

4AFRV029.24 (2004 Falling River Bacteria TMDL)(2018)(Falling River at Rt. 647 bridge) Five of 12 samples in excess of the instantaneous criterion.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L32R_FRV01A06 / Falling River / Falling River from its headwaters to its confluence with South Fork Falling River	4A	Escherichia coli (E. coli)	2006	L	18.17

Falling River

**Recreation**

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:			18.17

Sources: Livestock (Grazing or Feeding Operations); Unspecified Domestic Waste; Wastes from Pets; Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code: L33R-01-BAC Button Creek**

Cause Location: Button Creek from the headwaters to the mouth.

Cause City/County: Campbell County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: NESTED 2014: 24388

The Falling River Bacteria TMDL Study received U.S. EPA approval on 7/09/2004 [Fed. ID.24388] and SWCB approval on 12/2/2004 for these 2004 303(d) Listed waters for fecal coliform. Escherichia coli (E.coli) replaces fecal coliform (FC) bacteria as the indicator as per Water Quality Standards [9 VAC 25-260-170. Bacteria; other waters]. 24388, 7/9/2004

One station is located within the 7.86 miles of impaired waters. 4ABTF002.16 (TMDL Monitoring)( Button Creek at Rt. 651)

4ABTF002.16 (TMDL Monitoring)( Button Creek at Rt. 651) Two of 11 samples in excess of the instantaneous criterion.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L33R_BTFF01A06 / Button Creek / From the headwaters to its mouth	4A	Escherichia coli (E. coli)	2006	L	7.86

Button Creek

**Recreation**

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:			7.86

Sources: Livestock (Grazing or Feeding Operations); Unspecified Domestic Waste; Wastes from Pets; Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L33R-02-BAC** **South Fork Falling River**

Cause Location: South Fork Falling River from its headwaters to the mouth.

Cause City/County: Campbell County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: NESTED 2014: 24388

The Falling River Bacteria TMDL Study received U.S. EPA approval on 7/09/2004 [Fed. ID.24388] and SWCB approval on 12/2/2004 for these 2004 303(d) Listed waters for fecal coliform. Escherichia coli (E.coli) replaces fecal coliform (FC) bacteria as the indicator as per Water Quality Standards [9 VAC 25-260-170. Bacteria; other waters]. 24388, 7/9/2004

Three stations are located within the 16.79 miles of impaired waters. 4AFSF000.66 (TMDL Monitoring)(2018)(South Fork Falling River, Rt. 648 bridge), 4AFSF004.56 (Ambient)( Route 604), and 4AFSF011.11 (TMDL Monitoring)(South Fork Falling River, Rt. 663 bridge)

4AFSF000.66 (TMDL Monitoring)( (South Fork Falling River, Rt. 648 bridge) 2022: Seven of 18 samples in excess of the Statistical Threshold Value of 410 cfu/100ml. 2020: 10/18 samples in excess of the instantaneous criterion. 2018: Six of Six samples in excess of the instantaneous criterion.

4AFSF004.56 (Ambient)( Route 604) Four of 12 samples in excess of the instantaneous criterion.

4AFSF011.11 (TMDL Monitoring)(South Fork Falling River, Rt. 663 bridge) Five of 11 samples in excess of the instantaneous criterion.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L33R_FSF01A06 / South Fork Falling River / From its headwaters to the mouth (RU67).	4A	Escherichia coli (E. coli)	2006	L	16.79

South Fork Falling River

**Recreation**

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:			16.79

Sources: Livestock (Grazing or Feeding Operations); Unspecified Domestic Waste; Wastes from Pets; Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code: L34R-01-BAC Falling River**

Cause Location: Falling River mainstem from the Falling River North and South Fork confluence to its mouth on the Roanoke (Staunton) River.

Cause City/County: Campbell County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: The Falling River Bacteria TMDL Study received U.S. EPA approval on 7/09/2004 [Fed. ID.24388] and SWCB approval on 12/2/2004 for these 2004 303(d) Listed waters for fecal coliform. Escherichia coli (E.coli) replaces fecal coliform (FC) bacteria as the indicator as per Water Quality Standards [9 VAC 25-260-170. Bacteria; other waters]. 24388, 7/9/2004

Four stations are located within the 17.88 miles of impaired waters. 4AFRV002.78 (Ambient, TMDL)(Off Rt. 600 Below Brookneal STP) , 4AFRV003.07 (TMDL IP Monitoring)(2018) (Falling River @ Rt 40) , 4AFRV010.99 (Ambient, TMDL Monitoring)(2018) (Naruna Gage Route 643) , and 4AFRV017.71 (Ambient & 2004 Falling River TMDL)(2018)(Route 615 Bridge)

4AFRV002.78 (Ambient, TMDL) (Off Rt. 600 Below Brookneal STP) 2022: Seven of 12 samples in excess of the Statistical Threshold Value of 410 cfu/100ml. 2020: Seven of 12 samples in excess of the instantaneous criterion. 2016: Six of 10 samples in excess of the instantaneous criterion.

4AFRV003.07 (TMDL IP Monitoring)(2018)(Falling River @ Rt 40) Two of 12 samples in excess of the instantaneous criterion.

4AFRV010.99 (Ambient, TMDL Monitoring)(2018) (Naruna Gage Route 643) 2022: 14 of 35 samples in excess of the Statistical Threshold Value of 410 cfu/100ml. 2020: 21 of 36 samples in excess of the instantaneous criterion. 2018: 17 of 36 samples in excess of the instantaneous criterion.

4AFRV017.71 (Ambient & 2004 Falling River TMDL)(2018)(Route 615 Bridge) 2020: Three of 12 samples in excess of the instantaneous criterion. 2018: Nine of 24 samples in excess of the instantaneous criterion.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L34R_FRV01A00 / Falling River / Falling River mainstem from the Brookneal Lagoon outfall downstream to the Falling River mouth on the Roanoke (Staunton) River.	4A	Escherichia coli (E. coli)	2006	L	2.96
VAW-L34R_FRV02A00 / Falling River / Dan River Inc. water intake on Falling River downstream to the Brookneal Lagoon outfall.	4A	Escherichia coli (E. coli)	2006	L	0.32
VAW-L34R_FRV03A00 / Falling River / Little Falling River mouth downstream to Dan River, Inc. intake on Falling River.	4A	Escherichia coli (E. coli)	2006	L	4.38
VAW-L34R_FRV04A00 / Falling River / WQS public water supply (PWS) section 5c end downstream to mouth of Little Falling River.	4A	Escherichia coli (E. coli)	2006	L	0.86
VAW-L34R_FRV05A02 / Falling River / Falling River from the Mollys Creek mouth downstream to the WQS section 5c public water supply (PWS) end.	4A	Escherichia coli (E. coli)	2006	L	6.51

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

VAW-L34R_FRV06A02 / Falling River / Falling River mainstem from the Falling River North and South Fork confluence downstream to the mouth of Mollys Creek.	4A	Escherichia coli (E. coli)	2006	L	2.85
--	----	----------------------------	------	---	------

---

Falling River

**Recreation**

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:			17.88

---

Sources: Livestock (Grazing or Feeding Operations); Wastes from Pets; Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L34R-02-BAC** **Little Falling River**

Cause Location: Little Falling River from its headwaters at the confluence of to its mouth on Falling River.

Cause City/County: Campbell County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: NESTED 2014:24388

The Falling River Bacteria TMDL Study received U.S. EPA approval on 7/09/2004 [Fed. ID.24388] and SWCB approval on 12/2/2004 for these 2004 303(d) Listed waters for fecal coliform. Escherichia coli (E.coli) replaces fecal coliform (FC) bacteria as the indicator as per Water Quality Standards [9 VAC 25-260-170. Bacteria; other waters]. 24388, 7/9/2004

Four stations are located within the 15.94 miles of impaired waters. 4ALRV005.17 (TMDL Monitoring),4ALRV007.84 (Ambient), 4ALRV009.74 (Ambient)(2018), and 4ALRV013.53 (Ambient)(2018)

4ALRV005.17 (TMDL Monitoring)(Little Falling River at Rt. 618 bridge) 2022: Three of 12 samples in excess of the Statistical Threshold Value of 410 cfu/100ml. instantaneous criterion. 2020: Six of 12 samples in excess of the instantaneous criterion. 2016: Five of 11 samples in excess of the instantaneous criterion.

4ALRV007.84 (Ambient) ( L. Falling River @ Rt. 646) Three of 12 samples in excess of the instantaneous criterion.

4ALRV009.74 (Ambient)(2018) (Little Falling River at Route 615) Three of 12 samples in excess of the instantaneous criterion.

4ALRV013.53 (Ambient)(2018)( L. Falling River @ Rt 649) Four of 12 samples in excess of the instantaneous criterion.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L34R_LRV01A00 / Little Falling River / Little Falling River mainstem from the WQS designated public water supply (PWS) upstream end downstream to its mouth on Falling River.	4A	Escherichia coli (E. coli)	2006	L	0.81
VAW-L34R_LRV02A06 / Little Falling River / From the PWS WQS Section 5c to its confluence with Jacobs Creek	4A	Escherichia coli (E. coli)	2006	L	8.90
VAW-L34R_LRV03A06 / Little Falling River / From its confluence with Jacobs Creek to the Campbell/Appomattox Co line	4A	Escherichia coli (E. coli)	2012	L	4.41
VAW-L34R_LRV04A12 / Little Falling River / From the Campbell/Appomattox Co line to its headwaters at the confluence of Jonnican Branch, Steele Fork, and Marrowbone Creek	4A	Escherichia coli (E. coli)	2014	L	1.82

Little Falling River

**Recreation**

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:			15.94

Sources: Livestock (Grazing or Feeding Operations); Unspecified Domestic Waste; Wastes from Pets; Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L34R-03-BAC** Suck Creek

Cause Location: Suck Creek from its headwaters to the mouth.

Cause City/County: Campbell County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: NESTED 2014:24388

The Falling River Bacteria TMDL Study received U.S. EPA approval on 7/09/2004 [Fed. ID.24388] and SWCB approval on 12/2/2004 for these 2004 303(d) Listed waters for fecal coliform. Escherichia coli (E.coli) replaces fecal coliform (FC) bacteria as the indicator as per Water Quality Standards [9 VAC 25-260-170. Bacteria; other waters]. 24388, 7/9/2004

One station is located within the 8.49 miles of impaired waters. 4ASUC001.31 (Ambient)

4ASUC001.31 (Ambient)(Suck Creek at Route 648) Four of 12 samples in excess of the instantaneous criterion.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L34R_SUC01A06 / Suck Creek / From its headwaters to the mouth	4A	Escherichia coli (E. coli)	2006	L	8.49

Suck Creek

**Recreation**

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:			8.49

Sources: Livestock (Grazing or Feeding Operations); Unspecified Domestic Waste; Wastes from Pets; Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L34R-04-BAC** **Entry Creek**

Cause Location: Entry Creek from its headwaters to its mouth on Little Falling River

Cause City/County: Campbell County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: NESTED 2014:24388

The Falling River Bacteria TMDL Study received U.S. EPA approval on 7/09/2004 [Fed. ID.24388] and SWCB approval on 12/2/2004 for these 2004 303(d) Listed waters for fecal coliform. Escherichia coli (E.coli) replaces fecal coliform (FC) bacteria as the indicator as per Water Quality Standards [9 VAC 25-260-170. Bacteria; other waters]. 24388, 7/9/2004

One station is located within the 4.74 miles of impaired waters. 4AENT001.64 (Ambient)(2018)

4AENT001.64 (Ambient)(2018)(Entry Cr @ rt 601) Four of 11 samples in excess of the instantaneous criterion.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L34R_ENT01A08 / Entry Creek / Entry Creek from its headwaters to its mouth on Little Falling River (RU70)	4A	Escherichia coli (E. coli)	2008	L	4.74

Entry Creek

**Recreation**

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:			4.74

Sources: Livestock (Grazing or Feeding Operations); Unspecified Domestic Waste; Wastes from Pets; Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L34R-05-BAC** **Hickory Creek**

Cause Location: Hickory Creek from its headwaters to the mouth.

Cause City/County: Appomattox County; Campbell County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: NESTED 2014: 24388

The Falling River Bacteria TMDL Study received U.S. EPA approval on 7/09/2004 [Fed. ID.24388] and SWCB approval on 12/2/2004 for these 2004 303(d) Listed waters for fecal coliform. Escherichia coli (E.coli) replaces fecal coliform (FC) bacteria as the indicator as per Water Quality Standards [9 VAC 25-260-170. Bacteria; other waters]. 24388, 7/9/2004

One station is located within the 2.77 miles of impaired waters. 4AHCK000.51 (Ambient)(2018)

4AHCK000.51 (Ambient)(2018) (Hickory Creek @ Rt. 641) Zero of 2 samples in excess of the instantaneous criterion.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L34R_HCK01A10 / Hickory Creek / Hickory Creek from its headwaters to the mouth (RU69).	4A	Escherichia coli (E. coli)	2010	L	2.77

Hickory Creek

**Recreation**

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:			2.77

Sources: Livestock (Grazing or Feeding Operations); Unspecified Domestic Waste; Wastes from Pets; Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L34R-06-BAC** Dog Creek

Cause Location: Dog Creek from its headwaters to its mouth

Cause City/County: Campbell County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: NESTED 2014: 24388

The Falling River Bacteria TMDL Study received U.S. EPA approval on 7/09/2004 [Fed. ID.24388] and SWCB approval on 12/2/2004 for these 2004 303(d) Listed waters for fecal coliform. Escherichia coli (E.coli) replaces fecal coliform (FC) bacteria as the indicator as per Water Quality Standards [9 VAC 25-260-170. Bacteria; other waters]. 24388, 7/9/2004

One station is located within the 2.55 miles of impaired waters. 4ADOG000.80 (Ambient)

4ADOG000.80 (Ambient)(Route 600) Two of 11 samples in excess of the instantaneous criterion.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L34R_DOG01A10 / Dog Creek / Dog Creek from its headwaters to its mouth	4A	Escherichia coli (E. coli)	2010	L	2.66

Dog Creek

**Recreation**

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:			2.66

Sources: Livestock (Grazing or Feeding Operations); Unspecified Domestic Waste; Wastes from Pets; Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L34R-07-BEN** **Entry Creek, Unnamed Tributary**

Cause Location: From its headwaters to the mouth on Entry Creek

Cause City/County: Campbell County

Use(s): Aquatic Life

Causes(s)/VA Category: Benthic Macroinvertebrates Bioassessments/5A

Cause Description: Station ID:

4AXVK001.44 (2009-2010 FPM)(UT Entry Cr w of Route 600 s of Route 639)

IM - very small intermittent stream within the PROBMON program. Sampling in the fall of 2010 was halted due to lack of flow. The site is within an agricultural watershed and cattle do have direct access to the stream.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L34R_XVK01A12 / Entry Creek, Unnamed Tributary / From its headwaters to the mouth on Entry Creek	5A	Benthic Macroinvertebrates Bioassessments	2012	L	1.69

Entry Creek, Unnamed Tributary

**Aquatic Life**

Benthic Macroinvertebrates Bioassessments - Total Impaired Size by Water Type:

Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
		1.69

Sources: Source Unknown

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L35R-01-BAC** Mollys Creek

Cause Location: Mollys Creek from its headwaters to its mouth on Falling River.

Cause City/County: Campbell County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: NESTED 2014: 24388

The Falling River Bacteria TMDL Study received U.S. EPA approval on 7/09/2004 [Fed. ID.24388] and SWCB approval on 12/2/2004 for these 2004 303(d) Listed waters for fecal coliform. Escherichia coli (E.coli) replaces fecal coliform (FC) bacteria as the indicator as per Water Quality Standards [9 VAC 25-260-170. Bacteria; other waters]. 24388, 7/9/2004

Four stations are located within the 17.59 miles of impaired waters. 4AMEY016.00 (Ambient, TMDL Monitoring)(2018)(Private Road off Route 655, below Rustburg) , 4AMEY010.46 (Ambient, TMDL)(2018)(Mollys Creek at Rt. 654 bridge), 4AMEY007.76 (Prob Ambient)(2018)( Route 650),and 4AMEY000.40 (TMDL Monitoring)(Mollys Creek at Rt. 648)

4AMEY016.00 (Ambient, TMDL Monitoring)(Private Road off Route 655, below Rustburg) 2020: Three of 6 samples in excess of the instantaneous criterion. 2018: Three of 6 samples in excess of the instantaneous criterion.

4AMEY010.46 (Ambient, TMDL)(Mollys Creek at Rt. 654 bridge) 2022: six of 18 samples in excess of the statistical threshold value of 410 cfu/100ml. 2020: ten of 18 samples in excess of the instantaneous criterion. 2018: three of 6 samples in excess of the instantaneous criterion.

4AMEY007.76 (Prob Ambient)( Route 650) 2022: Three of 12 samples in excess of the statistical threshold value of 410 cfu/100ml. 2020: Nine of 24 samples in excess of the instantaneous criterion. 2018: Five of 12 samples in excess of the instantaneous criterion.

4AMEY000.40 (TMDL Monitoring)(Mollys Creek at Rt. 648) Eight of 11 samples in excess of the instantaneous criterion.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L35R_MEY01A00 / Mollys Creek / Mollys Creek mainstem from its perennial headwaters downstream to the reservoir backwaters (RU68).	4A	Escherichia coli (E. coli)	2006	L	2.0
VAW-L35R_MEY02A06 / Mollys Creek / Mollys Creek mainstem from the reservoir dam to its mouth at Falling River (RU68).	4A	Escherichia coli (E. coli)	2006	L	15.6

Mollys Creek

**Recreation**

Escherichia coli (E. coli) - Total Impaired Size by Water Type:	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
			17.6

Sources: Livestock (Grazing or Feeding Operations); Unspecified Domestic Waste; Wastes from Pets; Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L35R-01-BEN** Mollys Creek

Cause Location: Mollys Creek mainstem from its perennial headwaters downstream to the reservoir backwaters.

Cause City/County: Campbell County

Use(s): Aquatic Life

Causes(s)/VA Category: Benthic Macroinvertebrates Bioassessments/5A

Cause Description: Station ID: 4AMEY016.00 (2007-2008 Bio) (Private Road off Route 655, below Rustburg) The 2018 data window finds Aquatic Life Use impairment from three Virginia Stream Condition Index (VSCI) surveys with an average score of 41.5. Initial listing was based on benthic macroinvertebrate community data from 2007-2008. Agriculture watershed influences in addition to a small POTW several miles upstream. Bio 'IM' from four VSCI scores averaging 48.6 (2013: 37.9 S and 70.2 F; 2016: 32.9 S and 53.5 F)

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L35R_MEY01A00 / Mollys Creek / Mollys Creek mainstem from its perennial headwaters downstream to the reservoir backwaters (RU68).	5A	Benthic Macroinvertebrates Bioassessments	2010	L	2

Mollys Creek

**Aquatic Life**

Benthic Macroinvertebrates Bioassessments - Total Impaired Size by Water Type:

Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
		2

Sources: Source Unknown

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L36R-01-BAC** Turnip Creek

Cause Location: Turnip Creek from its headwaters to the mouth.

Cause City/County: Charlotte County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: Station IDs:

4ATIP002.55 (Ambient, TMDL)(2018)(Turnip Creek, Route 619 Bridge)

E. coli - 4/12 Exceedance Rate

4ATIP008.76 (TMDL Monitoring)(Route 40)

E. coli - 6/12 Exceedance Rate

4ATIP013.21 (TMDL Monitoring)(Route 756)

E. coli - 4/12 Exceedance Rate

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L36R_TIP01A00 / Turnip Creek / Buck Branch mainstem to its mouth on Roanoke River (RU74).	4A	Escherichia coli (E. coli)	2006	L	2.61
VAW-L36R_TIP02A06 / Turnip Creek, Middle / From the confluence with Buck Branch upstream to its confluence with an unnamed tributary at 35.049, -78.873 (RU74).	4A	Escherichia coli (E. coli)	2006	L	3.93
VAW-L36R_TIP02B22 / Turnip Creek, Upper / From its headwaters downstream to the confluence with an unnamed tributary at 35.049, -78.873 (RU74).	4A	Escherichia coli (E. coli)	2006	L	13.21

Turnip Creek

**Recreation**

Estuary (Sq. Miles)    Reservoir (Acres)    River (Miles)  
 Escherichia coli (E. coli) - Total Impaired Size by Water Type: 19.75

Sources: Livestock (Grazing or Feeding Operations); Unspecified Domestic Waste; Wastes from Pets; Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code: L36R-03-BAC Buckskin Creek**

Cause Location: Buckskin Creek from its headwaters to its mouth on the Roanoke (Staunton) River.

Cause City/County: Halifax County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: NESTED 2014: 23315, 06/20/2006

The Cub Creek, Turnip Creek, Buffalo Creek, Buffalo Creek (UT), and Staunton River Watersheds Bacteria TMDL Study (Staunton River) received U.S. EPA approval on 6/20/2006 [Fed. ID.23315] and SWCB approval on 6/27/2007 for these 2004 303(d) Listed waters for fecal coliform and 2006 303(d) Listed waters for Bacteria. Escherichia coli (E.coli) replaces fecal coliform (FC) bacteria as the indicator as per Water Quality Standards [9 VAC 25-260-170. Bacteria; other waters]. 23315, 6/20/2006

One station is located within the 7.64 miles of impaired waters.4ABCD001.70 (Ambient)(2018)(Buckskin Cr @ Rt. 624)

4ABCD001.70 (Ambient)(2018)(Buckskin Cr @ Rt. 624) Three of 11 samples in excess of the instantaneous criterion.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L36R_BCD01A08 / Buckskin Creek / Buckskin Creek from its headwaters to its mouth on the Roanoke (Staunton) River (RU75).	4A	Escherichia coli (E. coli)	2008	L	7.65

Buckskin Creek

**Recreation**

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:			7.65

Sources: Livestock (Grazing or Feeding Operations); Unspecified Domestic Waste; Wastes from Pets; Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L36R-04-BAC** **Armistead Branch**

Cause Location: Armistead Branch from its headwaters to its mouth on Catawba Creek.

Cause City/County: Halifax County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: NESTED 2014: 24387, 6/20/2006

The Cub Creek, Turnip Creek, Buffalo Creek, Buffalo Creek (UT), and Staunton River Watersheds Bacteria TMDL Study (Staunton River) received U.S. EPA approval on 6/20/2006 [Fed. ID.24387] and SWCB approval on 6/27/2007 for these 2004 303(d) Listed waters for fecal coliform and 2006 303(d) Listed waters for Bacteria. Escherichia coli (E.coli) replaces fecal coliform (FC) bacteria as the indicator as per Water Quality Standards [9 VAC 25-260-170. Bacteria; other waters]. 24387, 6/20/2006

One station is located within the 5.12 miles of impaired waters. 4AATD002.66 (Ambient)(2018)(Armistead Br @ Rt. 627)

4AATD002.66 (Ambient)(2018)(Armistead Br @ Rt. 627) 0/0 samples in excess of the instantaneous criterion.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L36R_ATD01A08 / Armistead Branch / Armistead Branch from the second unnamed tributary upstream of Route 627 to its mouth on Catawba Creek	4A	Escherichia coli (E. coli)	2010	L	3.20
VAW-L36R_ATD02A14 / Armistead Branch / Armistead Branch from its headwaters to the second unnamed tributary upstream of Route 627.	4A	Escherichia coli (E. coli)	2014	L	1.92

Armistead Branch

**Recreation**

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:			5.12

Sources: Livestock (Grazing or Feeding Operations); Unspecified Domestic Waste; Wastes from Pets; Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L36R-04-BEN** **Armistead Branch**

Cause Location: Armistead Branch from the second unnamed tributary upstream of Route 627 to its mouth on Catawba Creek

Cause City/County: Halifax County

Use(s): Aquatic Life

Causes(s)/VA Category: Benthic Macroinvertebrates Bioassessments/5A

Cause Description: Station ID:

4AATD002.66 (Ambient/2012 Bio)(Armistead Br @ Rt. 627)

IM - Lack of riparian vegetation and poor bank condition may be limiting the ability of 4AATD002.66 to support a diverse community. This station was sampled in an effort to follow up on seasonal variability of the upstream Probmon station (4AATD003.36). The probmon station is not accessible. Satellite imagery shows changes in land use upstream of 4AATD002.66 and this portion of the watershed should not be excluded in any future TMDL study.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L36R_ATD01A08 / Armistead Branch / Armistead Branch from the second unnamed tributary upstream of Route 627 to its mouth on Catawba Creek	5A	Benthic Macroinvertebrates Bioassessments	2014	L	3.2

Armistead Branch

**Aquatic Life**

Benthic Macroinvertebrates Bioassessments - Total Impaired Size by Water Type:

Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
		3.2

Sources: Source Unknown

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L36R-05-BEN** Turnip Creek

Cause Location: Turnip Creek mainstem from its mouth on Roanoke River upstream to the confluence with an unnamed tributary at a point (35.049, -78.873).

Cause City/County: Charlotte County

Use(s): Aquatic Life

Causes(s)/VA Category: Benthic Macroinvertebrates Bioassessments/5A

Cause Description: The 2022 data window finds the initial 6.53 mile Aquatic Life Use 303(d) listing on Turnip Creek based on benthic macroinvertebrate community collections.

4ATIP002.55 (RT. 619 Bridge) - Bio 'IM' from two 2019 VSCI scores of 58 (spring) and 57 (fall). Heavy sedimentation and unstable banks are likely stressors to the benthic community.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L36R_TIP01A00 / Turnip Creek / Buck Branch mainstem to its mouth on Roanoke River (RU74).	5A	Benthic Macroinvertebrates Bioassessments	2022	L	2.61
VAW-L36R_TIP02A06 / Turnip Creek, Middle / From the confluence with Buck Branch upstream to its confluence with an unnamed tributary at 35.049, -78.873 (RU74).	5A	Benthic Macroinvertebrates Bioassessments	2022	L	3.93

Turnip Creek

<b>Aquatic Life</b>	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Benthic Macroinvertebrates Bioassessments - Total Impaired Size by Water Type:			6.54

Sources: Source Unknown

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L37R-01-BAC** **Cub Creek**

Cause Location: From the Rough Creek Road crossing to the mouth at the Roanoke (Staunton) River

Cause City/County: Charlotte County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: The Cub Creek, Turnip Creek, Buffalo Creek, Buffalo Creek (UT), and Staunton River Watersheds Bacteria TMDL Study (Cub Creek) received U.S. EPA approval on 6/20/2006 [Fed. ID.24391] and SWCB approval on 6/27/2007 for these 2004 303(d) Listed waters for fecal coliform and 2006 303(d) Listed waters for Bacteria. Escherichia coli (E.coli) replaces fecal coliform (FC) bacteria as the indicator as per Water Quality Standards [9 VAC 25-260-170. Bacteria; other waters]. 24391, 6/20/2006

Three stations are located within the 14.4 miles of impaired waters. 4ACUB002.21 (2006 Roanoke Bacteria TMDL)(2018)(RTE 649 (Coles Ferry Road)), 4ACUB005.46 (2006 Roanoke Bacteria TMDL)(RTE 619 (Cub Creek Church Rd)), and 4ACUB010.96 (Trend)(2018)(Route 40 Bridge)

4ACUB002.21 (2006 Roanoke Bacteria TMDL)(2018)(RTE 649 (Coles Ferry Road)) Three of 11 samples in excess of the instantaneous criterion.

4ACUB005.46 (2006 Roanoke Bacteria TMDL)(RTE 619 (Cub Creek Church Rd)) Three of 12 samples in excess of the instantaneous criterion.

4ACUB010.96 (Trend)(2018)(Route 40 Bridge) Seven of 35 samples in excess of the instantaneous criterion.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L37R_CUB01B08 / Cub Creek / The Rough Creek Road Crossing near Rough Creek to the confluence with Terrys Creek (RU78).	4A	Escherichia coli (E. coli)	2008	L	5.59
VAW-L37R_CUB02A06 / Cub Creek / From Terrys Creek to the mouth at the Roanoke (Staunton) River (RU79).	4A	Escherichia coli (E. coli)	2006	L	8.80

Cub Creek

<b>Recreation</b>	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:			14.39

Sources: Livestock (Grazing or Feeding Operations); Unspecified Domestic Waste; Wastes from Pets; Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L37R-02-BAC** **Louse Creek**

Cause Location: Louse Creek from its headwaters to the mouth.

Cause City/County: Charlotte County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: NESTED 2014:23315, 06/20/2006

The Cub Creek, Turnip Creek, Buffalo Creek, Buffalo Creek (UT), and Staunton River Watersheds Bacteria TMDL Study (Staunton River) received U.S. EPA approval on 6/20/2006 [Fed. ID.23315] and SWCB approval on 6/27/2007 for these 2004 303(d) Listed waters for fecal coliform and 2006 303(d) Listed waters for Bacteria. Escherichia coli (E.coli) replaces fecal coliform (FC) bacteria as the indicator as per Water Quality Standards [9 VAC 25-260-170. Bacteria; other waters]. 23315, 6/20/2006

One station is located within the 8.7 miles of impaired waters. 4ALOU001.16 (TMDL Monitoring)(Route 619) 4ALOU001.16 (TMDL Monitoring)(Route 619) Four of 12 samples in excess of the instantaneous criterion.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L37R_LOU01A06 / Louse Creek / From its headwaters to the mouth on Cub Creek	4A	Escherichia coli (E. coli)	2006	L	8.71

Louse Creek

**Recreation**

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:			8.71

Sources: Livestock (Grazing or Feeding Operations); Unspecified Domestic Waste; Wastes from Pets; Wildlife Other than Waterfowl

# Virginia Department of Environmental Quality

## Appendix 4 - Fact Sheets for Impaired (Category 4 or 5) Waters in 2022

---

### Roanoke and Yadkin River Basins

**Cause Group Code:** **L37R-03-BAC** **Big Cub Creek**

Cause Location: Big Cub Creek from the confluence with Cub Creek upstream to its headwaters to include Left Hand Fork and tribs.

Cause City/County: Charlotte County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: NESTED 2014: 24391, 6/20/2006

The Cub Creek, Turnip Creek, Buffalo Creek, Buffalo Creek (UT), and Staunton River Watersheds Bacteria TMDL Study (Cub Creek) received U.S. EPA approval on 6/20/2006 [Fed. ID.24391] and SWCB approval on 6/27/2007 for these 2004 303(d) Listed waters for fecal coliform and 2006 303(d) Listed waters for Bacteria. Escherichia coli (E.coli) replaces fecal coliform (FC) bacteria as the indicator as per Water Quality Standards [9 VAC 25-260-170. Bacteria; other waters]. 24391, 6/20/2006

Two stations are located within the 33.66 miles of impaired waters. 4ABUB000.06 (Ambient, TMDL)(2018)(Route 701) and 4ABUB006.50 (TMDL Monitoring)

4ABUB000.06 (Ambient, TMDL)(2018)(Route 701) Six of 12 samples in excess of the instantaneous criterion.

4ABUB006.50 (TMDL Monitoring) Four of 12 samples in excess of the instantaneous criterion.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L37R_BUB01A06 / Big Cub Creek / From the confluence with Cub Creek upstream to its headwaters to include Left Hand Fork and tribs (RU76).	4A	Escherichia coli (E. coli)	2006	L	33.69

Big Cub Creek

#### Recreation

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:			33.69

Sources: Livestock (Grazing or Feeding Operations); Unspecified Domestic Waste; Wastes from Pets; Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L37R-05-BAC** Terrys Creek

Cause Location: Terrys Creek from its headwaters to its mouth on Cub Creek.

Cause City/County: Charlotte County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: NESTED 2014: 23315,06/20/2006

The Cub Creek, Turnip Creek, Buffalo Creek, Buffalo Creek (UT), and Staunton River Watersheds Bacteria TMDL Study (Staunton River) received U.S. EPA approval on 6/20/2006 [Fed. ID.23315] and SWCB approval on 6/27/2007 for these 2004 303(d) Listed waters for fecal coliform and 2006 303(d) Listed waters for Bacteria. Escherichia coli (E.coli) replaces fecal coliform (FC) bacteria as the indicator as per Water Quality Standards [9 VAC 25-260-170. Bacteria; other waters]. 23315, 6/20/2006

One station is located within the 7.14 miles of impaired waters. 4ATYS001.25 (Ambient)(2018)(Terrys Creek at Stockdale Road)

4ATYS001.25 (Ambient)(2018)(Terry Creek at Stockdale Road) Eight of 12 samples in excess of the instantaneous criterion.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L37R_TYS01A08 / Terrys Creek / Terrys Creek from its headwaters to its mouth on Cub Creek (RU78).	4A	Escherichia coli (E. coli)	2008	L	7.14

Terrys Creek

**Recreation**

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:			7.14

Sources: Livestock (Grazing or Feeding Operations); Unspecified Domestic Waste; Wastes from Pets; Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L37R-05-BEN** Terrys Creek

Cause Location: Terrys Creek from its headwaters to its mouth on Cub Creek.

Cause City/County: Charlotte County

Use(s): Aquatic Life

Causes(s)/VA Category: Benthic Macroinvertebrates Bioassessments/5A

Cause Description: The 2022 data window finds the initial Aquatic Life Use impairment on Terrys Creek based on benthic macroinvertebrate community collections. 4ATYS002.51 (Route 667 (Hillcroft Road)) - The 2022 data window finds Bio 'IM' from 3 VSCI scores: 38 and 41.6 (spring 2018 and 2019, respectively); 48.8 (fall 2019). Heavy sediment deposition in this stream is stressing the benthic community.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L37R_TYS01A08 / Terrys Creek / Terrys Creek from its headwaters to its mouth on Cub Creek (RU78).	5A	Benthic Macroinvertebrates Bioassessments	2022	L	7.14

Terrys Creek

**Aquatic Life**

Benthic Macroinvertebrates Bioassessments - Total Impaired Size by Water Type:

Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
		7.14

Sources: Source Unknown

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** L38L-01-DO Conner Lake

Cause Location: Conner Lake

Cause City/County: Halifax County

Use(s): Aquatic Life

Causes(s)/VA Category: Dissolved Oxygen/5A

Cause Description: Station ID: 4AHTA003.26 (Station 1 - Conner Lake) 2022: Dissolved Oxygen - 2/19 Exceedance Rate  
 2020: Dissolved Oxygen - 6/36 Exceedance Rate

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L38L_HTA01L00 / Conner Lake / On Hunting Creek.	5A	Dissolved Oxygen	2018	L	101.93

Conner Lake

**Aquatic Life**

Dissolved Oxygen - Total Impaired Size by Water Type:	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
		101.93	

Sources: Source Unknown

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L38R-02-BAC** **Black Walnut Creek**

Cause Location: Black Walnut Creek from its headwaters to the mouth.

Cause City/County: Halifax County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: NESTED 2014:23315, 06/20/2006

The Cub Creek, Turnip Creek, Buffalo Creek, Buffalo Creek (UT), and Staunton River Watersheds Bacteria TMDL Study (Staunton River) received U.S. EPA approval on 6/20/2006 [Fed. ID.23315] and SWCB approval on 6/27/2007 for these 2004 303(d) Listed waters for fecal coliform and 2006 303(d) Listed waters for Bacteria. Escherichia coli (E.coli) replaces fecal coliform (FC) bacteria as the indicator as per Water Quality Standards [9 VAC 25-260-170. Bacteria; other waters]. 23315, 6/20/2006

One station is located within the 6.39 miles of impaired waters. 4ABWC001.00 (Ambient)( Route 600)

4ABWC001.00 (Ambient) (Route 600)Four of 9 samples in excess of the instantaneous criterion.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L38R_BWC01A06 / Black Walnut Creek / From the headwaters to the mouth	4A	Escherichia coli (E. coli)	2014	L	6.39

Black Walnut Creek

**Recreation**

Escherichia coli (E. coli) - Total Impaired Size by Water Type:

Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
		6.39

Sources: Livestock (Grazing or Feeding Operations); Unspecified Domestic Waste; Wastes from Pets; Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L38R-03-BAC** **Hunting Creek**

Cause Location: Hunting Creek from the mouth of Conner Lake downstream to the Roanoke River.

Cause City/County: Halifax County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: NESTED 2014:23315, 06/20/2006

The Cub Creek, Turnip Creek, Buffalo Creek, Buffalo Creek (UT), and Staunton River Watersheds Bacteria TMDL Study (Staunton River) received U.S. EPA approval on 6/20/2006 [Fed. ID.23315] and SWCB approval on 6/27/2007 for these 2004 303(d) Listed waters for fecal coliform and 2006 303(d) Listed waters for Bacteria. Escherichia coli (E.coli) replaces fecal coliform (FC) bacteria as the indicator as per Water Quality Standards [9 VAC 25-260-170. Bacteria; other waters]. 23315, 6/20/2006

One station is located within the 3.24 miles of impaired waters. 4AHTA000.77 (Ambient)(Route 617)

4AHTA000.77 (Ambient)(Route 617) Three of 12 samples in excess of the instantaneous criterion.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L38R_HTA01A06 / Hunting Creek / From the mouth of Conner Lake downstream to the Roanoke River	4A	Escherichia coli (E. coli)	2014	L	3.24

Hunting Creek

**Recreation**

Escherichia coli (E. coli) - Total Impaired Size by Water Type:

Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
		3.24

Sources: Livestock (Grazing or Feeding Operations); Unspecified Domestic Waste; Wastes from Pets; Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L39R-01-BAC** Ash Camp Creek

Cause Location: Ash Camp Creek from its headwaters to the mouth.

Cause City/County: Charlotte County

Use(s): Recreation

Causes(s)/VA Category: Fecal Coliform/4A

Cause Description: NESTED 2014:23316,06/20/2006

The Cub Creek, Turnip Creek, Buffalo Creek, Buffalo Creek (UT), and Staunton River Watersheds Bacteria TMDL Study (Staunton River) received U.S. EPA approval on 6/20/2006 [Fed. ID.23316] and SWCB approval on 6/27/2007 for these 2004 303(d) Listed waters for fecal coliform and 2006 303(d) Listed waters for Bacteria. Escherichia coli (E.coli) replaces fecal coliform (FC) bacteria as the indicator as per Water Quality Standards [9 VAC 25-260-170. Bacteria; other waters]. 23316, 6/20/2006

Two stations are located within the 8.17 miles of impaired waters. 4AACC002.60 (TMDL Monitoring)(Station 1 -Route 654 Bridge) and 4AACC004.87 (TMDL Monitoring)(Ash Camp Cr @Private Rd 0.6 mi from Rt40)

4AACC002.60 (TMDL Monitoring)(Station 1 - Route 654 Bridge) Four of 7 samples in excess of the instantaneous criterion.

4AACC004.87 (TMDL Monitoring)(Ash Camp Cr @Private Rd 0.6 mi from Rt40)Two of 6 samples in excess of the instantaneous criterion.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L39R_ACC01A98 / Ash Camp Creek / Headwaters to Roanoke Creek.	4A	Fecal Coliform	2004	L	8.19

Ash Camp Creek

**Recreation**

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Fecal Coliform - Total Impaired Size by Water Type:			8.19

Sources: Livestock (Grazing or Feeding Operations); Unspecified Domestic Waste; Wastes from Pets; Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L39R-01-BEN** Ash Camp Creek

Cause Location: Ash Camp Creek from its headwaters to the mouth.

Cause City/County: Charlotte County

Use(s): Aquatic Life

Causes(s)/VA Category: Benthic Macroinvertebrates Bioassessments/4A

Cause Description: The Ash Camp Creek Sediment TMDL for a Benthic Impairment received U.S. EPA approval on 4/26/2004. [Fed. ID.24393] and SWCB approval on 8/31/2004 for this 2004 303(d) Listed impairment to the benthic community.

Station IDs:

4AACC001.75 (2002 Probabilistic Monitoring)(0.85 mi downstream of rt 654 bridge)

IM - Heavy rains occurred within a week of the fall 2002 sampling event.

The benthic TMDL completed in 2004 identified sediment as the stressor to the benthic community.

4AACC002.60 (Benthic, Ash Camp Creek Source Assessment SS)

IM - A slight improvement has been noted at this site during recent sampling. Sediment continues to affect the stream community negatively.

4AACC004.87 (Benthic, Ash Camp Creek Source Assessment SS)

IM - A slight improvement has been noted at this site during recent sampling. Sediment and nutrients continue to affect the stream community negatively.

4AACC007.62 (Benthic)

J - 50 yds below Keysville STP discharge, may not be appropriate for benthic assessment.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L39R_ACC01A98 / Ash Camp Creek / Headwaters to Roanoke Creek.	4A	Benthic Macroinvertebrates Bioassessments	1998	L	8.19

Ash Camp Creek

**Aquatic Life**

Benthic Macroinvertebrates Bioassessments - Total Impaired Size by Water Type:

Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
		8.19

Sources: Crop Production (Crop Land or Dry Land); Erosion from Derelict Land (Barren Land); Managed Pasture Grazing; Municipal Point Source Discharges

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L39R-02-BAC** Twittys Creek

Cause Location: Twittys Creek from its headwaters to the mouth on Roanoke Creek.

Cause City/County: Charlotte County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: NESTED 2014:23316,06/20/2006

The Cub Creek, Turnip Creek, Buffalo Creek, Buffalo Creek (UT), and Staunton River Watersheds Bacteria TMDL Study (Staunton River) received U.S. EPA approval on 6/20/2006 [Fed. ID.23316] and SWCB approval on 6/27/2007 for these 2004 303(d) Listed waters for fecal coliform and 2006 303(d) Listed waters for Bacteria. Escherichia coli (E.coli) replaces fecal coliform (FC) bacteria as the indicator as per Water Quality Standards [9 VAC 25-260-170. Bacteria; other waters]. 23316, 6/20/2006

One station is located within the 14.79 miles of impaired waters.4ATWT000.32 (Ambient)(Twittys Creek @ Sylvan Hill Rd.)

4ATWT000.32 (Ambient)(Twittys Creek @ Sylvan Hill Rd.) Four of 12 samples in excess of the instantaneous criterion.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L39R_TWT01A98 / Twittys Creek / Headwaters to Roanoke Creek	4A	Escherichia coli (E. coli)	2012	L	14.79

Twittys Creek

**Recreation**

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:			14.79

Sources: Livestock (Grazing or Feeding Operations); Unspecified Domestic Waste; Wastes from Pets; Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L39R-02-BEN** Twittys Creek

Cause Location: Twittys Creek from its headwaters to the mouth on Roanoke Creek.

Cause City/County: Charlotte County

Use(s): Aquatic Life

Causes(s)/VA Category: Benthic Macroinvertebrates Bioassessments/4A

Cause Description: The Twittys Creek Sediment TMDL for a Benthic Impairment received U.S. EPA approval on 9/30/2004. [Fed. ID.24392] and SWCB approval on 3/15/2005 for this 2004 303(d) Listed impairment to the benthic community.

Station IDs: 4ATWT003.36 ( Station 2 - Route 642 Bridge) - The 2018 data window finds Aquatic Life Use impairment from four Virginia Stream Condition Index (VSCI) surveys (2011, 2016) averaging 48.7. The Implementation Plan is complete. A modest improvement in VSCI scores was observed over previous sampling events.

4ATWT006.40 (2008 Bio)( Station 1 - Route 47 Bridge)

IM - two 2011 VSCI surveys: Spring 30.7, Fall 44.5. The Implementation Plan is complete. An improvement in VSCI scores was observed over previous sampling events. A major VPDES discharger ceased operation in early 2005 and may be the cause of the improvement.

4ATWT008.59 (new REF dwnstrm of Town Lk @ power lines) IM - Reference Station - 2004 Twittys Creek TMDL

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L39R_TWT01A98 / Twittys Creek / Headwaters to Roanoke Creek	4A	Benthic Macroinvertebrates Bioassessments	1998	L	14.79

Twittys Creek

<b>Aquatic Life</b>	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Benthic Macroinvertebrates Bioassessments - Total Impaired Size by Water Type:			14.79

Sources: Clean Sediments; Non-Point Source; Unspecified Urban Stormwater

# Virginia Department of Environmental Quality

## Appendix 4 - Fact Sheets for Impaired (Category 4 or 5) Waters in 2022

---

### Roanoke and Yadkin River Basins

**Cause Group Code:** **L39R-03-BAC** **Horsepen Creek**

Cause Location: Horsepen Creek from Rt. 47 to Reynolds Creek.

Cause City/County: Charlotte County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: NESTED 2014:23316, 6/20/2006

The Cub Creek, Turnip Creek, Buffalo Creek, Buffalo Creek (UT), and Staunton River Watersheds Bacteria TMDL Study (Staunton River) received U.S. EPA approval on 6/20/2006 [Fed. ID.23316] and SWCB approval on 6/27/2007 for these 2004 303(d) Listed waters for fecal coliform and 2006 303(d) Listed waters for Bacteria. Escherichia coli (E.coli) replaces fecal coliform (FC) bacteria as the indicator as per Water Quality Standards [9 VAC 25-260-170. Bacteria; other waters]. The 2022 data window extends the Recreation Use impairment based on additional E.coli data collection at an upstream station.

4AHEN002.16 (Route 637 Bridge) Four of 12 samples in excess of the instantaneous criterion. 4AHEN004.27 (Horsepen Cr @ Rt. 612) - E.coli exceeds the two or more Statistical Threshold Value (STV) hits in the same 90-day period with fewer than 10 samples criterion during the 2022 data window.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L39R_HEN01A00 / Horsepen Creek / Little Horsepen Creek to Reynolds Creek.	4A	Escherichia coli (E. coli)	2012	L	1.87
VAW-L39R_HEN02A04 / Horsepen Creek / Horsepen Creek from Route 47 downstream to Little Horsepen Creek	4A	Escherichia coli (E. coli)	2022	L	5.32

Horsepen Creek

#### Recreation

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:			7.19

Sources: Livestock (Grazing or Feeding Operations); Unspecified Domestic Waste; Wastes from Pets; Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L39R-03-BEN** **Horsepen Creek**

Cause Location: Horsepen Creek from Route 47 downstream to Little Horsepen Creek

Cause City/County: Charlotte County

Use(s): Aquatic Life

Causes(s)/VA Category: Benthic Macroinvertebrates Bioassessments/5A

Cause Description: Station IDs: 4AHEN004.74 (2001 FPM)(above Route 612 in Charlotte County) IM - Potential sediment impacts and lack of instream habitat.

4AHEN004.27 (2009/2012/2015/2018-2020 Bio)(Above Route 612 in Charlotte County) The 2022 data window finds Aquatic Life Use impairment from seven Virginia Stream Condition Index (VSCI) surveys (2015, 2018-2020) with an average score of 50 (Spring) and Av 58 (Fall). The 2018 data window finds Aquatic Life Use impairment from four Virginia Stream Condition Index (VSCI) surveys (2012, 2015) with an average score of 59.6. Stream reach exhibits significant seasonal variation. Additional data were collected in 2012 and 2015 and characterize the stream community as unbalanced. Sediment and bank scour seem to be likely stressors within this reach.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L39R_HEN02A04 / Horsepen Creek / Horsepen Creek from Route 47 downstream to Little Horsepen Creek	5A	Benthic Macroinvertebrates Bioassessments	2008	H	5.32

Horsepen Creek

**Aquatic Life**

Benthic Macroinvertebrates Bioassessments - Total Impaired Size by Water Type:

Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
		5.32

Sources: Source Unknown

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code: L39R-04-BAC Wards Fork Creek**

Cause Location: Wards Fork Creek from an unnamed tributary at Rivermile 5.73 to its mouth on Roanoke Creek.

Cause City/County: Charlotte County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: NESTED 2014:23316,06/20/2006

The Cub Creek, Turnip Creek, Buffalo Creek, Buffalo Creek (UT), and Staunton River Watersheds Bacteria TMDL Study (Staunton River) received U.S. EPA approval on 6/20/2006 [Fed. ID.23316] and SWCB approval on 6/27/2007 for these 2004 303(d) Listed waters for fecal coliform and 2006 303(d) Listed waters for Bacteria. Escherichia coli (E.coli) replaces fecal coliform (FC) bacteria as the indicator as per Water Quality Standards [9 VAC 25-260-170. Bacteria; other waters]. 23316, 6/20/2006

One station is located within the 5.31 miles of impaired waters.4AWFC002.12 (Ambient)(Route 645 Bridge)

4AWFC002.12 (Ambient)(Route 645 Bridge) 2022: Nine of 35 samples in excess of the Statistical Threshold Value of 410 cfu/100ml. 2020: 14 of 36 samples in excess of the instantaneous criterion. 2018: 12 of 36 samples in excess of the instantaneous criterion.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L39R_WFC01A00 / Wards Fork Creek / Wards Fork Creek from an unnamed tributary at rivermile 5.73 downstream to its confluence with Roanoke Creek (RU83).	4A	Escherichia coli (E. coli)	2008	L	5.31

Wards Fork Creek

<b>Recreation</b>	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:			5.31

Sources: Livestock (Grazing or Feeding Operations); Unspecified Domestic Waste; Wastes from Pets; Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code: L39R-05-BAC Roanoke Creek**

Cause Location: Roanoke Creek from Wards Fork Creek to its mouth on the Roanoke (Staunton) River.

Cause City/County: Charlotte County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: NESTED 2014:23316, 06/20/2006

The Cub Creek, Turnip Creek, Buffalo Creek, Buffalo Creek (UT), and Staunton River Watersheds Bacteria TMDL Study (Staunton River) received U.S. EPA approval on 6/20/2006 [Fed. ID.23316] and SWCB approval on 6/27/2007 for these 2004 303(d) Listed waters for fecal coliform and 2006 303(d) Listed waters for Bacteria. Escherichia coli (E.coli) replaces fecal coliform (FC) bacteria as the indicator as per Water Quality Standards [9 VAC 25-260-170. Bacteria; other waters]. 23316, 6/20/2006

Two stations are located within the 10.51 miles of impaired waters. 4AROC001.00 (TMDL Monitoring)(Roanoke Cr. @ Roanoke Station Rd.) and 4AROC005.35 (Ambient)(Roanoke Creek at the confluence with TWI)

4AROC001.00 (TMDL Monitoring)(Roanoke Cr. @ Roanoke Station Rd.) 2022: Two of 12 samples in excess of the Statistical Threshold Value of 410 cfu/100ml. 2020: Two of 12 samples in excess of the instantaneous criterion. Three of 12 samples in excess of the instantaneous criterion.

4AROC005.35 (Ambient) (Roanoke Creek at the confluence with TWI) Two of 12 samples in excess of the instantaneous criterion.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L39R_ROC01A98 / Roanoke Creek / Wards Fork Creek to Horsepen Creek.	4A	Escherichia coli (E. coli)	2010	L	7.86
VAW-L39R_ROC02A06 / Roanoke Creek / From Horsepen Creek to the mouth at the Roanoke (Staunton) River	4A	Escherichia coli (E. coli)	2006	L	2.65

Roanoke Creek

**Recreation**

Escherichia coli (E. coli) - Total Impaired Size by Water Type:	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
			10.51

Sources: Livestock (Grazing or Feeding Operations); Unspecified Domestic Waste; Wastes from Pets; Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L39R-05-HG** **Roanoke Creek**

Cause Location: Roanoke Creek from Wards Fork Creek to its mouth on the Roanoke (Staunton) River.

Cause City/County: Charlotte County

Use(s): Fish Consumption

Causes(s)/VA Category: Mercury in Fish Tissue/5A

Cause Description: Station ID:

4AROC005.35 (2006 FT/Sed)[Roanoke Creek at the confluence with TWI]

Hg 2 Species

largemouth bass 0.313

spotted bass 0.345

This initial 2010 303(d) Listing is based on 2006 fish tissue collections and new Water Quality Standards effective 2/01/2010. Mercury (Hg) exceedances of the DEQ 0.3 parts per million (ppm) tissue value cause impairment of the Fish Consumption Use. No VDH Fish Consumption or Drinking Water Advisories are issued for mercury for these waters. The Virginia Department of Health (VDH) level of concern is 0.5 ppm. Please visit <http://www.deq.virginia.gov/> for more information about mercury contamination and <http://www.vdh.virginia.gov> for VDH Advisories or Bans.

4AROC005.35 (2006 FT/Sed)[Roanoke Creek at the confluence with TWI] - The initial 2010 303(d) Listing is based on 2006 fish tissue analysis where mercury (Hg) is found in two species; largemouth bass at 0.313ppm and spotted bass at 0.345ppm; each in excess of the new WQS TV based 0.3 ppm. There are no additional data within the 2012, 2014, 2016 or 2018 data windows.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L39R_ROC01A98 / Roanoke Creek / Wards Fork Creek to Horsepen Creek.	5A	Mercury in Fish Tissue	2010	L	7.86
VAW-L39R_ROC02A06 / Roanoke Creek / From Horsepen Creek to the mouth at the Roanoke (Staunton) River	5A	Mercury in Fish Tissue	2010	L	2.65

Roanoke Creek

**Fish Consumption**

Mercury in Fish Tissue - Total Impaired Size by Water Type:

Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
		10.51

Sources: Source Unknown

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L39R-06-BAC** Middle Branch Wards Fork Creek

Cause Location: Middle Branch Wards Fork Creek from its headwaters to its mouth on Wards Fork Creek

Cause City/County: Charlotte County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: NESTED 2014:23316, 06/20/2006

The Cub Creek, Turnip Creek, Buffalo Creek, Buffalo Creek (UT), and Staunton River Watersheds Bacteria TMDL Study (Staunton River) received U.S. EPA approval on 6/20/2006 [Fed. ID.23316] and SWCB approval on 6/27/2007 for these 2004 303(d) Listed waters for fecal coliform and 2006 303(d) Listed waters for Bacteria. Escherichia coli (E.coli) replaces fecal coliform (FC) bacteria as the indicator as per Water Quality Standards [9 VAC 25-260-170. Bacteria; other waters]. 23316, 6/20/2006

One station is located within the 7.4 miles of impaired waters. 4AWMB001.07 (Ambient)(2018)(Middle Br. Wards Fork @ Virginian)

4AWMB001.07 (Ambient)(2018)(Middle Br. Wards Fork @ Virginian)

Seven of 12 samples in excess of the instantaneous criterion.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L39R_WMB01A08 / Middle Branch Wards Fork Creek / Middle Branch Wards Fork Creek from its headwaters to its mouth on Wards Fork Creek	4A	Escherichia coli (E. coli)	2008	L	7.4

Middle Branch Wards Fork Creek

**Recreation**

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:			7.4

Sources: Livestock (Grazing or Feeding Operations); Unspecified Domestic Waste; Wastes from Pets; Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L39R-07-BAC** **Little Roanoke Creek**

Cause Location: Roanoke Creek from the confluence with Wards Fork Cr. upstream to its confluence with Ash Camp Creek (RU82).

Cause City/County: Charlotte County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: NESTED 2014: 23316, 06/20/2006

The Cub Creek, Turnip Creek, Buffalo Creek, Buffalo Creek (UT), and Staunton River Watersheds Bacteria TMDL Study (Staunton River) received U.S. EPA approval on 6/20/2006 [Fed. ID.23316] and SWCB approval on 6/27/2007 for these 2004 303(d) Listed waters for fecal coliform and 2006 303(d) Listed waters for Bacteria. Escherichia coli (E.coli) replaces fecal coliform (FC) bacteria as the indicator as per Water Quality Standards [9 VAC 25-260-170. Bacteria; other waters]. 23316, 6/20/2006

One station is located within the 4.46 miles of impaired waters.

4ALRO003.34 (Rt. 47 Bridge) The 2018 data window finds the initial Recreational listing based on data from this station. Escherichia coli (E.coli) exceeds the 235 cfu/100 ml criterion in three of 24 samples. Excursions range from 399 to greater than 24,000 cfu/100 ml. Three of 24 samples in excess of the instantaneous criterion.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L39R_LRO01A00 / Little Roanoke Creek / Roanoke Creek from the confluence with Wards Fork Cr. upstream to its confluence with Ash Camp Creek (RU82).	4A	Escherichia coli (E. coli)	2018	L	4.47

Little Roanoke Creek

**Recreation**

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:			4.47

Sources: Livestock (Grazing or Feeding Operations); Unspecified Domestic Waste; Wastes from Pets; Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L39R-07-BEN** **Little Roanoke Creek**

Cause Location: Little Roanoke Creek from its headwaters to its confluence with Dunnivant Creek.

Cause City/County: Charlotte County

Use(s): Aquatic Life

Causes(s)/VA Category: Benthic Macroinvertebrates Bioassessments/5A

Cause Description: Station ID:

4ALRO010.68 (2007 FPM)( L. Roanoke Cr upst of 604 dwnstr of dam)

IM - exhibited high seasonal variation. The spring sample half the taxa of the fall sample and both samples were dominated by tolerant taxa (Hydropsychidae in the spring and Chironomidae in the fall).

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L39R_LRO02A10 / Little Roanoke Creek / Little Roanoke Creek from its headwaters to its confluence with Dunnivant Creek.	5A	Benthic Macroinvertebrates Bioassessments	2010	H	10.16

Little Roanoke Creek

**Aquatic Life**

Benthic Macroinvertebrates Bioassessments - Total Impaired Size by Water Type:

Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
		10.16

Sources: Source Unknown

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L39R-08-BEN** **Bush Ford Branch**

Cause Location: Bush Ford Branch from its headwaters to the mouth.

Cause City/County: Charlotte County

Use(s): Aquatic Life

Causes(s)/VA Category: Benthic Macroinvertebrates Bioassessments/5A

Cause Description: Station ID:

4ABWB000.32 (2008 FPM)(Bush Ford Br - SW of Rt 47)

IM Benthic Assessment

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L39R_BWB01A10 / Bush Ford Branch / Bush Ford Branch from its headwaters to the mouth.	5A	Benthic Macroinvertebrates Bioassessments	2010	L	3.1

Bush Ford Branch

**Aquatic Life**

Benthic Macroinvertebrates Bioassessments - Total Impaired Size by Water Type:

Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
		3.1

Sources: Source Unknown

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L39R-09-BAC** **Spencer Creek, UT**

Cause Location: Unnamed tributary to Spencer Creek from its headwaters to its confluence with Spencer Creek (RU81).

Cause City/County: Charlotte County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: NESTED: 2022 23316, 6/20/2006

The Cub Creek, Turnip Creek, Buffalo Creek, Buffalo Creek (UT), and Staunton River Watersheds Bacteria TMDL Study (Staunton River) received U.S. EPA approval on 6/20/2006 [Fed. ID.23316] and SWCB approval on 6/27/2007. Escherichia coli (E.coli) replaces fecal coliform (FC) bacteria as the indicator as per Water Quality Standards [9 VAC 25-260-170. Bacteria; other waters]. The Recreation Use impairment on Unnamed Tributary to Spencer Creek is nested in the aforementioned TMDL.

4AXVO000.60 (UT Spencer Creek at Rt.653 Maple Ln.) - E.coli exceeds the two or more Statistical Threshold Value (STV) hits in the same 90-day period with fewer than 10 samples criterion during the 2022 data window.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L39R_XVO01A14 / Spencer Creek, UT / Unnamed tributary to Spencer Creek from its headwaters to its confluence with Spencer Creek (RU81).	4A	Escherichia coli (E. coli)	2022	L	2.9

Spencer Creek, UT

**Recreation**

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:			2.9

Sources: Livestock (Grazing or Feeding Operations); Unspecified Domestic Waste; Wastes from Pets; Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L39R-09-BEN** **Spencer Creek, UT**

Cause Location: Unnamed tributary to Spencer Creek from its headwaters to its confluence with Spencer Creek (RU81).

Cause City/County: Charlotte County

Use(s): Aquatic Life

Causes(s)/VA Category: Benthic Macroinvertebrates Bioassessments/5A

Cause Description: Station ID:

4AXVO000.50 (2012 FPM)(UT Spencer just west of Rt. 653). The Aquatic Life Use is impaired based on two 2012 Virginia Stream Condition Index (VSCI) surveys: Spring 40.8 and Fall 36.1. This stream was incised and had a sedimentation problem. The habitat was marginal and the banks were unstable. 2022: Bio 'IM' from six VSCI Scores avg 48 (spring) and 49 (fall) in 2018-20. Sedimentation is a likely stressor to the benthic community.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L39R_XVO01A14 / Spencer Creek, UT / Unnamed tributary to Spencer Creek from its headwaters to its confluence with Spencer Creek (RU81).	5A	Benthic Macroinvertebrates Bioassessments	2014	H	2.9

Spencer Creek, UT

**Aquatic Life**

Benthic Macroinvertebrates Bioassessments - Total Impaired Size by Water Type:

Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
		2.9

Sources: Source Unknown

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L39R-10-BAC** **Little Roanoke Creek**

Cause Location: Little Roanoke Creek from its headwaters to its confluence with Dunnivant Creek.

Cause City/County: Charlotte County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: NESTED 2014: 23316, 06/20/2006

The Cub Creek, Turnip Creek, Buffalo Creek, Buffalo Creek (UT), and Staunton River Watersheds Bacteria TMDL Study (Staunton River) received U.S. EPA approval on 6/20/2006 [Fed. ID.23316] and SWCB approval on 6/27/2007 for these 2004 303(d) Listed waters for fecal coliform and 2006 303(d) Listed waters for Bacteria. Escherichia coli (E.coli) replaces fecal coliform (FC) bacteria as the indicator as per Water Quality Standards [9 VAC 25-260-170. Bacteria; other waters]. 23316, 6/20/2006

4ALRO010.18 - E.coli exceeds the 235 cfu/100 ml instantaneous criterion in five out of 12 samples during the 2020 data window. 2 or more STV hits in the same 90-day period with < 10 samples during the 2022 data window.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L39R_LRO02A10 / Little Roanoke Creek / Little Roanoke Creek from its headwaters to its confluence with Dunnivant Creek.	4A	Escherichia coli (E. coli)	2020	L	10.16

Little Roanoke Creek

**Recreation**

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:			10.16

Sources: Livestock (Grazing or Feeding Operations); Unspecified Domestic Waste; Wastes from Pets; Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** L40R-01-BAC Berles Creek

Cause Location: Berles Creek from its headwaters to Sandy Creek.

Cause City/County: Charlotte County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: NESTED 2014: 23316, 06/20/2006

The Cub Creek, Turnip Creek, Buffalo Creek, Buffalo Creek (UT), and Staunton River Watersheds Bacteria TMDL Study (Staunton River) received U.S. EPA approval on 6/20/2006 [Fed. ID.23316] and SWCB approval on 6/27/2007 for these 2004 303(d) Listed waters for fecal coliform and 2006 303(d) Listed waters for Bacteria. Escherichia coli (E.coli) replaces fecal coliform (FC) bacteria as the indicator as per Water Quality Standards [9 VAC 25-260-170. Bacteria; other waters]. 23316, 6/20/2006

One station is located within the 2.28 miles of impaired waters. 4ABLE001.21 (2018)(Berles Cr. @ Rt. 631, DSS Vaughan Farm)

4ABLE001.21 (2018)(Berles Cr. @ Rt. 631, DSS Vaughan Farm) 0/0 samples in excess of the instantaneous criterion.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L40R_BLE01A06 / Berles Creek / Headwaters to Sandy Creek	4A	Escherichia coli (E. coli)	2006	L	2.28

Berles Creek

**Recreation**

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:			2.28

Sources: Livestock (Grazing or Feeding Operations); Unspecified Domestic Waste; Wastes from Pets; Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L40R-01-BEN** **Berles Creek**

Cause Location: Berles Creek from its headwaters to Sandy Creek.

Cause City/County: Charlotte County

Use(s): Aquatic Life

Causes(s)/VA Category: Benthic Macroinvertebrates Bioassessments/5A

Cause Description: NESTED 2014: 23316, 06/20/2006 Station ID: 4ABLE001.21 (Ambient, 2010/2014 Bio)(Berles Cr. @ Rt. 631, DSS Vaughan Farm) E. coli - 3/6 Violation Rate IM - Heavy to moderate embeddedness observed in 2014 samples. Sedimentation is a likely stressor One 2018 VSCI (47.7, spring) and two 2014 VSCI scores (29.5 spring and 48.5 fall).

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L40R_BLE01A06 / Berles Creek / Headwaters to Sandy Creek	5A	Benthic Macroinvertebrates Bioassessments	2016	L	2.28

Berles Creek

**Aquatic Life**

Benthic Macroinvertebrates Bioassessments - Total Impaired Size by Water Type:

Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
		2.28

Sources: Source Unknown

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L40R-04-BAC** **Sandy Creek**

Cause Location: Sandy Creek from its headwaters to mouth on Roanoke (Staunton) River

Cause City/County: Charlotte County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: NESTED 2014:23316, 06/20/2006

The Cub Creek, Turnip Creek, Buffalo Creek, Buffalo Creek (UT), and Staunton River Watersheds Bacteria TMDL Study (Staunton River) received U.S. EPA approval on 6/20/2006 [Fed. ID.23316] and SWCB approval on 6/27/2007 for these 2004 303(d) Listed waters for fecal coliform and 2006 303(d) Listed waters for Bacteria. Escherichia coli (E.coli) replaces fecal coliform (FC) bacteria as the indicator as per Water Quality Standards [9 VAC 25-260-170. Bacteria; other waters]. 23316, 6/20/2006

One station is located within the 5.4 miles of impaired waters. 4ASLA001.52 (Ambient)(Route 608)

4ASLA001.52 (Ambient)(Route 608) Three of 12 samples in excess of the instantaneous criterion.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L40R_SL A01A06 / Sandy Creek / Headwaters to mouth on Roanoke (Staunton) River	4A	Escherichia coli (E. coli)	2012	L	5.41

Sandy Creek

**Recreation**

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:			5.41

Sources: Livestock (Grazing or Feeding Operations); Unspecified Domestic Waste; Wastes from Pets; Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L40R-05-BAC** **Unnamed Tributary to Buffalo Creek**

Cause Location: Unnamed Tributary to Buffalo Creek from its headwaters to the mouth.

Cause City/County: Charlotte County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: The Cub Creek, Turnip Creek, Buffalo Creek, Buffalo Creek (UT), and Staunton River Watersheds Bacteria TMDL Study (Staunton River) received U.S. EPA approval on 6/20/2006 [Fed. ID.24394 and SWCB approval on 6/27/2007 for these 2004 303(d) Listed waters for fecal coliform and 2006 303(d) Listed waters for Bacteria. Escherichia coli (E.coli) replaces fecal coliform (FC) bacteria as the indicator as per Water Quality Standards [9 VAC 25-260-170. Bacteria; other waters]. 24394, 6/20/2006

One station is located within the 1.5 miles of impaired waters.

4AXMC000.54( Route 605)

4AXMC000.54(Route 605) Two of 5 samples in excess of the instantaneous criterion.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L40R_XMC01A06 / Buffalo Creek, Unnamed Tributary / From its headwaters to the mouth (RU87).	4A	Escherichia coli (E. coli)	2002	L	1.5

Unnamed Tributary to Buffalo Creek

**Recreation**

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:			1.5

Sources: Livestock (Grazing or Feeding Operations); Unspecified Domestic Waste; Wastes from Pets; Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L40R-06-BAC** **Buffalo Creek**

Cause Location: Buffalo Creek from an unnamed tributary at river mile 2.3 to the Roanoke (Staunton) River.

Cause City/County: Charlotte County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: The Cub Creek, Turnip Creek, Buffalo Creek, Buffalo Creek (UT), and Staunton River Watersheds Bacteria TMDL Study (Buffalo Creek) received U.S. EPA approval on 6/20/2006 [Fed. ID.24395] and SWCB approval on 6/27/2007 for these 2004 303(d) Listed waters for fecal coliform and 2006 303(d) Listed waters for Bacteria. Escherichia coli (E.coli) replaces fecal coliform (FC) bacteria as the indicator as per Water Quality Standards [9 VAC 25-260-170. Bacteria; other waters]. 24395, 6/20/2006

One station is located within the 2.34 miles of impaired waters. 4ABNN001.85 (Route 608)

4ABNN001.85( Route 608) -13 of 24 samples in excess of the instantaneous criterion.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L40R_BNN01A06 / Buffalo Creek / Unnamed tributary at river mile 2.3 to the Roanoke River.	4A	Escherichia coli (E. coli)	2006	L	2.36

Buffalo Creek

**Recreation**

Escherichia coli (E. coli) - Total Impaired Size by Water Type:	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
			2.36

Sources: Livestock (Grazing or Feeding Operations); Unspecified Domestic Waste; Wastes from Pets; Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L40R-06-BEN** **Buffalo Creek**

Cause Location: Buffalo Creek from an unnamed tributary at river mile 2.3 to the Roanoke (Staunton) River.

Cause City/County: Charlotte County

Use(s): Aquatic Life

Causes(s)/VA Category: Benthic Macroinvertebrates Bioassessments/5A

Cause Description: 4ABNN002.17 (2012 Bio)( Upstream of Route 608) Five VSCI scores show Bio 'IM' (2014, 2016, 2018) with an average of 59.1. Station shows seasonal variability below the impairment threshold. Habitat scores and Taxa lists indicate bank scour and sedimentation to be likely stressors within this reach.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L40R_BNN01A06 / Buffalo Creek / Unnamed tributary at river mile 2.3 to the Roanoke River.	5A	Benthic Macroinvertebrates Bioassessments	2014	L	2.36

Buffalo Creek

**Aquatic Life**

Benthic Macroinvertebrates Bioassessments - Total Impaired Size by Water Type:

Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
		2.36

Sources: Source Unknown

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L40R-07-BAC** Cargills Creek

Cause Location: Cargills Creek from its headwaters to its mouth on Kerr Reservoir

Cause City/County: Charlotte County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: NESTED 2014:23316, 06/20/2006

The Cub Creek, Turnip Creek, Buffalo Creek, Buffalo Creek (UT), and Staunton River Watersheds Bacteria TMDL Study (Staunton River) received U.S. EPA approval on 6/20/2006 [Fed. ID.23316] and SWCB approval on 6/27/2007 for these 2004 303(d) Listed waters for fecal coliform and 2006 303(d) Listed waters for Bacteria. Escherichia coli (E.coli) replaces fecal coliform (FC) bacteria as the indicator as per Water Quality Standards [9 VAC 25-260-170. Bacteria; other waters]. 23316, 6/20/2006

One station is located within the 4.27 miles of impaired waters. 4ACAR001.70 (Ambient)(2018)(Cargills at Cargills Creek Road)

4ACAR001.70 (Ambient)(2018)((Cargills at Cargills Creek Road)) Three of 10 samples in excess of the instantaneous criterion.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L40R_CAR01A08 / Cargills Creek / Cargills Creek from its headwaters to its mouth on Kerr Reservoir (RU90).	4A	Escherichia coli (E. coli)	2008	L	4.27

Cargills Creek

**Recreation**

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:			4.27

Sources: Livestock (Grazing or Feeding Operations); Unspecified Domestic Waste; Wastes from Pets; Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L41R-01-BAC** **Difficult Creek**

Cause Location: Difficult Creek from East Prong to Ashcake Creek.

Cause City/County: Halifax County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: NESTED 2014: 23316, 06/20/2006

The Cub Creek, Turnip Creek, Buffalo Creek, Buffalo Creek (UT), and Staunton River Watersheds Bacteria TMDL Study (Staunton River) received U.S. EPA approval on 6/20/2006 [Fed. ID.23316] and SWCB approval on 6/27/2007 for these 2004 303(d) Listed waters for fecal coliform and 2006 303(d) Listed waters for Bacteria. Escherichia coli (E.coli) replaces fecal coliform (FC) bacteria as the indicator as per Water Quality Standards [9 VAC 25-260-170. Bacteria; other waters]. 23316, 6/20/2006

Two stations are located within the 6.99 miles of impaired waters. 4ADFF004.90 (2018)(Difficult Cr. @ Rt. 720, DSS Brian Farm)

and 4ADFF009.01 (2018)( Difficult Cr. @ Rt. 360, USS Brian Farm)

4ADFF004.90 (2018)(Difficult Cr. @ Rt. 720, DSS Brian Farm)

Three of 12 samples in excess of the instantaneous criterion.

4ADFF009.01 (2018) ( Difficult Cr. @ Rt. 360, USS Brian Farm)One of 12 samples in excess of the instantaneous criterion.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L41R_DFF01A02 / Difficult Creek / East Prong to Ashcake Creek	4A	Escherichia coli (E. coli)	2008	L	7

Difficult Creek

**Recreation**

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:			7

Sources: Livestock (Grazing or Feeding Operations); Unspecified Domestic Waste; Wastes from Pets; Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** L42L-01-DO **Talbott Reservoir**

Cause Location: Talbott Reservoir

Cause City/County: Patrick County

Use(s): Aquatic Life

Causes(s)/VA Category: Dissolved Oxygen/5C

Cause Description: Talbott Reservoir located in Patrick County is listed for Aquatic Life Use during the 2020 303(d)/305(b) Integrated Report data window.

4ADAN194.10 (Station #3 at Dam) 2022 data window reports 136 of 277 DO measurements in excess of the Class VI DO criterion of 6.0 mg/L. 2020 data window reports 59 of 194 DO measurements in excess of the Class VI DO criterion of 6.0 mg/L. The range of values in excess of the criterion are between 0.14 and 5.97.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L42L_DAN01A02 / Talbott Reservoir / Talbott Reservoir from its impounding structure upstream to its backwaters (RD01).	5C	Dissolved Oxygen	2020	L	140.51

Talbott Reservoir

<b>Aquatic Life</b>	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Dissolved Oxygen - Total Impaired Size by Water Type:		140.51	

Sources: Source Unknown

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** L42L-01-HG **Talbott Reservoir**

Cause Location: Talbott Reservoir

Cause City/County: Patrick County

Use(s): Fish Consumption

Causes(s)/VA Category: Mercury in Fish Tissue/5A

Cause Description: This initial 2010 303(d) Listing is based on 2007 fish tissue collections and new Water Quality Standards effective 2/01/2010. Mercury (Hg) exceedances of the DEQ 0.3 parts per million (ppm) tissue value cause impairment of the Fish Consumption Use. No VDH Fish Consumption or Drinking Water Advisories are issued for mercury for these waters. The Virginia Department of Health (VDH) level of concern is 0.5 ppm. Please visit <http://www.vdh.virginia.gov/Epidemiology/dee/PublicHealthToxicology/Advisories/> for VDH Advisories or Bans.

4ADAN196.09- (Talbott Res. Arm of Reservoir) 2007 fish tissue collection finds two species in excess of the WQS TV based 0.3 ppm criterion; largemouth bass (4-fish composite at 0.394 ppm) and yellow bullhead catfish (2 fish composite at 0.429 ppm).

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L42L_DAN01A02 / Talbott Reservoir / Talbott Reservoir from its impounding structure upstream to its backwaters (RD01).	5A	Mercury in Fish Tissue	2010	L	140.51

Talbott Reservoir

**Fish Consumption**

Mercury in Fish Tissue - Total Impaired Size by Water Type:

Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
	140.51	

Sources: Source Unknown

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L42L-01-TEMP** **Talbott Reservoir**

Cause Location: Talbott Reservoir

Cause City/County: Patrick County

Use(s): Aquatic Life

Causes(s)/VA Category: Temperature/5C

Cause Description: Talbott Reservoir located in Patrick County is listed for Aquatic Life Use during the 2020 303(d)/305(b) Integrated Report data window.

4ADAN194.10 (Station #3 at Dam) The reservoir 2022 data window reports 96 out of 420 Temperature measurements in excess of the Class VI temperature criterion of 20 C. 2020 data window reports 143 of 420 Temperature measurements in excess of the Class VI temperature criterion of 20 C. The range of values in excess of the criterion are between 20.02 and 26.35.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L42L_DAN01A02 / Talbott Reservoir / Talbott Reservoir from its impounding structure upstream to its backwaters (RD01).	5C	Temperature	2020	L	140.51

Talbott Reservoir

**Aquatic Life**

Temperature - Total Impaired Size by Water Type:

Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
	140.51	

Sources: Source Unknown

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code: L42L-06-BAC Townes Reservoir**

Cause Location: Townes Reservoir from its impounding structure upstream to its backwaters (RD01).

Cause City/County: Patrick County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: The Dan River Bacteria TMDL Study is U.S. EPA approved on 12/08/2008 (Fed ID 35748) and State Water Control Board approved 4/28/2009. Townes Creek Reservoir located in Patrick County is initially listed for the Recreation Use during the 2018 303(d)/305(b) Integrated Report data window. This impairment is nested in the Dan River Bacteria TMDL Study.

4ADAN187.94 (Townes Reservoir at Dam)

2022: E.coli- One STV exceedances but insufficient data to analyze geomean. Impairment carries. 2020 data window reports 2 of 14 Escherichia coli (E.coli) measurements exceed the 235 cfu/100 ml instantaneous criterion. 2018 data window reports 2 of 14 Escherichia coli (E.coli) measurements exceed the 235 cfu/100 ml instantaneous criterion. The excursions are 301 cfu/100 ml and 487 cfu/100 ml.

Note: The initial listing date was in 2018 based on the instantaneous 235 WQS, which reports 2 of 14 Escherichia coli (E.coli) measurements exceed the 235 cfu/100 ml instantaneous criterion.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L42L_DAN02A02 / Townes Reservoir / Townes Reservoir from its impounding structure upstream to its backwaters (RD01).	4A	Escherichia coli (E. coli)	2018	L	28.13

Townes Reservoir

**Recreation**

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:		28.13	

Sources: Livestock (Grazing or Feeding Operations); Non-Point Source; On-site Treatment Systems (Septic Systems and Similar Decentralized Systems); Wet Weather Discharges (Non-Point Source); Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** L42L-06-PH Townes Reservoir

Cause Location: Townes Reservoir from its impounding structure upstream to its backwaters (RD01).

Cause City/County: Patrick County

Use(s): Aquatic Life

Causes(s)/VA Category: pH/5A

Cause Description: Townes Creek Reservoir located in Patrick County is listed for Aquatic Life Use during the 2018 303(d)/305(b) Integrated Report data window.

4ADAN187.94 (Townes Reservoir at Dam) The reservoir 2022 data window reports 2 of 17 pH measurements in excess of the Class IV pH acidity criterion of 9.0. The reservoir 2018 data window reports 2 of 17 pH measurements in excess of the Class IV pH acidity criterion of 9.0. The two values in excess of the criterion are at 9.1 (6/30/2015) and one at 9.7 (7/28/15)

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L42L_DAN02A02 / Townes Reservoir / Townes Reservoir from its impounding structure upstream to its backwaters (RD01).	5A	pH	2018	L	28.13

Townes Reservoir

**Aquatic Life**

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
pH - Total Impaired Size by Water Type:		28.13	

Sources: Source Unknown

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L42R-01-BAC** **Little Dan River**

Cause Location: Little Dan River mainstem from the VA/NC State Line upstream to just above the mouth of Pigg Creek.

Cause City/County: Patrick County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: Escherichia coli (E.coli) bacteria results render the Recreational Use impaired for 7.26 miles in 2008. The Dan River Bacteria Total Maximum Daily Load (TMDL) is U.S. EPA approved on 12/08/2008 [Fed ID 35748] and SWCB approved 4/28/2009. The Dan River Bactria TMDL did not specifically address the Little Dan River but is encompassed by the TMDL Watershed. These waters are nested within the Dan River Bacteria TMDL Watershed and allocations via the Study. These waters are Category 4A.

4ALDR004.50- (Rt. 645 Bridge) There are no additional data beyond the 2008 Integrated Report (IR) where two of nine E.coli samples exceed the 235 cfu/100 ml instantaneous criterion. Exceeding values are 250 and 500 cfu/100 ml.

4ALDR002.61- (Rt. 649 Bridge (Gammons Rd.)) No additional data beyond the 2016 data window where two of 12 escherichia coli (E.coli) samples exceed the WQS instantaneous criterion of 235 cfu/100 ml. The excessive values are 250 and 383 cfu/100 ml. Within the 2008 IR, E.coli observations showed three of nine are in excess of the instantaneous criterion. Values exceeding the criterion range from 400 to 700 cfu/100 ml.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L42R_LDR01A02 / Little Dan River / Little Dan River mainstem from the VA/NC State Line upstream to just above the mouth of Pigg Creek Class V (RD03).	4A	Escherichia coli (E. coli)	2008	L	7.27

Little Dan River

**Recreation**

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:			7.27

Sources: Livestock (Grazing or Feeding Operations); On-site Treatment Systems (Septic Systems and Similar Decentralized Systems); Unspecified Domestic Waste; Wet Weather Discharges (Non-Point Source); Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code: L42R-01-TEMP Dan River**

Cause Location: The Dan River from the Pinnacles Power House downstream to the VA-NC State Line in Patrick County.

Cause City/County: Patrick County

Use(s): Aquatic Life

Causes(s)/VA Category: Temperature/5C

Cause Description: The Dan River 2002 temperature impairment of 9.66 miles is extended 5.81 miles upstream with additional data obtained at 4ADAN181.10 within the 2008 data window. The Aquatic Life Use remains impaired for temperature (Category 5C).

4ADAN181.10- (Rt. 648 Bridge near Kibler (Kibler Valley Rd.)) There are no additional data beyond the 2014 Integrated Report (IR). Temperature exceedances of the 21°C Class V criterion are found in three of 12 measurements in 2014. The three excursions occur on 6/29/2011 (21.2°C), 8/25/2011 (21.4°C) and 7/31/2012 (21.7°C). There are no additional temperature data within the 2010 and 2012 data windows. The 2008 assessment records two of nine temperature measurements exceed the 21°C Class V stockable trout water criterion. These exceedances occur on 8/24/2005 at 21.8°C and 22.3°C on 8/30/2006 within both the 2008 and 2010 data windows.

4ADAN169.57- (Rt. 645 Bridge, VA-NC Stateline) One of 12 temperature measurements exceeds during the 2020 data window at 23°C (7/25/17). There are no additional temperature data beyond the 2008 assessment where exceedances of the 21°C Class V criterion are found in two of nine measurements within the 2008 and 2010 data windows. The two excursions occur on the same days as at 4ADAN181.10; 8/24/2005 at 21.6°C and 8/30/2006 at 22.5°C. Previous assessment cycles have found temperature exceeds the criterion in one of 11 measurements taken within the 2004 assessment window (1998 - 2002- Station last sampled in May 2000). There were no additional data within the 2006 data window. The 2002 assessment and the original 303(d) Listing Cycle found three of 19 excursions of the criterion. The exceedances are 21.5 °C (1996), 21.2 °C (1997) and 23.6 °C (1998), all occurring in the month of July.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L42R_DAN01A00 / Dan River / Dan River mainstem from the VA/NC State Line upstream to the Squirrel Creek mouth on the Dan River Class V (RD02).	5C	Temperature	2002	L	9.67
VAW-L42R_DAN02A02 / Dan River / Dan River mainstem from the Squirrel Creek mouth upstream to the Pinnacles Power House Class V (RD02).	5C	Temperature	2008	L	5.81

Dan River

**Aquatic Life**

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Temperature - Total Impaired Size by Water Type:			15.48

Sources: Source Unknown

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L42R-02-BAC** **Dan River**

Cause Location: The Dan River mainstem from the backwaters of Talbott Reservoir upstream to the Cockram Mill Pond Dam.

Cause City/County: Patrick County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: This initial 2012 impairment is nested within the approved Dan River Bacteria TMDL. The Dan River Bacteria TMDL Study received U.S. EPA approval on 12/08/2008. Fed ID 35748 and received SWCB approval on 4/28/2009.

4ADAN205.79 (Dan River Road- Rt. 632 Bridge) 2020 & 2018 data window where six of 12 escherichia coli (E.coli) samples exceed the WQS instantaneous criterion. 2016 data window where eleven of 24 escherichia coli (E.coli) samples exceed the WQS instantaneous criterion of 235 cfu/100 ml. The range of exceeding values is from 272 cfu/100 ml to greater than 2000. 2012 IR where five of 12 escherichia coli (E.coli) samples exceed the instantaneous criterion ranging from 320 to greater than 2000 cfu/100 ml.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L42R_DAN05A02 / Dan River / Dan River mainstem from the backwaters of Talbott Reservoir upstream to the mouth of Tuggle Creek Class IV (RD01).	4A	Escherichia coli (E. coli)	2012	L	2.73
VAW-L42R_DAN06A02 / Dan River / Dan River mainstem from the mouth of Tuggle Creek upstream to the Cockram Mill Pond Dam Class IV (RD01).	4A	Escherichia coli (E. coli)	2012	L	5.73

Dan River

<b>Recreation</b>	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:			8.46

Sources: Livestock (Grazing or Feeding Operations); On-site Treatment Systems (Septic Systems and Similar Decentralized Systems); Unspecified Domestic Waste; Wet Weather Discharges (Non-Point Source); Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L42R-03-BAC** Elk Creek

Cause Location: Elk Creek from the state line upstream to it's headwaters.

Cause City/County: Patrick County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: This initial 2012 Elk Creek impairment is nested within the approved Dan River Bacteria TMDL. The Dan River Bacteria TMDL Study received U.S. EPA approval on 12/08/2008. Fed ID 35748 and received SWCB approval on 4/28/2009.

4AELK005.44- The 2018 IR finds five of 12 escherichia coli (E.coli) exceed the 235 cfu/100 ml WQS instantaneous criterion. Excursions range from 400 to greater than 1,300 cfu/100 ml. There are no additional data beyond the 2012 IR where escherichia coli (E.coli) exceed the 235 cfu/100 ml WQS instantaneous criterion in four of 12 samples. The range of exceeding values is from 300 to 1200 cfu/100 ml.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L42R_ELK01A12 / Elk Creek / Elk Creek from the state line upstream to it's headwaters (RD04).	4A	Escherichia coli (E. coli)	2012	L	7.78

Elk Creek

<b>Recreation</b>	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:			7.78

Sources: Livestock (Grazing or Feeding Operations); On-site Treatment Systems (Septic Systems and Similar Decentralized Systems); Unspecified Domestic Waste; Wet Weather Discharges (Non-Point Source); Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** L42R-04-BAC **Peters Creek**

Cause Location: Peters Creek mainstem from the VA/NC State Line upstream to the confluence of Ditch Creek.

Cause City/County: Patrick County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: The Recreational Use impairment on Peters Creek is an initial 2012 Listing. The Dan River Bacteria TMDL Study received U.S. EPA approval on 12/08/2008 Fed ID 35748 and SWCB approval on 4/28/2009. These waters are nested within the Dan River Bacteria TMDL.

4APRS008.76 ( Five Forks Rd. near State Line- Rt. 660) Within the 2018 data window, four of 12 E.coli samples exceeded the 235 cfu/100 ml instantaneous criterion. The range of excursions was 262 to 1,935 cru/100 ml. The 2012 IR found four of 12 escherichia coli (E.coli) samples exceed the WQS 235 cfu/100 ml instantaneous criterion. The range of exceeding values is from 250 cfu/100 ml to 1700.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L42R_PRS01A02 / Peters Creek / Peters Creek mainstem from the VA/NC State Line upstream to the confluence of Ditch Creek Class IV (RD05).	4A	Escherichia coli (E. coli)	2012	L	5.97

Peters Creek

**Recreation**

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:			5.97

Sources: Livestock (Grazing or Feeding Operations); On-site Treatment Systems (Septic Systems and Similar Decentralized Systems); Unspecified Domestic Waste; Wet Weather Discharges (Non-Point Source); Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** L42R-05-BAC Dan River

Cause Location: The Dan River from the Pinnacles Power House downstream to the VA-NC State Line in Patrick County.

Cause City/County: Patrick County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: The Dan River Bacteria TMDL Study is U.S. EPA approved on 12/08/2008 (Fed ID 35748) and State Water Control Board approved 4/28/2009. The 2014 initially 303(d) Listed bacteria impairment is nested within the Dan River Bacteria TMDL Watershed and allocations via the Study. A portion of these relisted Dan River waters from the mouth of Squirrel Creek downstream to the VA/NC State Line was 303(d) Listed for fecal coliform in 1998 and delisted in 2002 (10.41 miles). The waters are relisted with the 2014 Integrated Report (IR) for escherichia coli (E.coli). These waters are Category 4A. The 2014 relisted bacteria impairment extends 15.47 miles.

4ADAN181.10- (Rt. 648 Bridge near Kibler (Kibler Valley Rd.)) Two of 12 escherichia coli (E.coli) samples exceed the 235 cfu/100 ml instantaneous criterion at 1150 and greater than 2000 cfu/100 ml within the 2014 data window. There are no additional data beyond the 2014 data window.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L42R_DAN01A00 / Dan River / Dan River mainstem from the VA/NC State Line upstream to the Squirrel Creek mouth on the Dan River Class V (RD02).	4A	Escherichia coli (E. coli)	2014	L	9.67
VAW-L42R_DAN02A02 / Dan River / Dan River mainstem from the Squirrel Creek mouth upstream to the Pinnacles Power House Class V (RD02).	4A	Escherichia coli (E. coli)	2014	L	5.81

Dan River

**Recreation**

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:			15.48

Sources: Livestock (Grazing or Feeding Operations); Non-Point Source; On-site Treatment Systems (Septic Systems and Similar Decentralized Systems); Wet Weather Discharges (Non-Point Source); Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L43R-01-BAC** **South Mayo River**

Cause Location: The upper limit is 0.3 miles upstream of the Wilson Creek mouth (near Dobyns) on the South Mayo River and extends downstream to the Virginia / North Carolina State Line.

Cause City/County: Henry County; Patrick County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: The South Mayo River Bacteria TMDL Load Duration Study is U.S. EPA approved 2/27/2004 and SWCB approved 6/17/2004 for the original 1998 303(d) Listed 5.78 mile impairment. Extensions described below were not specifically addressed by the Load Duration TMDL. The Dan River Bacteria Total Maximum Daily Load (TMDL) is U.S. EPA approved 12/8/2008 [Fed ID 35757] and SWCB approved 4/28/2009. The Dan River Bacteria TMDL incorporates the extensions described below and are nested within the Bacteria TMDL. Additional data collection causes the original 1998 bacteria impairment (from Russell Creek mouth downstream to the mouth of Spoon Creek) to be extended 20.67 miles upstream with the 2004 Integrated Report (IR). The 2004 IR also extends the original listed bacteria impairment 10.97 miles downstream for a total impaired mileage of 37.47.

The original bacteria impairment (5.83 mi) is based on fecal coliform (FC) bacteria data producing a greater than 10% exceedance rate of the former 1998 1000 cfu/100 ml instantaneous criterion at station 4ASMR016.09 (Rt. 700 Bridge at the USGS gaging station). Additional data collection and application of the former FC 400 cfu/100 ml instantaneous criterion results in the 2004 IR extension upstream from 2 stations 4ASMR033.98 (Rt. 787 Bridge West of Stuart) and 4ASMR027.44 (Rt. 681 Bridge South of Stuart). The 2004 10.97 mile downstream extension in watershed L45 results from additional FC data collection at station 4ASMR004.14 (Rt. 695 Bridge).

Station 4ASMR033.98 (Rt. 787 Bridge West of Stuart) There are no additional data beyond the 2010 IR. 2010: 2/12 E.coli samples exceed the 235 cfu/100 ml instantaneous criterion with exceeding values of 420 and 450 cfu/100 ml. 2008: 2/12 FC samples exceed the former 400 cfu/100 ml instantaneous criterion at 900 and 1200 cfu/100 ml. 2006: 2/15 FC exceedances with the same exceedance range as 2008. 2004: initial 303(d) Listing Cycle 5/20 FC samples exceeding values range from 500-1200 cfu/100 ml. (Note: 4ASMR033.98 is a 1999 Federal Consent Decree Attachment B station for FC bacteria. The station was not 2002 303(d) Listed as there are no exceedances of the former 1000 cfu/100 ml criterion from 19 samples within the 2002 data window.)

4ASMR027.44- (Rt. 681 Bridge South of Stuart) 2016 IR: 1/11 value of 300 cfu/100 ml. Delisting of this station is not proposed as data from station 4ASMR016.09 shows impairment and upstream station 4ASMR033.98 has no additional data to indicate improved conditions. There are no additional data beyond the 2010 where 4/12 E.coli samples exceed ranging from 320 to greater than 2000 cfu/100 ml. 2008 and 2006 IRs: 2/12 FC samples exceed the former 400 cfu/100 ml instantaneous criterion at 1400 and 1700 cfu/100 ml. 2004 IR: initial 303(d) Listing Cycle, 2/9 samples and the same range of exceedance.

4ASMR016.09- (Rt. 700 Bridge at the USGS gaging station) 2020: 12/36 E.coli exceedances. 2018: 8/36 excursions range from 275 to greater than 4,000 cfu/100ml. 2016: 6/36 E.coli exceedances range from 300 cfu/100 ml to greater than 2000. 2012 and 2014: 11/36 range of exceedance from 300 to greater than 2000 cfu/100 ml for both cycles. 2010: 15/41 E.coli exceedances from 250 to greater than 2000 cfu/100 ml. 2008: 11/33 range of exceedance from 250 to greater than 2000 cfu/100 ml. 2006: 8/20 with the same range of exceedance as 2008. 2004: 1/3.

4ASMR004.14- (Rt. 695 Bridge) There are no additional data beyond the 2008 IR where 4/17 E.coli exceedances occur ranging from 350-700 cfu/100 ml within the 2008 and 2010 data windows.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L43R_SMR02A02 / South Mayo River / South Mayo River mainstem from the Anglin Branch confluence downstream to the Russell Creek confluence on the South Mayo River.	4A	Escherichia coli (E. coli)	2010	L	8.16

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

(continued)

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L43R_SMR03A02 / South Mayo River / South Mayo River mainstem from the Town of Stuart POTW downstream to the confluence of Anglin Branch.	4A	Escherichia coli (E. coli)	2010	L	4.61
VAW-L43R_SMR03B02 / South Mayo River / South Fork Mayo River mainstem from the confluence of the North Fork South Mayo River downstream to the Town of Stuart POTW.	4A	Escherichia coli (E. coli)	2010	L	2.32
VAW-L43R_SMR04A00 / South Mayo River / South Mayo River mainstem from the Town of Stuart water intake downstream to the North Fork South Mayo River confluence.	4A	Escherichia coli (E. coli)	2010	L	0.43
VAW-L43R_SMR05A00 / South Mayo River / South Mayo River mainstem from the WQS natural trout section just upstream of the Stuart water intake downstream to the Town of Stuart intake.	4A	Escherichia coli (E. coli)	2010	L	0.43
VAW-L43R_SMR06A00 / South Mayo River / South Mayo River mainstem from upstream of the Wilson Creek mouth downstream to the end of the WQS natural trout section located just upstream of the Town of Stuart water intake.	4A	Escherichia coli (E. coli)	2010	L	4.74
VAW-L45R_SMR01A00 / South Mayo River / South Mayo River mainstem from the upstream ending of the WQS designated public water supply (PWS) section 3f (36°33'25" / 80°02'15") located downstream of unnamed tributary on downstream to VA/NC State Line (RD09).	4A	Escherichia coli (E. coli)	2008	L	5.02
VAW-L45R_SMR02A00 / South Mayo River / South Mayo River mainstem from the mouth of an unnamed tributary downstream to the WQS designated public water supply (PWS) section 3f upstream ending (36°33'25" / 80°02'15") (RD09).	4A	Escherichia coli (E. coli)	2008	L	0.72
VAW-L45R_SMR03A00 / South Mayo River / South Mayo River mainstem from the Spoon Creek mouth downstream to an unnamed tributary above the WQS designated public water supply (PWS) section (RD09).	4A	Escherichia coli (E. coli)	2008	L	5.24
VAW-L45R_SMR04A14 / South Mayo River / South Mayo River mainstem from the Russell Creek mouth downstream to the Spoon Creek confluence (RD09).	4A	Escherichia coli (E. coli)	2008	L	5.83

South Mayo River

**Recreation**

Escherichia coli (E. coli) - Total Impaired Size by Water Type:

Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
		37.5

Sources: Livestock (Grazing or Feeding Operations); Municipal (Urbanized High Density Area); On-site Treatment Systems (Septic Systems and Similar Decentralized Systems); Unspecified Domestic Waste; Wastes from Pets; Wet Weather Discharges (Non-Point Source); Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L43R-01-TEMP** **South Mayo River**

Cause Location: South Mayo River mainstem from upstream of the Wilson Creek mouth downstream to the end of the WQS natural trout section located just upstream of the Town of Stuart water intake.

Cause City/County: Patrick County

Use(s): Aquatic Life

Causes(s)/VA Category: Temperature/5C

Cause Description: These waters were previously 303(d) Listed in 2004 and delisted in 2006. The temperature impairment returns with the 2010 assessment.

4ASMR033.98 (Rt. 787 Bridge west of Stuart)- There are no additional data beyond the 2010 Integrated Report (IR). 2010 data find the Aquatic Life Use is impaired where temperature measurements exceed the Class VI 20°C criterion in three of 15 samples. Excursions range from 20.6 to 20.8°C.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L43R_SMR06A00 / South Mayo River / South Mayo River mainstem from upstream of the Wilson Creek mouth downstream to the end of the WQS natural trout section located just upstream of the Town of Stuart water intake.	5C	Temperature	2010	L	4.74

South Mayo River

**Aquatic Life**

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Temperature - Total Impaired Size by Water Type:			4.74

Sources: Source Unknown

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L43R-02-BAC** **Russell Creek**

Cause Location: Russell Creek from it's mouth on the South Mayo River upstream to Gilbert Mill (Rt. 631).

Cause City/County: Patrick County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: The Dan River Bacteria TMDL Study received U.S. EPA approval on 12/08/2008 Fed ID 35757; and SWCB approval on 4/28/2009. Previous to the Dan River TMDL a Flow Duration Bacteria TMDL Study on the South Mayo River received U.S. EPA approval on 02/27/2004 Fed ID 23412 / 24558; and SWCB approval on 6/17/2004. Russell Creek is nested within the Dan River TMDL watershed.

4ARSL003.20- (Palmetto School Rd. - Rt. 825 Bridge) The 2018 data window finds E.coli exceed the 235 cfu/100ml instantaneous criterion in eight of 12 samples. Excursions range from 373 to greater than 10,000 cfu/100 ml. 2012, 2014 and 2016 assessments reveal escherichia coli (E.coli) exceed the WQS 235 cfu/100 ml instantaneous criterion in seven of 12 samples. Values in excess of the criterion range from 250 cfu/100 ml to greater than 2000. There are no additional data within the 2016 data window.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L43R_RSL01A12 / Russell Creek / Russell Creek from it's mouth on the South Mayo River upstream to Gilbert Mill (Rt. 631) (RD07).	4A	Escherichia coli (E. coli)	2012	L	8.54

Russell Creek

**Recreation**

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:			8.54

Sources: Livestock (Grazing or Feeding Operations); On-site Treatment Systems (Septic Systems and Similar Decentralized Systems); Unspecified Domestic Waste; Wet Weather Discharges (Non-Point Source); Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code: L44R-01-BAC Spoon Creek**

Cause Location: Spoon Creek mainstem from an unnamed tributary to Spoon Creek (southeast of Patrick Springs (36° 37' 02" / 80° 09' 45") downstream to its confluence with the South Mayo River.

Cause City/County: Patrick County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: These 2004 fecal coliform (FC) bacteria 303(d) Listed waters remain impaired for 8.17 miles as non-support for the Recreational Use continues. The Dan River Bacteria Total Maximum Daily Load (TMDL) is U.S. EPA approved on 12/08/2008 [Fed ID 35757] and SWCB approved 4/28/2009. The Dan River Bacteria TMDL Watershed incorporates Spoon Creek. Spoon Creek is nested within the overall Dan River Bacteria TMDL Watershed. Allocation scenario development is for the entire drainage to provide pollutant reductions for all watersheds contributing to the bacteria impairment. The entirety of the approved TMDL and allocations can be viewed at <http://www.deq.virginia.gov>.

4ASOO003.12 (Route 832 Bridge) The 2022 data window finds five of 12 E.coli samples in exceedance of the statistical threshold value. The 2020 data window finds six of 12 E.coli samples in exceedance of the instantaneous criterion. The 2018 data window finds nine of 23 E.coli samples in exceedance of the instantaneous criterion. Excursions range from 300 to greater than 12,000 cfu/100 ml. Escherichia coli (E.coli) exceeds the 235 cfu/100 ml instantaneous criterion in three of 12 observations within the 2014 and 2016 data windows. Exceeding values range from 300 to 650 cfu/100 ml. There are no additional data within the 2012 data window. The 2008 Integrated Report (IR) finds escherichia coli (E.coli) exceeds the 235 cfu/100 ml instantaneous criterion in eight of 21 observations within both the 2008 and 2010 assessments. Exceeding values range from 320 to 1600 cfu/100 ml. The 2006 IR finds E.coli exceeds the instantaneous criterion in three of nine observations. Exceeding values range from 320 to 1100 cfu/100 ml.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L44R_SOO01A00 / Spoon Creek / Spoon Creek mainstem from an unnamed tributary to Spoon Creek (southeast of Patrick Springs @ 36° 37' 02" / 80° 09' 45") downstream to its confluence with the South Mayo River.	4A	Escherichia coli (E. coli)	2006	L	8.17

Spoon Creek

**Recreation**

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:			8.17

Sources: Livestock (Grazing or Feeding Operations); On-site Treatment Systems (Septic Systems and Similar Decentralized Systems); Unspecified Domestic Waste; Wet Weather Discharges (Non-Point Source); Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code: L45R-01-HG South Mayo River**

Cause Location: South Mayo River mainstem from the confluence of Spoon Creek downstream to the Virginia / North Carolina State Line.

Cause City/County: Henry County; Patrick County

Use(s): Fish Consumption

Causes(s)/VA Category: Mercury in Fish Tissue/5A

Cause Description: This initial 2008 303(d) Listing is based on 2007 fish tissue collections and new Water Quality Standards effective 2/01/2010. Mercury (Hg) exceedances of the DEQ 0.3 parts per million (ppm) tissue value cause impairment of the Fish Consumption Use. No VDH Fish Consumption or Drinking Water Advisories are issued for mercury for these waters. The Virginia Department of Health (VDH) level of concern is 0.5 ppm. Please visit <http://www.deq.virginia.gov/> for more information about mercury contamination and <http://www.vdh.virginia.gov/Epidemiology/dee/PublicHealthToxicology/Advisories/> for VDH Advisories or Bans.

4ASMR004.17 (George Taylor Rd, Rt. 695 Bridge)- There are no additional data beyond the 2010 Integrated Report (IR). 2007 fish tissue records exceedance of the mercury (Hg) WQS tissue value (TV) of 0.30 ppm in smallmouth bass (1 fish 27.3 cm) at 0.442 ppm and (4 fish composite 38.0-43.1 cm) redborse sucker at 0.419 ppm.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L45R_SMR01A00 / South Mayo River / South Mayo River mainstem from the upstream ending of the WQS designated public water supply (PWS) section 3f (36°33'25" / 80°02'15") located downstream of unnamed tributary on downstream to VA/NC State Line (RD09).	5A	Mercury in Fish Tissue	2010	L	5.02
VAW-L45R_SMR02A00 / South Mayo River / South Mayo River mainstem from the mouth of an unnamed tributary downstream to the WQS designated public water supply (PWS) section 3f upstream ending (36°33'25" / 80°02'15") (RD09).	5A	Mercury in Fish Tissue	2010	L	0.72
VAW-L45R_SMR03A00 / South Mayo River / South Mayo River mainstem from the Spoon Creek mouth downstream to an unnamed tributary above the WQS designated public water supply (PWS) section (RD09).	5A	Mercury in Fish Tissue	2010	L	5.24

South Mayo River

<b>Fish Consumption</b>	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Mercury in Fish Tissue - Total Impaired Size by Water Type:			10.98

Sources: Source Unknown

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L46R-01-BAC** **North Mayo River**

Cause Location: The bacteria impairment begins at the confluence of Laurel Branch and Polebridge Creek extending downstream to the Virginia / North Carolina State Line.

Cause City/County: Henry County; Patrick County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A; Fecal Coliform/4A

Cause Description: The Dan River Bacteria Total Maximum Daily Load (TMDL) is U.S. EPA approved on 12/08/2008 [Fed ID 35757] and SWCB approved 4/28/2009. The Dan River Bacteria TMDL incorporates the North Mayo River within the TMDL Watershed. The TMDL and allocations can be viewed at <http://www.deq.virginia.gov>.

Station 4ANMR002.60 is a 1999 Federal Consent Decree Attachment B station for fecal coliform bacteria (FC). The station is not 303(d) Listed in 2002 as only one exceedance of the former 1000 cfu/100 ml instantaneous criterion is found from 21 samples. Two stations 4ANMR020.13 (Rt. 626 Bridge) and 4ANMR002.60 (Rt. 629 Bridge at Gage) both found excursions of the former 400 cfu/100 ml Water Quality Standards (WQS) instantaneous criterion for fecal coliform (FC) bacteria in 2004. The Recreational Use remains impaired for 22.92 miles for bacteria exceedances.

4ANMR020.13- ( Rt. 626 Bridge) There are no additional data beyond the 2006 Integrated Report (IR) where four of 12 FC samples exceed the former 400 cfu/100 ml instantaneous criterion. Values in excess of the criterion range from 500 to 1000 cfu/100 ml.

4ANMR002.60- (Rt. 629 Bridge at Gage) The 2020 data window finds 21 of 36 E.coli excursions. Escherichia coli (E.coli) exceeds the WQS 235 cfu/100 ml instantaneous criterion in 20 of 36 and 14 of 36 observations within the 2018 and 2016 data windows, respectively. The range of exceedance is from 250 cfu/100 ml to greater than 2000. Twelve of 36 E.coli samples exceed the instantaneous criterion in 2014. Excessive values range from 250 to greater than 2000 cfu/100 ml. The 2012 assessment finds ten of 35 E.coli samples exceed the WQS 235 cfu/100 ml instantaneous criterion. Exceedances range from 280 to 1400 cfu/100 ml. Seven of 23 E.coli samples exceed the WQS 235 cfu/100 ml instantaneous criterion within the 2010 data window. 2010 exceeding values range from 280 to 1100 cfu/100 ml. The 2008 assessment finds three of 11 E.coli samples exceed the instantaneous criterion with exceeding values ranging from 280 to 1100 cfu/100 ml. 2006 IR finds one (600 cfu/100 ml) of 21 FC samples in excess of the instantaneous criterion. 2004 IR reports FC exceeds the former instantaneous criterion 400 cfu/100 ml in three of 25 samples. Exceedances are 500, 600 and 1100 cfu/100 ml.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L46R_NMR01A00 / North Mayo River / North Mayo River mainstem from the Horse Pasture Creek mouth downstream to VA/NC State Line.	4A	Escherichia coli (E. coli)	2008	L	4.38
VAW-L46R_NMR02A00 / North Mayo River / North Mayo River mainstem from the upper end of the WQS designated public water supply (PWS) section 3f (36° 34' 25" / 79° 59' 34") downstream to the Horse Pasture Creek mouth.	4A	Escherichia coli (E. coli)	2008	L	0.73
VAW-L46R_NMR03A00 / North Mayo River / North Mayo River mainstem from the first upstream (RF3) unnamed tributary downstream to the WQS designated public water supply (PWS) section 3f (36° 34' 25" / 79° 59' 34").	4A	Escherichia coli (E. coli)	2008	L	5.25

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

North Mayo River

**Recreation**

Estuary  
(Sq. Miles)
Reservoir  
(Acres)
River  
(Miles)  
 Escherichia coli (E. coli) - Total Impaired Size by Water Type: 10.36

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L46R_NMR04A00 / North Mayo River / North Mayo River mainstem from the Kroger Creek mouth downstream to the first upstream (RF3) unnamed tributary (36°35'43" / 80°01'44").	4A	Fecal Coliform	2004	L	2.76
VAW-L46R_NMR05A02 / North Mayo River / North Mayo River mainstem from the RD10/RD12 boundary downstream to the mouth of Kroger Creek (RD12).	4A	Fecal Coliform	2004	L	7.75
VAW-L46R_NMR06A14 / North Mayo River / North Mayo River mainstem from the confluence of Laurel Branch and Polebridge Creek downstream to the RD10/RD12 boundary (RD10).	4A	Fecal Coliform	2004	L	2.08

North Mayo River

**Recreation**

Estuary  
(Sq. Miles)
Reservoir  
(Acres)
River  
(Miles)  
 Fecal Coliform - Total Impaired Size by Water Type: 12.59

Sources: Livestock (Grazing or Feeding Operations); On-site Treatment Systems (Septic Systems and Similar Decentralized Systems); Unspecified Domestic Waste; Wet Weather Discharges (Non-Point Source); Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L47R-01-BAC** **Horse Pasture Creek**

Cause Location: The upper limit of the bacteria impairment is at the confluence of an unnamed tributary East of Route 696 (36°39'38" / 80°00'55") downstream to the mouth of Horse Pasture Creek on the North Mayo River (Spencer and Price Quads).

Cause City/County: Henry County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: The waters remain impaired for 7.44 miles for non-support of the Recreational Use. The Dan River Bacteria Total Maximum Daily Load (TMDL) is U.S. EPA approved 12/8/2008 [Fed ID 35754] and SWCB approved 4/28/2009. Horse Pasture Creek is nested within the overall Dan River Bacteria TMDL Watershed. Allocation scenario development is for the entire drainage to provide pollutant reductions for all watersheds contributing to the bacteria impairment. The entirety of the approved TMDL and allocations can be viewed at <http://www.deq.virginia.gov>. The 2004 original 303(d) Listing for fecal coliform (FC) bacteria continues where escherichia coli (E.coli) replaces fecal coliform as the indicator as per Water Quality Standards [9 VAC 25-260-170. Bacteria; other waters].

4AHRN004.93- (Route 695 Bridge) Nine of 22 E.coli excursions reported during the 2020 data window. No new data beyond the 2016 data window. Nine of 24 escherichia coli (E.coli) samples exceed the WQS 235 cfu/100 ml instantaneous criterion within the 2016 data window. Excursions range from 269 to 1300 cfu/100 ml. The 2014 data window reveals five of 12 E.coli observations in excess of the instantaneous criterion. Excessive values range from 400 to 1300 cfu/10 ml. There are no additional data within the 2010 or 2012 data windows. The 2008 assessment reports E.coli bacteria exceed the 235 instantaneous criterion in six of 21 samples. Exceeding values range from 280 cfu/100 ml to 1050. Three excursions each of the former FC 400 and current E.coli 235 cfu/100 ml instantaneous criteria are found from nine observations within the 2006 data window. The FC range of exceedance is from 600 to 2000 cfu/100 ml while E.coli exceeds in the range of 280 to 1050. The 2004 IR finds FC exceeds the former 400 cfu/100 ml instantaneous criterion in five of 17 samples with a range of exceedance as in 2006.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L47R_HRN01A00 / Horse Pasture Creek / Horse Pasture mainstem from the ending of the WQS designated public water supply (PWS) section 3f (36°34'59" / 79°59'40") downstream to the Horse Pasture Creek mouth on the North Mayo River.	4A	Escherichia coli (E. coli)	2006	L	0.48
VAW-L47R_HRN02A00 / Horse Pasture Creek / Horse Pasture Creek mainstem from an unnamed tributary mouth East of Route 696 (36°39'38" / 80°00'55") downstream to the upstream ending of WQS PWS section 3f (36°34'59" / 79°59'40").	4A	Escherichia coli (E. coli)	2006	L	6.97

Horse Pasture Creek

**Recreation**

Escherichia coli (E. coli) - Total Impaired Size by Water Type:	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
			7.45

Sources: Livestock (Grazing or Feeding Operations); On-site Treatment Systems (Septic Systems and Similar Decentralized Systems); Unspecified Domestic Waste; Wet Weather Discharges (Non-Point Source); Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L47R-01-BEN** **Horse Pasture Creek**

Cause Location: The upper limit of the bacteria impairment is at the confluence of an unnamed tributary East of Route 696 (36°39'38" / 80°00'55") downstream to the mouth of Horse Pasture Creek on the North Mayo River (Spencer and Price Quads).

Cause City/County: Henry County

Use(s): Aquatic Life

Causes(s)/VA Category: Benthic Macroinvertebrates Bioassessments/5A

Cause Description: The Aquatic Life Use is impaired from data collected at two sites within the 2010 data window causing this 2010 initial 303(d) Listing.

4AHRN007.65 (Off Rt. 695 north of Rt. 58) Bio 'IM' A 2003 Probabilistic site. The 2008 assessment reserved judgment on 303(d) listing of these waters for Aquatic Life Use impairment until more data could be collected to determine use support. Two 2003 VSCI surveys scoring 67.5 spring and 41.5 fall resulted in an average score of 54.5. The spring collection indicates full support while the fall indicates impairment. The impaired Use is confirmed based on additional data collection at 4AHRN004.93. The land use at this station consists of forest and pasture land. There is a beef cattle farm upstream that includes a large pond that may affect flow and the ability of the stream to transport sediment. Stream banks are eroded.

4AHRN004.93 (Route 695 Bridge) Five Virginia Stream Condition Index (VSCI) surveys (Fall 2009 and Fall 2010; Spring/Fall 2013-2014) find continued benthic impairment with an average score of 53.3. Three fall VSCI surveys (2008, 2009 & 2010) results in an average score of 49.3 indicating impairment. Data collection at this station validates biological community impairment at the upstream Probabilistic Monitoring station surveyed in 2003 (4AHRN007.93). This site is also collocated at an ambient chemical monitoring station. The stream substrate is impacted by fine sediments also with eroded stream banks.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L47R_HRN01A00 / Horse Pasture Creek / Horse Pasture mainstem from the ending of the WQS designated public water supply (PWS) section 3f (36°34'59" / 79°59'40") downstream to the Horse Pasture Creek mouth on the North Mayo River.	5A	Benthic Macroinvertebrates Bioassessments	2010	L	0.48
VAW-L47R_HRN02A00 / Horse Pasture Creek / Horse Pasture Creek mainstem from an unnamed tributary mouth East of Route 696 (36°39'38" / 80°00'55") downstream to the upstream ending of WQS PWS section 3f (36°34'59" / 79°59'40").	5A	Benthic Macroinvertebrates Bioassessments	2010	L	6.97

Horse Pasture Creek

<b>Aquatic Life</b>	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Benthic Macroinvertebrates Bioassessments - Total Impaired Size by Water Type:			7.45

Sources: Sediment Resuspension (Clean Sediment); Streambank Modifications/Destabilization; Wet Weather Discharges (Non-Point Source)

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** L48R-01-BAC Mayo River

Cause Location: Fall Creek and its tributaries downstream to the VA/NC State Line.

Cause City/County: Henry County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: The 2016 initial 303(d) Listing is a result of escherichia coli (E.coli) bacteria excursions of the WQS instantaneous criterion of 235 cfu/100 ml criterion. The Dan River Bacteria Total Maximum Daily Load (TMDL) is U.S. EPA approved on 12/08/2008 [Fed ID 35757] and SWCB approved 4/28/2009. The Dan River Bacteria TMDL incorporates the Mayo River within the TMDL Watershed. The Mayo River is nested within the Dan River Bacteria TMDL. The TMDL and allocations can be viewed at <http://www.deq.virginia.gov>.

4AMAY018.17 (Rt. 691 Bridge at Gage) No data beyond the 2016 data window where four of twelve E.coli samples exceed the instantaneous criterion. Values in excess of the criterion range from 275 to 1450 cfu/100 ml.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L48R_FCR01A16 / Mayo River (Fall Creek) / Fall Creek mainstem downstream to the VA/NC State Line (RD13).	4A	Escherichia coli (E. coli)	2016	L	4.02

Mayo River

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
<b>Recreation</b> Escherichia coli (E. coli) - Total Impaired Size by Water Type:			4.02

Sources: Livestock (Grazing or Feeding Operations); On-site Treatment Systems (Septic Systems and Similar Decentralized Systems); Unspecified Domestic Waste; Wet Weather Discharges (Non-Point Source); Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L50R-01-BAC** **Smith River and Sycamore Creek**

Cause Location: Smith River from the mouth of Rich Run on the Smith River downstream to the mouth of Shooting Creek on the Smith River spanning the Woolwine and Charity Quads. And Sycamore Creek from it's mouth on the Smith River upstream to the Pole Branch confluence.

Cause City/County: Patrick County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: The Recreational Use is impaired based on escherichia coli (E.coli) data showing excessive counts recorded at 4ASRE075.69 and 4ASYC002.02. The Dan River Bacteria TMDL Study received U.S. EPA approval on 12/08/2008 [ Fed ID 35748 / 35756]; and SWCB approval on 4/28/2009. The Recreational Use impairment is extended during the 2018 Integrated Reporting window

4ASRE075.69 (Rt. 708 Bridge) The 2022 data window reports six of 36 excursions of the statistical threshold value of 410 cfu/100ml in the same 90-day period with <10 samples. The 2020 data window reports ten of 36 excursions. Escherichia coli (E.coli) exceed the 235 cfu/100 ml criterion in eight of 36 samples within the 2014, 2016 and 2018 data windows. 2018 excursions range from 275 to 1,850 cfu/100ml. 2016 excessive values range from 300 to 1200 cfu/100 ml and 2014 excursions range from 250 to 1200 cfu/100 ml. 2012 E.coli data exceed the instantaneous criterion in six of 36 samples. Excursions also range from 250 to 1200 cfu/100 ml.

4ASRE069.46 (Downstream of Iron Bridge Rd. bridge) Nine of 36 E.coli excursions are reported during the 2020 data window. The 2018 Integrated Reporting window finds five of 24 E.coli samples exceed the 235 cfu/100 ml criterion. Excursions range from 313 - >9,000 cfu/100 ml.

4ASYC002.02 (Elamsville Road Bridge) Four of twelve E.coli samples exceed the 235 cfu/100 ml instantaneous criterion within the 2018 data window. Prior to 2018, there were no additional data beyond the 2012 IR. E.coli exceed the 235 WQS instantaneous criterion in two of 12 samples. The exceeding values are 380 and 1000 cfu/100 ml.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L50R_SRE01A00 / Smith River / Smith River mainstem from the Liberty Fabrics outfall downstream to Sycamore Creek at the RD15/16/17 watershed boundaries (RD15).	4A	Escherichia coli (E. coli)	2012	L	3.89
VAW-L50R_SRE02A00 / Smith River / Smith River mainstem from the Jacks Creek mouth downstream to Liberty Fabrics outfall.	4A	Escherichia coli (E. coli)	2012	L	0.26
VAW-L50R_SRE03A00 / Smith River / Smith River mainstem WQS Class VI end of section, as described in WQS, downstream to mouth of Jacks Creek.	4A	Escherichia coli (E. coli)	2012	L	0.59
VAW-L50R_SRE04A00 / Smith River / Smith River mainstem from the Rich Run mouth downstream to WQS Natural Trout section, as described in WQS.	4A	Escherichia coli (E. coli)	2012	L	2.87
VAW-L50R_SYC01A12 / Sycamore Creek / Sycamore Creek from it's mouth on the Smith River upstream to the Pole Branch confluence (RD16).	4A	Escherichia coli (E. coli)	2012	L	6.15
VAW-L51R_SRE07A00 / Smith River / Smith River mainstem from the mouth of Shooting Creek upstream (WQS Class V waters) to Rt. 704 (RD17).	4A	Escherichia coli (E. coli)	2018	L	6.43

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

*(continued)*

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L51R_SRE08A00 / Smith River / Smith River mainstem (WQS Class VI waters) from Rt. 704 upstream to the mouth of Widgeon Creek.	4A	Escherichia coli (E. coli)	2018	L	1.45
VAW-L51R_SRE08B14 / Smith River / Smith River mainstem from the RD15/16/17 watershed boundaries downstream to the mouth of Widgeon Creek (RD17).	4A	Escherichia coli (E. coli)	2012	L	1.91

Smith River and Sycamore Creek

**Recreation**

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:			23.55

Sources: Livestock (Grazing or Feeding Operations); On-site Treatment Systems (Septic Systems and Similar Decentralized Systems); Unspecified Domestic Waste; Wet Weather Discharges (Non-Point Source); Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

**Roanoke and Yadkin River Basins**

**Cause Group Code: L50R-01-TEMP Smith River**

Cause Location: The temperature impaired waters begin at the mouth of Rich Run on the Smith River and extend downstream to the mouth of Shooting Creek on the Smith River spanning the Woolwine and Charity Quads.

Cause City/County: Patrick County

Use(s): Aquatic Life

Causes(s)/VA Category: Temperature/5C

Cause Description: Exceedance of the WQS Class VI 20°C temperature criterion for this natural trout water caused the original 2002 303(d) Listing of these waters. The 9.48 mile Aquatic Life Use impairment remains and is extended during the 2018 data window by 1.45 miles.

4ASRE075.69- (Rt. 708 Bridge) One additional excursion is reported during the 2020 data window at 23°C (7/18/18) (7/36 exceed within the 2020 IR). The 2018 data window finds nine of 36 temperature measurements exceed the 20°C Class VI natural trout water criterion with exceedances ranging from 20.8°C to 23.6°C. 2014 and 2016 temperature data records nine of 36 measurements in excess of the 20°C natural trout water criterion. Both the 2014 and 2016 range of exceedance is from 20.3 to 25.2°C all occurring in the summer months. Temperature exceeds the natural trout criterion in ten of 35 measurements within the 2012 data window. The range of exceedance is from 20.5 to 25.2°C all occurring in the summer months. 2010 data find nine of 37 temperature measurements exceeding the 20°C criterion in the summer months. Excursions range from 20.4° to 22.7°C. Temperature exceeds the 20°C natural trout criterion in 12 of 41 measurements with the 2008 assessment. The range of exceedance is from 20.4 to 24.3°C all occurring in the summer months. 2006 records nine of 33 measurements exceeding the criterion and ranging from 21 to 24°C. Excursions are found primarily during the 1999-2002 drought. The temperature impairment, originally listed in 2002, is based on 4ASRE075.69 data where three of 20 measurements exceed the criterion.

4ASRE069.46 (Downstream of Iron Bridge Rd. bridge) - From 24 temperature measurements during the 2018 data window, four exceed the Class VI 20°C criterion. Exceedances range from 21.6°C to 22.0°C and occur during July, August, and September. These data were incorrectly assigned to 4ASRE063.69 during the 2016 IR.

Supplemental information: (Outside 2008 Assessment data window 2000 - 2004): Two of eight exceedances of the 20°C criterion are recorded by the US Geological Survey (USGS) station 02071510. The excursions are from July 18 (23°C) and August 15 (24°C) 1995. The USGS station is located 1.19 miles upstream of any known potential anthropogenic source of heat at the Rt. 615 crossing.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L50R_SRE01A00 / Smith River / Smith River mainstem from the Liberty Fabrics outfall downstream to Sycamore Creek at the RD15/16/17 watershed boundaries (RD15).	5C	Temperature	2002	L	3.89
VAW-L50R_SRE02A00 / Smith River / Smith River mainstem from the Jacks Creek mouth downstream to Liberty Fabrics outfall.	5C	Temperature	2002	L	0.26
VAW-L50R_SRE03A00 / Smith River / Smith River mainstem WQS Class VI end of section, as described in WQS, downstream to mouth of Jacks Creek.	5C	Temperature	2002	L	0.59
VAW-L50R_SRE04A00 / Smith River / Smith River mainstem from the Rich Run mouth downstream to WQS Natural Trout section, as described in WQS.	5C	Temperature	2002	L	2.87
VAW-L51R_SRE08A00 / Smith River / Smith River mainstem (WQS Class VI waters) from Rt. 704 upstream to the mouth of Widgeon Creek.	5C	Temperature	2018	L	1.45

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

*(continued)*

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L51R_SRE08B14 / Smith River / Smith River mainstem from the RD15/16/17 watershed boundaries downstream to the mouth of Widgeon Creek (RD17).	5C	Temperature	2002	L	1.91

Smith River

**Aquatic Life**

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Temperature - Total Impaired Size by Water Type:			10.97

Sources: Natural Sources; Source Unknown

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code: L51L-01-DO Philpott Reservoir**

Cause Location: Philpott Reservoir

Cause City/County: Franklin County; Henry County; Patrick County

Use(s): Aquatic Life

Causes(s)/VA Category: Dissolved Oxygen/5A

Cause Description: The Aquatic Life Use is impaired from data collected at five sites within the 2022 data window supporting the 2020 initial 303(d) Listing.

4ASRE046.90 (Above the Dam) 2022: DO- 41 of 202 measurements exceed the Class V 5mg/l DO criterion. 2020: DO- 18 of 104 measurements exceed the Class V 5mg/l DO criterion. Excursions range from 1.94 - 3.69 mg/l. 4ASRE048.98 ((#2A,#2B,#2C GOOSE POINT - TOP, MIDDLE, B) 2022: DO- 51 of 207 measurements exceed the Class V 5 mg/l DO criterion. 2020: DO- 11 of 92 measurements exceed the Class V 5 mg/l DO criterion. Excursions range from .41 - 1.58 mg/l. 4ASRE051.06 ( Horsehoe point ) 2022: DO- 31 of 109 measurements exceed the Class V 5.0 mg/l DO criterion. 4ASRE052.31 (#3A,#3B,#3C HORSEHOE POINT - TOP, MIDDLE) 2022: DO- 42 of 128 DO measurements exceed the Class V 5.0 mg/l DO criterion. 2020: DO- 42 of 117 measurements exceed the Class V 5.0 mg/l DO criterion. 4ASRE056.06 (#4A,#4B,#4C UNION BRIDGE - TOP, MIDDLE) 2022: DO- 22 of 185 measurements exceed the Class V 5.0 mg/l DO criterion. 2020: DO -19 of 96 measurements exceed the Class V 5.0 mg/l DO criterion.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L51L_GOB01A02 / Philpott Reservoir (Goblin Town Creek) / Philpott Reservoir - Goblin Town Creek arm from its confluence with the Smith River upstream to the Fairystone Dam.	5A	Dissolved Oxygen	2020	L	532.39
VAW-L51L_SRE01A02 / Philpott Reservoir (Smith River) / Philpott Reservoir from its impounding structure upstream to just above the confluence of Goblin Town Creek.	5A	Dissolved Oxygen	2002	L	1221.36
VAW-L51L_SRE02A02 / Philpott Reservoir (Smith River) / Philpott Reservoir from just downstream of the Goblin Town Creek confluence upstream to just above the Beards Creek mouth.	5A	Dissolved Oxygen	2020	L	671.09
VAW-L51L_SRE03A02 / Philpott Reservoir (Smith River) / Philpott Reservoir from just downstream of the Beards Creek confluence upstream to its backwaters.	5A	Dissolved Oxygen	2020	L	388.71

Philpott Reservoir

**Aquatic Life**

Dissolved Oxygen - Total Impaired Size by Water Type:

Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
	2813.55	

Sources: Source Unknown

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

**Roanoke and Yadkin River Basins**

**Cause Group Code: L51L-01-HG Philpott Reservoir**

Cause Location: Philpott Reservoir

Cause City/County: Franklin County; Henry County; Patrick County

Use(s): Fish Consumption

Causes(s)/VA Category: Mercury in Fish Tissue/5A

Cause Description: This initial 2010 303(d) Listing is based on 2007 fish tissue collections and new Water Quality Standards effective 2/01/2010. Mercury (Hg) exceedances of the DEQ 0.3 parts per million (ppm) tissue value cause impairment of the Fish Consumption Use. No VDH Fish Consumption or Drinking Water Advisories are issued for mercury for these waters. The Virginia Department of Health (VDH) level of concern is 0.5 ppm. Please visit <http://www.deq.virginia.gov> for more information about mercury contamination and <http://www.vdh.virginia.gov/Epidemiology/dee/PublicHealthToxicology/Advisories/> for VDH Advisories or Bans.

4ASRE046.90 (Above Philpott Dam)- 2020 Mercury (Hg) Collections: two species exceed the Mercury (Hg) WQS based tissue value (TV) of 0.3 ppm; Largemouth bass (4 fish) at .47 ppm (4 fish) at .36 ppm, and Carp (2 fish) at .34 ppm. 2007 fish tissue analysis finds exceedances of the WQS based tissue value (TV) for mercury (Hg) of 0.3 ppm in three individual largemouth bass (size 41.8 cm) at 0.59 ppm, (size 40.9 cm) at 0.563 ppm and (size 33.2 cm) at 0.374 ppm.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L51L_GOB01A02 / Philpott Reservoir (Goblin Town Creek) / Philpott Reservoir - Goblin Town Creek arm from its confluence with the Smith River upstream to the Fairystone Dam.	5A	Mercury in Fish Tissue	2010	L	532.39
VAW-L51L_SRE01A02 / Philpott Reservoir (Smith River) / Philpott Reservoir from its impounding structure upstream to just above the confluence of Goblin Town Creek.	5A	Mercury in Fish Tissue	2010	L	1221.36
VAW-L51L_SRE02A02 / Philpott Reservoir (Smith River) / Philpott Reservoir from just downstream of the Goblin Town Creek confluence upstream to just above the Beards Creek mouth.	5A	Mercury in Fish Tissue	2010	L	671.09
VAW-L51L_SRE03A02 / Philpott Reservoir (Smith River) / Philpott Reservoir from just downstream of the Beards Creek confluence upstream to its backwaters.	5A	Mercury in Fish Tissue	2010	L	388.71

Philpott Reservoir

**Fish Consumption**

Mercury in Fish Tissue - Total Impaired Size by Water Type:

Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
	2813.55	

Sources: Source Unknown

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code: L51L-01-TEMP Philpott Reservoir**

Cause Location: Philpott Reservoir

Cause City/County: Franklin County; Henry County; Patrick County

Use(s): Aquatic Life

Causes(s)/VA Category: Temperature/5A

Cause Description: The Aquatic Life Use is impaired from data collected at five sites within the 2022 data window supporting the 2020 303(d) Listing.

4ASRE046.90 (Above the Dam) 2022: Temp- 187 of 700 observations exceed the Class V Stockable Trout Waters criterion. 2020: Temp- 104 of 396 observations exceed the Class V Stockable Trout Waters criterion. Excursions range from 21.04°C to 30.04°C. 4ASRE048.98 ((#2A,#2B,#2C GOOSE POINT - TOP, MIDDLE, B) 2022: Temp-189 of 650 observations exceed the Class V Stockable Trout Waters criterion. 2020: Temp- 95 of 355 observations exceed the Class V Stockable Trout Waters criterion. Excursions range from 21.32°C to 30.11°C. 4ASRE051.06 (Horsehoe point) 2022: Temp- 81 of 248 42 temperature observations exceed the Class V Stockable Trout Waters criterion. 4ASRE052.31 (#3A,#3B,#3C HORSEHOE POINT - TOP,MIDDLE) 2022: Temp- 103 of 461 observations exceed the Class V Stockable Trout Waters criterion. 2020: Temp- 98 of 403 observations exceed the Class V Stockable Trout Waters criterion. Excursions range from 21.08°C to 30.41°C. 4ASRE056.06 (#4A,#4B,#4C UNION BRIDGE - TOP, MIDDLE) 2022: Temp-182 of 398 observations exceed the Class V Stockable Trout Waters criterion. 2020: Temp-19 of 96 observations exceed the Class V Stockable Trout Waters criterion. Excursions range from 21.15°C to 30.35°C.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L51L_GOB01A02 / Philpott Reservoir (Goblin Town Creek) / Philpott Reservoir - Goblin Town Creek arm from its confluence with the Smith River upstream to the Fairystone Dam.	5A	Temperature	2020	L	532.39
VAW-L51L_SRE01A02 / Philpott Reservoir (Smith River) / Philpott Reservoir from its impounding structure upstream to just above the confluence of Goblin Town Creek.	5A	Temperature	2020	L	1221.36
VAW-L51L_SRE02A02 / Philpott Reservoir (Smith River) / Philpott Reservoir from just downstream of the Goblin Town Creek confluence upstream to just above the Beards Creek mouth.	5A	Temperature	2020	L	671.09
VAW-L51L_SRE03A02 / Philpott Reservoir (Smith River) / Philpott Reservoir from just downstream of the Beards Creek confluence upstream to its backwaters.	5A	Temperature	2020	L	388.71

Philpott Reservoir

**Aquatic Life**

Temperature - Total Impaired Size by Water Type:

Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
	2813.55	

Sources: Source Unknown

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** L51R-01-BAC **Goblintown Creek**

Cause Location: Goblintown Creek from the backwaters of Fairystone Lake upstream to the headwaters of Goblintown Creek.

Cause City/County: Patrick County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: Escherichia coli (E.coli) exceedances cause this initial 2014 303(d) Listing for the Recreational Use impairment. The Dan River Bacteria TMDL Study is U.S. EPA approved on 12/08/2008. Fed ID 35748 / 35756. SWCB approved 4/28/2009. Goblintown Creek is nested within the overall Bacteria TMDL Watershed.

4AGOB005.18 (Rt. 623 Bridge near Fairystone State Park) The 2020 data window reports two of 12 E.coli excursions. Two escherichia coli (E.coli) of 12 samples exceed the 235 cfu/100 ml instantaneous criterion at 375 and 950 cfu/100 ml. There are no additional data beyond the 2014 Integrated Report (IR).

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L51R_GOB01A08 / Goblintown Creek / Goblintown Creek from the backwaters of Fairystone Lake upstream to the confluence of Little Goblintown Creek (RD20).	4A	Escherichia coli (E. coli)	2014	L	1.2
VAW-L51R_GOB02A08 / Goblintown Creek / Goblintown Creek from the mouth of Little Goblintown Creek upstream to its headwaters (RD20).	4A	Escherichia coli (E. coli)	2014	L	5.6

Goblintown Creek

**Recreation**

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:			6.8

Sources: Livestock (Grazing or Feeding Operations); On-site Treatment Systems (Septic Systems and Similar Decentralized Systems); Unspecified Domestic Waste; Wet Weather Discharges (Non-Point Source); Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code: L51R-01-TEMP Rennet Bag Creek**

Cause Location: Rennet Bag Creek from its headwaters downstream to its inundation at Philpott Reservoir. The impairment spans the Endicott, Charity and Philpott Reservoir Quads.

Cause City/County: Floyd County; Franklin County

Use(s): Aquatic Life

Causes(s)/VA Category: Temperature/5C

Cause Description: Station 4ARBC005.44 is utilized to assess both the natural trout and stockable trout waters for this stream. Station 4ARBC005.44 is located on Rt. 43 west of Endicott near the downstream end of the WQS 9.41 mile natural trout water section. And is just upstream of the Class V stockable trout waters that are 2.13 miles in length. Both WQS Classes are assessed by this station. The 2002 temperature impairment remains from the initial 303(d) Listing.

4ARBC005.44- (Rt. 43 west of Endicott) No additional data beyond the 2016 assessment where three of 12 temperature measurements exceed the Class VI Natural Trout criterion of 20°C. Excessive values occur in July, August, and September with a range of 20.2°C to 21.9°C. Only one excursion of the Class V Stockable Trout waters occurs. There are no additional data beyond the 2008 Integrated Report (IR). The natural trout water (Class VI) criterion of 20°C is exceeded in three of eight measurements taken within the 2010 and 2008 data windows. These excursions are 20.6 (8/25/05), 21.9 (6/22/06) and 21.6°C (8/29/06). Based on these results two of eight temperature measurements exceed the downstream stockable trout water (Class V) criterion of 21°C in both the 2010 and 2008. In the 2002 and 2004 assessments two temperature exceedances from six measurements are found. Temperature excursions of the WQS Class V (stockable trout) 21°C and Class VI (natural trout) 20°C criteria occurred in the summer months of August 1999 at 26.4 °C and June 2000 at 23.3 °C. Both excursions occur during the 1999-2002 drought years.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L51R_RBC01A00 / Rennet Bag Creek / Rennet Bag Creek mainstem from its inundation at Philpott Reservoir upstream to the confluence of Long Branch Class V (RD18).	5C	Temperature	2002	L	2.13
VAW-L51R_RBC02A02 / Rennet Bag Creek / Rennet Bag Creek mainstem from the confluence of Long Branch upstream to its headwaters Class VI.	5C	Temperature	2002	L	9.42

Rennet Bag Creek

**Aquatic Life**

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Temperature - Total Impaired Size by Water Type:			11.55

Sources: Source Unknown

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L51R-02-BAC** Shooting Creek

Cause Location: Shooting Creek from its mouth on the Smith River upstream to its headwaters.

Cause City/County: Floyd County; Franklin County; Patrick County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: Escherichia coli (E.coli) exceedances cause this initial 2014 303(d) Listing for the Recreational Use impairment. The Dan River Bacteria TMDL Study is U.S. EPA approved on 12/08/2008. Fed ID 35748 / 35756. SWCB approved 4/28/2009. Shooting Creek is nested within the overall Bacteria TMDL Watershed.

4ASOT000.99- (Rt. 622 Bridge, Deer Run Rd.) The 2016 and 2018 data windows find three of 24 escherichia coli (E.coli) samples in excess of the WQS instantaneous criterion of 235 cfu/100 ml. Excessive values range from 375 to 950 cfu/100 ml. E.coli exceeds the instantaneous criterion in three of 12 observations within the 2014 data window. Values in excess of the criterion are the same as in 2016.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L51R_SOT01A08 / Shooting Creek / Shooting Creek from its mouth on the Smith River upstream to its headwaters (RD17).	4A	Escherichia coli (E. coli)	2014	L	7.33

Shooting Creek

**Recreation**

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:			7.33

Sources: Livestock (Grazing or Feeding Operations); On-site Treatment Systems (Septic Systems and Similar Decentralized Systems); Unspecified Domestic Waste; Wet Weather Discharges (Non-Point Source); Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L51R-02-TEMP** **Shooting Creek**

Cause Location: Shooting Creek from its mouth on the Smith River upstream to its headwaters.

Cause City/County: Floyd County; Franklin County; Patrick County

Use(s): Aquatic Life

Causes(s)/VA Category: Temperature/5C

Cause Description: 4ASOT000.99- (Rt. 622 Bridge) Five of 24 temperature measurements exceed the Class VI 20°C within the 2018 and 2016 data windows. Values in excess range from 20.4°C to 22.2°C. Each excursion occurs within the summer months. 2014 temperature excursions are found in three of 12 measurements. The three excursions are 21.8°C (6/29/2011), 21.5°C (8/25/2011) and 22.2°C (7/31/2012). There are no additional data within the 2012 data window. Three of eight temperature measurements exceed the 20°C Class VI natural trout water criterion within both 2008 and 2010 data windows. Temperature excursions are 20.6 (8/25/05 & 6/22/06) and 21.2°C (8/29/06). These waters were assessed based on a stream Class IV designation in the 2008 IR resulting in full support. The stream Class is VI, natural trout waters, and should have been initially 303(d) Listed in 2008.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L51R_SOT01A08 / Shooting Creek / Shooting Creek from its mouth on the Smith River upstream to its headwaters (RD17).	5C	Temperature	2008	L	7.33

Shooting Creek

**Aquatic Life**

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Temperature - Total Impaired Size by Water Type:			7.33

Sources: Source Unknown

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L51R-03-BAC** Nicholas Creek

Cause Location: Nicholas Creek from the inundated waters of Philpott Reservoir upstream to a point south of Franklin St. at 36°54'13" / 80°03'48".

Cause City/County: Franklin County; Henry County; Patrick County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: This initial 2016 303(d) Listing is the result of excursions of the escherichia coli WQS instantaneous criterion of 235 cfu/100 ml. The Recreational Use is impaired. The Dan River Bacteria TMDL Study is U.S. EPA approved on 12/08/2008. Fed ID 35748 / 35756. SWCB approved 4/28/2009. Nicholas Creek is nested within the overall Bacteria TMDL Watershed.

4ANCH001.23 (Rt. 780 (Jamison Rd.) Entrance to Jamison Mill Park- Four of 12 E.coli samples exceed the instantaneous criterion within the 2016 data window. Excursions range from 250 to 528 cfu/100 ml. No additional data was collected since the 2016 Integrated Report data window.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L51R_NCH01A12 / Nicholas Creek / Nicholas Creek from the inundated waters of Philpott Reservoir upstream to a point south of Franklin St. at 36°54'13" / 80°03'48" (RD19).	4A	Escherichia coli (E. coli)	2016	L	5.41

Nicholas Creek

**Recreation**

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:			5.41

Sources: Livestock (Grazing or Feeding Operations); Loss of Riparian Habitat; On-site Treatment Systems (Septic Systems and Similar Decentralized Systems); Unspecified Domestic Waste; Wastes from Pets; Wet Weather Discharges (Non-Point Source); Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code: L51R-03-TEMP Smith River**

Cause Location: Smith River mainstem from the mouth of Shooting Creek upstream (WQS Class V waters) to Rt. 704 (RD17).

Cause City/County: Patrick County

Use(s): Aquatic Life

Causes(s)/VA Category: Temperature/5C

Cause Description: The 2016 Integrated Report (IR) produced the initial 303(d) Listing for temperature excursions of the Class V Stockable Trout water criterion resulting in impairment of the Aquatic Life Use. Part of the 2016 IR listing was made in error as the data discussed below were actually collected at 4ASRE069.46. Of the 2016 IR 8.99 mile listed segment, 2.55 miles are delisted and 6.43 miles remain listed in the 2018 IR.

4ASRE069.46 (Downstream of Iron Bridge Rd. bridge) - Two additional excursions are reported during the 2020 data window at 23°C and 22°C (7/18/18 and 8/2/18, respectively). The 2018 IR finds four of 24 excursions of the Class V 21°C criterion. Exceedances are: 21.6°C (7/7/14), 22.0°C (9/3/14), 21.6°C (8/18/16), and 21.7°C (9/19/16). The 7/7/14 and 9/3/14 excursions were incorrectly assigned to 4ASRE063.69 during the 2016 IR and resulted in the original temperature impairment.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L51R_SRE07A00 / Smith River / Smith River mainstem from the mouth of Shooting Creek upstream (WQS Class V waters) to Rt. 704 (RD17).	5C	Temperature	2016	L	6.43

Smith River

**Aquatic Life**

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Temperature - Total Impaired Size by Water Type:			6.43

Sources: Natural Sources; Source Unknown

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code: L51R-04-BAC Rennet Bag Creek**

Cause Location: Rennet Bag Creek from its headwaters downstream to its inundation at Philpott Reservoir. The impairment spans the Endicott, Charity and Philpott Reservoir Quads.

Cause City/County: Floyd County; Franklin County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: The 2016 Integrated Report (IR) is the initial listing of E.Coli for Rennet Bag Creek. The Dan River Bacteria TMDL Study is U.S. EPA approved on 12/08/2008. Fed ID 35748 / 35756. SWCB approved 4/28/2009. Rennet Bag Creek is nested within the overall Bacteria TMDL Watershed.

4ARBC005.44 - (Rt. 43 west of Endicott) No additional data beyond the 2016 data window. The 2016 assessment finds three Escherichia Coli (E.Coli) bacteria exceedances of the 235 cfu/100 mL instantaneous criterion. Exceedances range from 575 to greater than 2000 cfu/100 mL.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L51R_RBC01A00 / Rennet Bag Creek / Rennet Bag Creek mainstem from its inundation at Philpott Reservoir upstream to the confluence of Long Branch Class V (RD18).	4A	Escherichia coli (E. coli)	2016	L	2.13
VAW-L51R_RBC02A02 / Rennet Bag Creek / Rennet Bag Creek mainstem from the confluence of Long Branch upstream to its headwaters Class VI.	4A	Escherichia coli (E. coli)	2016	L	9.42

Rennet Bag Creek

<b>Recreation</b>	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:			11.55

Sources: Livestock (Grazing or Feeding Operations); Loss of Riparian Habitat; On-site Treatment Systems (Septic Systems and Similar Decentralized Systems); Unspecified Domestic Waste; Wastes from Pets; Wet Weather Discharges (Non-Point Source); Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L52R-01-BAC** **Smith River**

Cause Location: The bacteria impairment begins at the Smith River mainstem from just above Bassett and extends downstream to the backwaters of the Martinsville power pool (Martinsville West Quad).

Cause City/County: Henry County; Martinsville

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: The original 2002 Assessment basis for 303(d) Listing the waters is exceedance of the former fecal coliform (FC) bacteria instantaneous criterion of 1000 cfu/100 ml and the former geometric mean (WQS frequency of 2 samples/calendar month of 200 cfu/100 ml causing the waters to not support the Recreational Use. Special monitoring on Blackberry Creek (L52R) and the Smith River (L53R) reported and 303(d) Listed these exceedances in 2002. The 2020 IR extends impaired waters upstream an additional 2.53 miles.

The Dan River Bacteria Total Maximum Daily Load (TMDL) is U.S. EPA approved 12/8/2008 [Fed ID 35748 / 35756] and SWCB approved 4/28/2009. The Smith River is encompassed by the overall Dan River Bacteria TMDL Watershed and allocations. Portions of the Smith River are nested within the TMDL Watershed. The TMDL and allocations can be viewed at <http://www.deq.virginia.gov>.

A portion of the bacteria impaired waters were delisted in 2004 for the area between the Blackberry Creek mouth on the Smith River (L52R Bassett Quad) extending downstream to the Reed Creek confluence on the Smith River L53R- Martinsville West Quad), 3.31 miles. The delisting of these waters was based on an exceedance rate of less than 10.5%. This portion returned to 303(d) Listing status with the 2006 Integrated Report (IR) based on stations 2000W0034A and 4ASRE036.55. The total bacteria impairment size is 10.30 miles.

4ASRE039.43- The 2020 data window finds three of 12 E.coli samples in exceedance of the 235 cfu/100 ml instantaneous criterion.

4ASRE036.55- There are no additional data beyond the 2008 assessment where escherichia coli (E.coli) are found to exceed the 235 cfu/100 ml instantaneous criterion in three of 21 samples. Exceeding values range from 250 to 720 cfu/100 ml. 2006 exceedances are 250 and 350 cfu/100 ml from two of nine samples.

4ASRE033.19- Nineteen of 41 E.coli samples exceed during the 2020 data window. During the 2018 data window, eighteen of 41 E.Coli samples exceed the 235 cfu/100 ml instantaneous criterion; exceedances range from 262 to greater than 2,000 cfu/100 ml. 2014 E.coli samples exceed the 235 cfu/100 ml criterion in eight of 36 samples. Exceeding values range from 250 to greater than 2000 cfu/100 ml. Ten of 46 E.coli samples exceed the WQS instantaneous criterion within the 2012 data window. The range of exceedance is from 250 cfu/100 ml to greater than 2000. The 2010 assessment finds E.coli exceed the instantaneous criterion in nine of 43 observations with the same range of exceedance as 2012. E.coli exceed the instantaneous criterion in four of 31 samples in 2008. Exceeding values range from 280 to 1000 cfu/100 ml.

Special Study Stations:

2008 E. coli exceedances / total observations; range 2008 / 2006 & 2004 exceedances / total observations; range 2004.

2000W0034B- (downstream of Blackberry Creek confluence)- SS data ends 6/06/02- 1 of 10 at 270 / 2006 & 2004- 2 of 20; 270 to >800.

2000W0034A- (located downstream in VAW-L53R)- SS data ends 6/06/02- 1 of 11 exceeds at >800 / 2006 & 2004- 2 of 21; at >800.

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L52R_SRE01A00 / Smith River / The Smith River mainstem from the Blackberry Creek mouth downstream to Rock Run mouth (Watershed Boundary RD22).	4A	Escherichia coli (E. coli)	2006	L	0.97
VAW-L52R_SRE02A00 / Smith River / The Smith River mainstem from just above Bassett downstream to Blackberry Creek mouth (RD22).	4A	Escherichia coli (E. coli)	2020	L	2.54
VAW-L53R_SRE01B06 / Smith River / Smith River mainstem from the former E. I. duPont outfall upstream to the E. I. duPont water intake on the Smith River (RD24).	4A	Escherichia coli (E. coli)	2008	L	0.49
VAW-L53R_SRE02A00 / Smith River / Smith River mainstem from the E. I. duPont intake upstream to the former Henry County PSA Upper Smith River STP outfall (RD24).	4A	Escherichia coli (E. coli)	2008	L	4.26
VAW-L53R_SRE03A00 / Smith River / Smith River mainstem from the former Henry County PSA Upper Smith River STP upstream to the mouth of Reed Creek (RD24).	4A	Escherichia coli (E. coli)	2008	L	2.26
VAW-L53R_SRE04A00 / Smith River / Smith River mainstem from the mouth of Reed Creek upstream to an unnamed tributary. The unnamed tributary is approximately 0.70 miles downstream of the Alt. 57 Bridge (RD22).	4A	Escherichia coli (E. coli)	2006	L	0.82
VAW-L53R_SRE05A00 / Smith River / Smith River mainstem from an unnamed tributary located approximately 0.70 miles downstream of the Alt. 57 Bridge, upstream to the watershed boundary at the mouth of Rock Run (RD22).	4A	Escherichia coli (E. coli)	2006	L	1.54

Smith River

**Recreation**

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:			12.88

Sources: Livestock (Grazing or Feeding Operations); Municipal (Urbanized High Density Area); Unspecified Domestic Waste; Wastes from Pets; Wet Weather Discharges (Non-Point Source); Wet Weather Discharges (Point Source and Combination of Stormwater, SSO or CSO); Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code: L52R-02-BAC Blackberry Creek and Blackberry, UTs**

Cause Location: The impairment begins at the headwaters of Blackberry Creek (~RM 13.63) and extends downstream to Blackberry Creek's mouth on the Smith River. The impaired waters include an unnamed tributary from the north (XMI). The mouth of the unnamed tributary is at 36° 44' 38" / 80° 03' 07". The bacteria impairment spans the Charity, Sanville, Martinsville West and Bassett Quads.

Cause City/County: Henry County; Patrick County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: The Dan River Bacteria Total Maximum Daily Load (TMDL) is U.S. EPA approved 12/8/2008 [Fed ID 35757] and SWCB approved 4/28/2009. The Dan River Bacteria TMDL incorporates Blackberry Creek as it lies within the TMDL Watershed. An unnamed tributary (XMI) is nested within the Dan River Bacteria TMDL Watershed. Allocation scenario development is for the entire drainage to provide pollutant reductions for all watersheds contributing to the bacteria impairment.

Exceedance of the former fecal coliform (FC) instantaneous criterion of 1000 cfu/100 ml and the geomean of 200 cfu/100 ml caused the waters to not support recreational use in 2002. Ambient station 4ABRY000.05, a 1999 Federal Consent Decree Attachment B station is 2002 303(d) Listed with a 2010 TMDL schedule date. The 2002 FC exceedance rate of 15% from 3/20 samples at 4ABRY000.05 resulted in the original 303(d) Listing. Exceedance of the Escherichia coli 235 cfu/100 ml instantaneous criterion and the former (2 samples/month) geomean in 2004 continue to show nonsupport with the 2010 Integrated Report (IR). Recreation Use is impaired for 15.49 mi in the Blackberry Creek drainage. An unnamed tributary comprises 1.15 mi of the overall impairment.

Special monitoring of Blackberry Creek began in fall 1999 after complaints from local residents regarding sewer service in the Blackberry Creek drainage. Below are sites having data within the 2008 data window, 2000 Special Study sites and instantaneous results from the 2004 IR.

4ABRY011.44 formerly 2000W0034L- (at Microfilm Rd) There are no additional data beyond the 2008 IR where E.coli exceeds the 235 cfu/100 ml instantaneous criterion in 10/22 samples ranging from 250-20,000 cfu/100 ml. The former geomean (2 sampms/mo) 126 cfu/100 ml criterion exceeds in 3/6 calcs. 2010: 6/12.

4ABRY010.27 formerly 2000W0034J- (Rt. 687 Br) 2008: 5/17 E.coli samples exceeds 350-1100 cfu/100 ml. 2010 and 2012: 4/12.

4ABRY000.05 formerly 2000W0034E- (American Legion Br) There are no additional data beyond the 2008 IR where 11/31 E.coli exceeds from 260-1200 cfu/100 ml and 3/7 geomean calcs exceed the former (2 sampms/mo) 126 cfu/100 ml criterion.

Special Study Stations (no additional data beyond 2008 IR):

2008 E. coli exceeds / total obs; range 2008 / 2004 exceeds / total obs; range 2004.

2000W0034C (Rt. 57A) SS data ends 6/6/02 - 2 of 11 / range 500 to >800 / 2004 - 5 of 21 range 340 to >800.

2000W0034E (American Legion Br) SS data ends 6/6/02 - 2004 - 7 of 20 / range 250 to >800.

4ABRY000.05- 2004 FC exceeds the 400 cfu/100 ml inst. criterion in 4/20 sampms from 500 cfu/100 ml to >8000.

2000W0034F (upstream of Rt. 698 Br) SS data ends 6/6/02 - 5 of 11; range 280 to >800 / 2004 - 10 of 21 range 280 to >800.

2000W0034G (Rt. 676 Br) SS data ends 6/6/02 - 1 of 10 / 620 / 2004 - 2 of 20; range 330-620.

2000W0034H (Rt. 677) SS data ends 6/6/02 - 2 of 10; 280 and >800 / 2004 - 3 of 20; 280 and >800.

2000W0034I (Rt. 882 Br) SS data ends 6/6/02 - 4 of 11; range 400 to >800 / 2004 - 7 of 21; range 330 to >800.

2000W0034J (Rt. 687 Br) SS data ends 6/6/02 - 2004 - 5 of 15; range 290 to >800.

2000W0034L (at Microfilm Rd) SS data ends 6/6/02 - 2004 - 8 of 19 / range 250 to >800.

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

2000W0034R (along Rt. 799) SS data ends 6/6/02 - 4 of 10; range 400 to >800 / 2004 - 8 of 20; range 380 to >800.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L52R_BRY01A00 / Blackberry Creek / Blackberry Creek mainstem from the upper end of the WQS designated public water supply (PWS) section near the American Legion Bridge downstream to the Blackberry Creek mouth on the Smith River.	4A	Escherichia coli (E. coli)	2004	L	0.54
VAW-L52R_BRY02A00 / Blackberry Creek / The Blackberry Creek mainstem from the confluence of Whitt Branch downstream to the end of the WQS public water supply designation near the American Legion Bridge.	4A	Escherichia coli (E. coli)	2004	L	3.73
VAW-L52R_BRY03A00 / Blackberry Creek / Blackberry Creek mainstem from the Sanville Utilities Fairway Acres outfall downstream to Whitt Branch.	4A	Escherichia coli (E. coli)	2004	L	5.54
VAW-L52R_BRY04A02 / Blackberry Creek / Blackberry Creek mainstem from its headwaters downstream to the Sanville Utilities Fairway Acres outfall.	4A	Escherichia coli (E. coli)	2004	L	4.56
VAW-L52R_XMI01A02 / Blackberry Creek, UT (XMI) / An unnamed tributary to Blackberry Creek from its mouth upstream to its headwaters. The mouth of the tributary is located at 36° 44' 38" / 80° 03' 07".	4A	Escherichia coli (E. coli)	2004	L	1.15

Blackberry Creek and Blackberry, UTs

<b>Recreation</b>	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:			15.52

Sources: Municipal (Urbanized High Density Area); Municipal Point Source Discharges; Unspecified Domestic Waste; Wastes from Pets; Wet Weather Discharges (Non-Point Source); Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L52R-03-BAC** **Town Creek**

Cause Location: Town Creek from it's confluence on the Smith River upstream to the mouth of Grassy Fork.

Cause City/County: Franklin County; Henry County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: The Town Creek Recreational Use impairment is a result of the 2012 assessment. Town Creek is nested within the overall Dan River Bacteria TMDL Watershed U.S. EPA approved on 12/8/2008, Fed ID: 35756 and SWCB approved on 4/28/2009.

4ATWN000.22- (Philpott Drive - Rt. 674 Bridge) Escherichia coli (E.coli) exceed the 235 cfu/100 ml water quality criterion in four of 12 samples collected during the 2018 data window. Excursions range from 275 to 15,531 cfu/100 ml. E.coli samples exceed the WQS 235 cfu/100 ml instantaneous criterion in four of 12 samples within the 2012 data window. Values in excess of the criterion range from 280 cfu/100 ml to 1300. There are no additional data within the 2014 or 2016 data windows.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L52R_TWN01A12 / Town Creek / Town Creek from it's confluence on the Smith River upstream to the mouth of Grassy Fork.	4A	Escherichia coli (E. coli)	2012	L	1.88

Town Creek

**Recreation**

Escherichia coli (E. coli) - Total Impaired Size by Water Type:

Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
		1.88

Sources: Livestock (Grazing or Feeding Operations); On-site Treatment Systems (Septic Systems and Similar Decentralized Systems); Unspecified Domestic Waste; Wet Weather Discharges (Non-Point Source); Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L52R-04-BEN** **Smith River**

Cause Location: Smith River mainstem just above Bassett downstream to the mouth of Reed Creek (RD22).

Cause City/County: Henry County

Use(s): Aquatic Life

Causes(s)/VA Category: Benthic Macroinvertebrates Bioassessments/5A

Cause Description: The 2020 data window finds a new Aquatic Life Use 303(d) listing on the Smith River based on benthic macroinvertebrate community data evaluated by the Virginia Stream Condition Index (VSCI). Note that a downstream section of the Smith River is associated with the Smith River Benthic Phased TMDL (Phase I) U.S. EPA approved 1/13/2011 [Fed ID: 39707].

4ASRE038.57 (Off Rt. 57 in Bassett) Bio 'IM' from two 2017 VSCI Scores 43.3 (S) and 52.2 (F). This station was sampled as one of the randomly chosen Probabilistic monitoring stations in 2017. Benthic community samples had low taxa richness and low abundance of pollution-sensitive organisms. The watershed upstream of this site includes Philpott Reservoir, industrial and commercial properties and roads. Fluctuating flows from Philpott Dam have an effect on the benthic community along with storm water runoff from developed land.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L52R_SRE01A00 / Smith River / The Smith River mainstem from the Blackberry Creek mouth downstream to Rock Run mouth (Watershed Boundary RD22).	5A	Benthic Macroinvertebrates Bioassessments	2020	L	0.97
VAW-L52R_SRE02A00 / Smith River / The Smith River mainstem from just above Bassett downstream to Blackberry Creek mouth (RD22).	5A	Benthic Macroinvertebrates Bioassessments	2020	L	2.54
VAW-L53R_SRE04A00 / Smith River / Smith River mainstem from the mouth of Reed Creek upstream to an unnamed tributary. The unnamed tributary is approximately 0.70 miles downstream of the Alt. 57 Bridge (RD22).	5A	Benthic Macroinvertebrates Bioassessments	2020	L	0.82
VAW-L53R_SRE05A00 / Smith River / Smith River mainstem from an unnamed tributary located approximately 0.70 miles downstream of the Alt. 57 Bridge, upstream to the watershed boundary at the mouth of Rock Run (RD22).	5A	Benthic Macroinvertebrates Bioassessments	2020	L	1.54

Smith River

<b>Aquatic Life</b>	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Benthic Macroinvertebrates Bioassessments - Total Impaired Size by Water Type:			5.87

Sources: Dam or Impoundment; Loss of Riparian Habitat; Sediment Resuspension (Clean Sediment); Streambank Modifications/Destabilization

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code: L53L-01-BAC Martinsville (Beaver Creek) Reservoir**

Cause Location: Martinsville Reservoir

Cause City/County: Henry County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: The Dan River Bacteria Total Maximum Daily Load (TMDL) is U.S. EPA approved 12/08/2008 [Fed ID 35756] and SWCB approved 4/28/2009. This bacteria impairment is nested within the overall Dan River Bacteria TMDL Watershed. Allocation scenario development is for the entire drainage to provide pollutant reductions for all watersheds contributing to the bacteria impairment. The entirety of the approved TMDL and allocations can be viewed at <http://www.deq.virginia.gov>.

4ABAU005.34 (Martinsville Reservoir at Dam) 2022: E.coli Comment: Insufficient Information (Prioritize for follow up monitoring)- No STV exceedances but insufficient data to analyze geomean. 2020 & 2018 assessment finds escherichia coli (E.coli) exceeds the WQS instantaneous criterion of 235 cfu/100ml in zero of 14 samples, this reservoir is bracketed by impaired stream AUs, therefore the reservoir is going to remain impaired due to the other continuous impairments upstream and downstream. The 2010 assessment finds escherichia coli (E.coli) exceed the WQS instantaneous criterion of 235 cfu/100 ml in two of 13 observations. Values in excess of the criterion are 420 and 450 cfu/100 ml. There are no additional data within the 2014 data window.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L53L_BAU01A02 / Martinsville (Beaver Creek) Reservoir / Martinsville Reservoir on Beaver Creek from its impounding structure upstream to its backwaters.	4A	Escherichia coli (E. coli)	2010	L	182.29

Martinsville (Beaver Creek) Reservoir

**Recreation**

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:		182.29	

Sources: Wet Weather Discharges (Non-Point Source); Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L53R-01-BEN** **Smith River**

Cause Location: Smith River from the mouth of Reed Creek downstream to the backwaters of the Martinsville Dam Power Pool.

Cause City/County: Henry County; Martinsville

Use(s): Aquatic Life

Causes(s)/VA Category: Benthic Macroinvertebrates Bioassessments/4A

Cause Description: The 2012 Integrated Report (IR) partially delisted the original 4.74 mile General Standard Benthic impairment. The 2014 assessment finds impairment has returned and relists these waters and extends the impairment upstream 2.25 miles. The extension upstream is due to declining Virginia Stream Condition Index (VSCI) scores at 4ASRE033.19. These waters (4.74 miles) were originally 303(d) Listed in 2008 for contravention of the General Standard and are now nested within the Smith River Benthic Phased TMDL. Phase I U.S. EPA approved 1/13/11 (Fed IDs: 39703, 39705 (delist), 39706 & 39707).

4ASRE033.19- (Rt. 701 Bridge - Fieldale) Bio 'IM' from three VSCI scores (2016, 2020) avg 46 during the 2022 data window. No additional data since the 2016 assessment recorded 12 VSCI surveys (2009-14) with an average score of 55.5. Spring bioassessments at this station show a decline since 2009 and Fall bioassessments show a slight improvement since 2009. Overall VSCI scores are declining. This station has been the upstream control site for all Smith River biomonitoring stations and is located approximately 0.65 mi upstream of the Upper Smith River WWTP which is currently off line. Eleven VSCI surveys (2007-12) with an average 6 year score of 57.6 and 2 year score of 54.0 are recorded within the 2014 assessment. Bioassessments at this station have shown a range of scores between 50 and 63 and a slight decline from the fall of 2007 to the fall of 2012. The river is impacted by the operation of one hydroelectric dam, sediment deposition and urban NPS runoff. Sediment deposition in this reach of the Smith River may negatively affect the benthic community. This is possibly a result of the upstream scouring caused by discharges from Philpott Dam as well as inputs from tributaries.

4ASRE032.38- Bio 'IM' This station initially assessed in 2012 using Best Professional Judgment (BPJ) based on 4ASRE033.19 and 4ASRE0031.00 scoring in the 60s, or fully supporting. This station is re-assessed in 2014 indicating impairment. There are no additional data beyond the 2012 data window. Two 2010 surveys with an average score of 59.7 (spring 56.08; fall 63.48). This station is between historical biomonitoring stations 4ASRE033.19 and 4ASRE031.00 and adjacent to the closed Upper Smith River STP. Similar to station 4ASRE033.19 and 4ASRE031.00, this reach of the river appears to be impacted by sediment deposition and urban NPS runoff.

4ASRE031.00- (Behind Church at Kohler) During the 2018 data window, 9 VSCI surveys and 12 VSCI surveys (2009-14) find impairment with an average score of 56.7 within the 2016 data window. Spring average VSCI scores fall below the impairment threshold and the Fall VSCI scores are slightly above the impairment threshold. Both seasons are experiencing a decline in VSCI scores and overall decline to present. The 2014 assessment reports 9 VSCI surveys (2008-12) with an average 6 year score of 59.2 and a 2 year average score of 54.10. These scores show impairment and result in the re-listing of this portion of the Smith River. The 2012 assessment de-listed these waters with a 6 year average score of 61.8 and a 2 year average of 64.8. Five VSCI surveys (2003-08) within the 2010 data window report an average score of 52.6. Note: 2008 assessment (4 surveys 2003-2006) score 51.6. Compared to the upstream control site, there is a difference in the average Stream Condition Index (SCI) score (51.6 at this station vs 60.1 at 4ASRE033.19). The benthic community typically has fewer total taxa and fewer sensitive taxa than the reference site. The station is approx. 1.54 mi below the former Upper Smith River WWTP. Similar to the reference station, this reach of the river appears to be impacted by sediment deposition and urban NPS runoff. The WWTP ceased discharge 11/11/2003 and the VPDES permit terminated in June 2004. Benthic community scores declined 2000-04 and increased 2005-06.

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L53R_SRE01B06 / Smith River / Smith River mainstem from the former E. I. duPont outfall upstream to the E. I. duPont water intake on the Smith River (RD24).	4A	Benthic Macroinvertebrates Bioassessments	2008	L	0.49
VAW-L53R_SRE02A00 / Smith River / Smith River mainstem from the E. I. duPont intake upstream to the former Henry County PSA Upper Smith River STP outfall (RD24).	4A	Benthic Macroinvertebrates Bioassessments	2008	L	4.26
VAW-L53R_SRE03A00 / Smith River / Smith River mainstem from the former Henry County PSA Upper Smith River STP upstream to the mouth of Reed Creek (RD24).	4A	Benthic Macroinvertebrates Bioassessments	2014	L	2.26

Smith River

<b>Aquatic Life</b>	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Benthic Macroinvertebrates Bioassessments - Total Impaired Size by Water Type:			7.01

---

Sources: Dam or Impoundment; Municipal (Urbanized High Density Area); Sediment Resuspension (Clean Sediment)

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code: L53R-01-TEMP Smith River**

Cause Location: Smith River mainstem from the mouth of Reed Creek downstream to the E.I. DuPont Intake (RD24).

Cause City/County: Henry County; Martinsville

Use(s): Aquatic Life

Causes(s)/VA Category: Temperature/5A

Cause Description: The 2016 Integrated Report (IR) is the initial 303(d) listing for Aquatic Life Use due to temperature impairment.

4ASRE033.19 - (Rt. 701 in Fieldale) A continuous temperature monitoring device was placed at the station during the critical time period of August 4th to September 2nd 2014. The device recorded temperature every 30 minutes for 30 days. The 2016 assessment reveals 20% of the days exceeded the max daily temperature at least 10.5% of the day for the Class VI Natural Trout criterion of 20°C. The rate of temperature change (0.5°C per hour) was exceeded 72.4% of the days the temperature sensor was deployed. These temperature exceedances are believed the result of the hydroelectric operations and flow release patterns from the Philpott Dam.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L53R_SRE02A00 / Smith River / Smith River mainstem from the E. I. duPont intake upstream to the former Henry County PSA Upper Smith River STP outfall (RD24).	5A	Temperature	2016	L	4.26
VAW-L53R_SRE03A00 / Smith River / Smith River mainstem from the former Henry County PSA Upper Smith River STP upstream to the mouth of Reed Creek (RD24).	5A	Temperature	2016	L	2.26

Smith River

**Aquatic Life**

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Temperature - Total Impaired Size by Water Type:			6.52

Sources: Dam or Impoundment; Municipal (Urbanized High Density Area); Sediment Resuspension (Clean Sediment)

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L53R-02-BAC** **Jordan Creek**

Cause Location: The mainstem waters of Jordan Creek from its headwaters to its mouth on the Smith River.

Cause City/County: Henry County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: The 2006 303(d) Listed 6.00 mile waters remain impaired for the Recreational Use. The Dan River Bacteria Total Maximum Daily Load (TMDL) is U.S. EPA approved on 12/08/2008 [Fed ID 35757] and SWCB approved 4/28/2009. The Dan River Bacteria TMDL incorporates Jordan Creek as it lies within the TMDL Watershed. The TMDL and allocations can be viewed at <http://www.deq.virginia.gov>.

4AJOR000.02- (Rt. 682 Bridge) There are no additional data beyond the 2008 assessment where seven of 21 Escherichia coli (E.coli) samples exceed the 235 cfu/100 ml instantaneous criterion. Exceeding values range from 320 to 1500 cfu/100 ml.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L53R_JOR01A06 / Jordan Creek / The mainstem waters of Jordan Creek (RD24).	4A	Escherichia coli (E. coli)	2006	L	6

Jordan Creek

**Recreation**

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:			6

Sources: Municipal (Urbanized High Density Area); Residential Districts; Unspecified Domestic Waste; Wet Weather Discharges (Non-Point Source); Wildlife Other than Waterfowl

# Virginia Department of Environmental Quality

## Appendix 4 - Fact Sheets for Impaired (Category 4 or 5) Waters in 2022

---

### Roanoke and Yadkin River Basins

**Cause Group Code:** **L53R-03-BAC** Beaver Creek

**Cause Location:** The mainstem waters of Beaver Creek from its mouth on the Smith River upstream to the Martinsville Reservoir.

**Cause City/County:** Franklin County; Henry County

**Use(s):** Recreation

**Causes(s)/VA Category:** Escherichia coli (E. coli)/4A

**Cause Description:** The Recreational Use remains impaired for these 2006 303(d) Listed 5.30 mile waters. The impairment is extended 6.97 miles upstream from inundation of Martinsville Reservoir. Impairment results described below for station 4ABAU011.17 for a total of 12.27 impaired miles. The Dan River Bacteria TMDL is U.S. EPA approved 12/08/2008 [Fed ID 35756] and SWCB approved 4/28/2009. This bacteria impairment is nested within the Dan River Bacteria TMDL. Allocation scenario development is for the entire drainage to provide pollutant reductions for all watersheds contributing to the bacteria impairment. The entirety of the approved TMDL and allocations can be viewed at <http://www.deq.virginia.gov>.

4ABAU011.17 (Off Rt. 922 upstream of the Rt. 657 crossing) Fourteen of 14 E.coli excursions reported during the 2020 data window. Three of three E.coli samples exceed during the 2018 data window. In 2016, two of two escherichia coli (E.coli) samples exceed the WQS instantaneous criterion of 235 cfu/100 ml during the 2016 IR. All samples exceed at greater than 800 cfu/100 ml.

4ABAU000.94- (Rt. 220 Business Bridge) There are no additional data within the 2012, 2014 or 2016 data windows. Escherichia coli (E.coli) exceeds the 235 cfu/100 ml instantaneous criterion in 10 of 24 samples within the 2012 data window. Exceeding values range from 250 to greater than 2000 cfu/100 ml. The 2008 and 2010 assessments find E.coli exceeds the instantaneous criterion in 13 of 21 samples. Exceeding values range from 380 to greater than 2000 cfu/100 ml.

4ABAU000.25- (Off Koehler Rd.) E.coli bacteria exceed the instantaneous criterion in three of 12 observations within the 2016 data window. Values in excess of the criterion range from 250 cfu/100 ml to greater than 2000.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L53R_BAU01A06 / Beaver Creek / The mainstem waters of Beaver Creek from its mouth on the Smith River upstream to the Martinsville Reservoir (RD24).	4A	Escherichia coli (E. coli)	2006	L	5.30
VAW-L53R_BAU02A06 / Beaver Creek / Beaver Creek mainstem from its headwaters downstream to its inundation at the Martinsville Reservoir (RD24).	4A	Escherichia coli (E. coli)	2016	L	6.98

Beaver Creek

**Recreation**

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:			12.28

Sources: Livestock (Grazing or Feeding Operations); Municipal (Urbanized High Density Area); Unspecified Domestic Waste; Wet Weather Discharges (Non-Point Source); Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L53R-03-BEN** Beaver Creek

Cause Location: Beaver Creek mainstem from its headwaters downstream to its inundation at the Martinsville Reservoir.

Cause City/County: Franklin County; Henry County

Use(s): Aquatic Life

Causes(s)/VA Category: Benthic Macroinvertebrates Bioassessments/5A

Cause Description: The 2008 IR reports the Aquatic Life Use impaired for 6.97 miles due to contravention of the General Standard.

4ABAU011.17- (Off Rt. 922 upstream of Rt. 657 crossing) Two 2017 VSCI scores of 53.2 and 29.9 in spring and fall, respectively. The 2018 IR adds two additional VSCI surveys (2015) to the 2016 assessment VSCI surveys (2011, 2013) for a total of six VSCI scores averaging 37.5. Two 2011 Virginia Stream Condition Index (VSCI) surveys within the 2014 data window find continued impairment with an average score of 38.8. Taxa richness is higher in the fall and the abundance of midges (Chironomidae) higher in the spring. Sediment deposition, bank erosion, bank vegetation, and riparian buffer width scores were low in this reach. Approximately 46% of the riparian land cover in the watershed is agricultural. The benthic community is dominated by pollution tolerant organisms and appears to be affected by habitat impacts. There are no additional data within the 2010 or 2012 data windows. The 2008 Integrated Report (IR) finds the benthic community impaired from two 2004 VSCI surveys with an average score of 51.2.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L53R_BAU02A06 / Beaver Creek / Beaver Creek mainstem from its headwaters downstream to its inundation at the Martinsville Reservoir (RD24).	5A	Benthic Macroinvertebrates Bioassessments	2008	L	6.98

Beaver Creek

**Aquatic Life**

Benthic Macroinvertebrates Bioassessments - Total Impaired Size by Water Type:

Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
		6.98

Sources: Loss of Riparian Habitat; Sediment Resuspension (Clean Sediment); Streambank Modifications/Destabilization

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L53R-04-BAC** **Reed Creek**

Cause Location: Reed Creek mainstem from its mouth on the Smith River upstream approximately one mile above the Rt. 609 crossing.

Cause City/County: Henry County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: This 2008 303(d) Listed water extends 4.13 miles resulting in non-support for the Recreational Use. The Dan River Bacteria Total Maximum Daily Load (TMDL) is U.S. EPA approved on 12/08/2008 [Fed ID 35756] and SWCB approved 4/28/2009. The Dan River Bacteria TMDL incorporates Reed Creek as it lies within the TMDL Watershed. Reed Creek is nested within the Dan River Bacteria TMDL. The TMDL and allocations can be viewed at <http://www.deq.virginia.gov>.

4AREE000.80 (Rt. 993 Bridge upstream of Rt. 57 Bridge) Three of 12 E.coli excursions are reported during the 2020 data window. There are no additional data beyond the 2014 Integrated Report (IR). Three of 12 Escherichia coli (E.coli samples exceed the 235 cfu/100 ml instantaneous criterion. Excessive values range from 325 to 925 cfu/100 ml within the 2014 data window. There are no additional data within the 2012 Integrated Report (IR). Four escherichia coli (E.coli) samples of 21 exceed the instantaneous criterion in both the 2008 and 2010 assessments. Exceeding values range from 300 to greater than 2000 cfu/100 ml.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L53R_REE01A00 / Reed Creek / Reed Creek mainstem from its mouth on the Smith River upstream approximately one mile above the Rt. 609 crossing (RD23).	4A	Escherichia coli (E. coli)	2008	L	4.14

Reed Creek

**Recreation**

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:			4.14

Sources: Municipal (Urbanized High Density Area); Residential Districts; Unspecified Domestic Waste; Wet Weather Discharges (Non-Point Source); Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L53R-04-BEN** Jones Creek, UT (XMP)

Cause Location: Unnamed tributary (XMP) to Jones Creek from downstream of the Henry County Landfill to its confluence with Jones Creek.

Cause City/County: Franklin County; Henry County; Martinsville

Use(s): Aquatic Life

Causes(s)/VA Category: Benthic Macroinvertebrates Bioassessments/5A

Cause Description: The 2006 303(d) Listed 2.04 mile Aquatic Life Use impairment remains due to contravention of the General Standard. There are no additional data beyond the 2008 assessment.

4AXMP001.85- (directly below Henry County Landfill) Bio 'IM' A single 2003 Virginia Stream Condition Index (VSCI) survey scoring spring 2003 47.1. Analysis of the benthic community data with VSCI metrics displays a difference between the benthic communities above and below the landfill. The community at the reference site (4AXMP002.21, VSCI avg.=72.8) was very diverse in pollution sensitive organisms and approximated what would be considered Ecoregion reference quality for a first order stream in the Piedmont area. Two metrics that show the difference in pollution sensitivity of the communities are the Taxa Richness and EPT metrics. EPT represents the sensitive Mayflies, Stoneflies, and Caddisflies. The reference site also had a much higher number of organisms present (159) in a similar amount of habitat sampled relative to the impact site (34).

The main physical difference between the two stations is the presence of large growths of sphaerotilus bacteria at the downstream site. The bacteria covered practically every part of the stream substrate including the mineral sand, gravel and cobble bottom of the stream as well as the woody debris and leaf packs in stream. This covering ranged in thickness from about one inch in high velocity areas to approximately one foot in pool habitats. This bacterium typically thrives in waters impacted by organic effluents and is often referred to as "sewage fungus." This bacterium was not observed at the reference site. Such a large presence of this bacterium indicates a pollution impact. More recent investigations have found that sphaerotilus bacteria is common in waters impacted by landfill leachate indicating that excessive growths are related to volatile organic chemicals. The bacterial growth has an impact on the abundance of benthic organisms.

4AXMP001.26- One fall 2006 survey scoring 57.4. Several metrics indicated a substantial difference in the pollution sensitivity of the communities at this station versus the upstream site. This sample also required 3.5 times more effort than the upstream site to collect an equivalent number of organisms, displaying a large difference in macro invertebrate abundance.

4AXMP000.44 (Dwnstr. of Henry Co. Landfill off Rt. 663; Clearview Dr.) Bio 'J' Four VSCI surveys (2013-2014) with an average score of 52.3. This stream begins upslope of the Martinsville Sanitary Landfill then flows through a pipe that is buried below the landfill. In 2003 the stream appeared to be impacted by landfill leachate. Volatile organic chemicals (VOCs) were found in both groundwater and surface water samples collected down gradient of the landfill.

This new station was sampled to determine the status of the benthic community at a location well beyond the landfill boundary and above the confluence with Jones Creek as well as to validate the assessment of upstream station (4AXMP001.26) sampled in the fall of 2006. The VSCI scores from 2014 were much better than those from 2013 but the two year average is below 60. VDEQ is going to reserve judgment at this time and plans to sample this site in 2016.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L53R_XMP01A06 / Jones Creek, UT (XMP) / Unnamed tributary to Jones Creek from downstream of the Henry County Landfill to its confluence with Jones Creek (RD24).	5A	Benthic Macroinvertebrates Bioassessments	2006	L	2

Virginia Department of Environmental Quality  
Appendix 4 - Fact Sheets for  
Impaired (Category 4 or 5) Waters in 2022

---

Jones Creek, UT (XMP)

**Aquatic Life**

Benthic Macroinvertebrates Bioassessments - Total Impaired Size by Water

Type:

Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
------------------------	----------------------	------------------

2

---

Sources: Landfills

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L53R-05-BAC** Daniels Creek

Cause Location: Daniels Creek from its headwaters downstream to its confluence with the Smith River Class III PWS (RD24).

Cause City/County: Henry County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: This initial 2016 Recreational Use impairment is a result of escherichia coli (E.coli) excursions of the WQS instantaneous criterion. The Dan River Bacteria Total Maximum Daily Load (TMDL) is U.S. EPA approved 12/08/2008 [Fed ID 35756] and SWCB approved 4/28/2009. The Daniels Creek bacteria impairment is nested within the overall Dan River Bacteria TMDL Watershed. Allocation scenario development is for the entire drainage to provide pollutant reductions for all watersheds contributing to the bacteria impairment. The entirety of the approved TMDL and allocations can be viewed at <http://www.deq.virginia.gov>.

4ADEL001.35 (Off Rt. 619 (Daniels Cr. Rd) on Miles Rd.) No new data beyond the 2016 data window where six of six E.coli samples exceed the WQS instantaneous criterion of 235 cfu/100 ml. Excursions range from 1,625 cfu/100 ml to 24,196.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L53R_DEL01A10 / Daniels Creek / Daniels Creek from its headwaters downstream to its confluence with the Smith River Class III PWS (RD24).	4A	Escherichia coli (E. coli)	2016	L	3.99

Daniels Creek

**Recreation**

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:			3.99

Sources: Municipal (Urbanized High Density Area); On-site Treatment Systems (Septic Systems and Similar Decentralized Systems); Unspecified Domestic Waste; Unspecified Urban Stormwater; Wastes from Pets; Wet Weather Discharges (Non-Point Source); Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L53R-05-BEN** Beaver Creek

Cause Location: The mainstem waters of Beaver Creek from its mouth on the Smith River upstream to the Martinsville Reservoir (RD24).

Cause City/County: Henry County

Use(s): Aquatic Life

Causes(s)/VA Category: Benthic Macroinvertebrates Bioassessments/5A

Cause Description: The 2016 Integrated Report finds the benthic community impaired due to contravention of the WQS General Standard. The Virginia Stream Condition Index (VSCI) is a multi-metric statewide stream index of biotic integrity based on data collected from minimally impacted reference sites throughout Virginia. This index shows that an VSCI score of 60.0 is the lower limit for unimpaired conditions in a benthic community.

4ABAU000.25 (Off Koehler Rd.) Bio 'IM' Six Virginia Stream Condition Index (VSCI) surveys (2013-2015) with an average score of 34.3. The benthic community consisted of more pollution tolerant taxa and less diversity in the Spring surveys. Total Habitat Scores were in the Marginal to low Sub-Optimal range. Embeddedness and Substrate scores were the lowest ranging from marginal to poor and are likely the dominant factors in the negative effect on the benthic macroinvertebrate community.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L53R_BAU01A06 / Beaver Creek / The mainstem waters of Beaver Creek from its mouth on the Smith River upstream to the Martinsville Reservoir (RD24).	5A	Benthic Macroinvertebrates Bioassessments	2016	L	5.3

Beaver Creek

**Aquatic Life**

Benthic Macroinvertebrates Bioassessments - Total Impaired Size by Water Type:

Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
		5.3

Sources: Clean Sediments; Sediment Resuspension (Clean Sediment); Unspecified Urban Stormwater

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L53R-06-BAC** Jones Creek, UT (XMP)

Cause Location: Unnamed tributary to Jones Creek from downstream of the Henry County Landfill to its confluence with Jones Creek (RD24).

Cause City/County: Franklin County; Henry County; Martinsville

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: The 2016 Listed water extends 2.00 miles resulting in non-support for the Recreational Use. The Dan River Bacteria Total Maximum Daily Load (TMDL) is U.S. EPA approved on 12/08/2008 [Fed ID 35756] and SWCB approved 4/28/2009. The Dan River Bacteria TMDL incorporates Jones Creek unnamed tributary (XMP) as it lies within the TMDL Watershed. The Jones Creek unnamed tributary (XMP) is nested within the Dan River Bacteria TMDL. The TMDL and allocations can be viewed at <http://www.deq.virginia.gov>

4AXMP000.44 (Dwnstr. Of Henry Co. Landfill off Rt. 663; Clearview Dr.) Five of 11 E.coli samples exceed the instantaneous criterion within the 2016 data window. Values in excess of the 235 cfu/10 ml criterion range from 300 to greater than 2000 cfu/10 ml.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L53R_XMP01A06 / Jones Creek, UT (XMP) / Unnamed tributary to Jones Creek from downstream of the Henry County Landfill to its confluence with Jones Creek (RD24).	4A	Escherichia coli (E. coli)	2016	L	2

Jones Creek, UT (XMP)

**Recreation**

Escherichia coli (E. coli) - Total Impaired Size by Water Type:

Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
		2

Sources: Municipal (Urbanized High Density Area); Residential Districts; Unspecified Domestic Waste; Wet Weather Discharges (Non-Point Source); Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L53R-06-BEN** Daniels Creek

Cause Location: Daniels Creek from its headwaters downstream to its confluence with the Smith River Class III PWS (RD24).

Cause City/County: Henry County

Use(s): Aquatic Life

Causes(s)/VA Category: Benthic Macroinvertebrates Bioassessments/5A

Cause Description: The Aquatic Life Use is impaired due to contravention of the WQS General Standard. The Virginia Stream Condition Index (VSCI) is a multi-metric statewide stream index of biotic integrity based on data collected from minimally impacted reference sites throughout Virginia. This index shows that an VSCI score of 60.0 is the lower limit for unimpaired conditions in a benthic community.

4ADEL001.35 (Off Rt. 619 (Daniels Cr. Rd) on Miles Rd.) The 2016 assessment finds the benthic community impaired from four of four Virginia Stream Condition Index (VSCI) surveys with an average score of 18.6. Habitat survey scores were low in this reach due to urban impacts to the watershed. The benthic community is dominated by pollution tolerant organisms. Pollution sensitive organisms were not present in some samples.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L53R_DEL01A10 / Daniels Creek / Daniels Creek from its headwaters downstream to its confluence with the Smith River Class III PWS (RD24).	5A	Benthic Macroinvertebrates Bioassessments	2016	L	3.99

Daniels Creek

**Aquatic Life**

Benthic Macroinvertebrates Bioassessments - Total Impaired Size by Water Type:

Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
		3.99

Sources: Municipal (Urbanized High Density Area); Streambank Modifications/Destabilization; Unspecified Urban Stormwater; Wet Weather Discharges (Non-Point Source)

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L53R-07-BEN** **Jones Creek**

Cause Location: Jones Creek mainstem upstream to XMP confluence (RD24).

Cause City/County: Henry County; Martinsville

Use(s): Aquatic Life

Causes(s)/VA Category: Benthic Macroinvertebrates Bioassessments/5A

Cause Description: This 2016 initial macroinvertebrate impaired water is Listed for contravention of the WQS Aquatic Life Use General Standard. The Virginia Stream Condition Index (VSCI) is a multi-metric statewide stream index of biotic integrity based on data collected from minimally impacted reference sites throughout Virginia. This index shows that an VSCI score of 60.0 is the lower limit for unimpaired conditions in a benthic community.

4AJCR000.42 (Upstream of Rt. 220 Business) There is no additional data beyond the 2016 data window where Bio 'IM' The benthic community is impaired based on four Virginia Stream Condition Index (VSCI) (2013-2014) with an average score of 29.2.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L53R_JCR01A16 / Jones Creek / Jones Creek mainstem upstream to XMP confluence (RD24).	5A	Benthic Macroinvertebrates Bioassessments	2016	L	2.36

Jones Creek

**Aquatic Life**

Benthic Macroinvertebrates Bioassessments - Total Impaired Size by Water Type:

Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
		2.36

Sources: Municipal (Urbanized High Density Area); Unspecified Urban Stormwater; Wet Weather Discharges (Non-Point Source)

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L54R-01-BAC** **Smith River**

Cause Location: The bacteria impairment begins at the Martinsville Dam (Martinsville West Quad) and extends downstream to the VA/NC State Line on the Northwest Eden Quad.

Cause City/County: Henry County; Martinsville

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: The Dan River Bacteria Total Maximum Daily Load (TMDL) is U.S. EPA approved 12/08/2008 [Fed ID 35757] and SWCB approved 4/28/2009. The Dan River Bacteria TMDL incorporates the Smith River as it lies within the TMDL Watershed.

Station 4ASRE022.71 is a 1999 Federal Consent Decree Attachment B station and was not 2002 listed as impaired for fecal coliform (FC) bacteria. Only 4/59 samples exceeded the former 1000 cfu/100 ml instantaneous criterion for an exceedance rate of 6% in 2002. The 2002 303(d) Listing for 10.06 mi has been extended upstream 3.65 mi (2004 Integrated Report (IR)) and downstream 6.30 mi (2006 IR) for a total of 20.01 mi thru the 2008 Assessment.

4ASRE026.27 There are no additional data beyond the 2008 assessment where 2/21 Escherichia coli (E.coli) samples exceed the 235 cfu/100 ml inst. criterion. E.coli data indicate this station would meet delisting guidance however the range of exceeding values is from 600-1060 cfu/100 ml. Due to the magnitude of the exceedances and the downstream exceedances the waters remain impaired for Recreational Use.

4ASRE022.71 (Footbridge above the Martinsville STP) There are no additional data beyond the 2004 IR where 8/41 FC samples exceed the former 400 cfu/100 ml inst. criterion. Exceeding values range from 500 to greater than 8000 cfu/100 ml. The 2004 IR 303(d) Listing extends the 2002 bacteria impairment 3.59 mi upstream from the original 303(d) Listing. Data within the 2006 data window find 3/17 samples in excess of the criterion with exceeding values ranging from 600-900 cfu/100 ml.

4ASRE021.58 (Rt. 58 Bypass Bridge, Henry Co.) There are no additional E.coli data beyond the 2008 assessment where E.coli excursions range from 300-1400 cfu/100 ml in 4/9 samples. Each exceedance is in excess of the 235 cfu/100 ml inst. criterion. The 2006 data window produces 3/17 FC samples in excess of the former 400 cfu/100 ml inst. criterion ranging from 1100 to greater than 8000 cfu/100 ml. The 2004 IR reports 6/35 FC obs with exceeding values ranging from 600 to greater than 8000 cfu/100 ml.

4ASRE019.00 One of 7 E.coli excursions are reported during the 2020 data window. Both the 2010 and 2008 assessments find 6/20 E.coli obs exceed the 235 cfu/100 ml inst. criterion within their respective data windows. Exceeding values range from 250-1060 cfu/100 ml. Two of 6 geomean calcs exceed the former (2 samples/mo) 126 cfu/100 ml criterion at 150 and 235. There are no additional data beyond the 2008 assessment.

4ASRE015.43 (Rt. 636 Bridge) There are no additional E.coli data beyond the 2008 assessment. Both the 2010 and 2008 assessments find E.coli exceed the inst. criterion in 4/20 samples. The range of exceedance is from 250-90 cfu/100 ml in each respective data window. One of 6 geomean calcs exceeds the former (2 samples/mo) 126 cfu/100 ml criterion at 306 in 2008. One excursion of the inst. criterion is found from 17 obs within the 2006 data window at 1100 cfu/100 ml. 2004 IR findings are FC exceeds the former 400 cfu/100 ml criterion in 6/35 samples. Exceeding values range from 500-1300 cfu/100 ml.

4ASRE007.90 (Rt. 622 Bridge, Morgan Ford Bridge) The 2018 IR finds 9/47 E.coli samples exceed the 235 cfu/100 ml inst. criterion. Excursions range from 241-1,850 cfu/100 ml. Seven of 48 E.coli exceed the inst. criterion of 235 cfu/100 ml. Exceeding values range from 325-1850 cfu/100 ml. 2014 data show 5/36 E.coli obs exceeding the inst. criterion. Excessive values range from 350-1850 cfu/10 ml. E.coli exceedances of the inst. criterion range from 250-1500 cfu/100 ml in 7/36 samples within the 2012 data window. The 2010 data window finds 8/33 E.coli samples exceed the inst. criterion. Exceeding values range from 250-1700 cfu/100 ml. 2008 E.coli exceedances range from 250-600 cfu/100 ml from 6/21 samples. The 2006 IR reports 6/48 FC samples exceed the former 400 cfu/100 m

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L54R_SRE01A00 / Smith River / Smith River mainstem from the Home Creek mouth downstream to VA/NC State Line (RD30).	4A	Escherichia coli (E. coli)	2008	L	3.19
VAW-L54R_SRE02A00 / Smith River / The mainstem Smith River located between the Turkeypen Branch mouth downstream to the Home Creek mouth (RD30).	4A	Escherichia coli (E. coli)	2008	L	3.12
VAW-L54R_SRE03A00 / Smith River / Smith River mainstem from the Leatherwood Creek mouth downstream to the confluence of Turkeypen Branch (RD30).	4A	Escherichia coli (E. coli)	2008	L	4.68
VAW-L54R_SRE03A02 / Smith River / Smith River mainstem from the Marrowbone Creek mouth downstream to the confluence of Leatherwood Creek (RD26).	4A	Escherichia coli (E. coli)	2008	L	1.75
VAW-L54R_SRE04A00 / Smith River / The mainstem Smith River located between the HCPSA Lower Smith River STP and the confluence of Marrowbone Creek (RD26).	4A	Escherichia coli (E. coli)	2008	L	0.39
VAW-L54R_SRE05A00 / Smith River / The mainstem Smith River located between the Martinsville City STP outfall downstream to the Henry County PSA Lower Smith STP outfall (RD26).	4A	Escherichia coli (E. coli)	2008	L	3.28
VAW-L54R_SRE06A00 / Smith River / The mainstem Smith River located between the Martinsville Dam downstream to Martinsville City STP outfall (RD26).	4A	Escherichia coli (E. coli)	2008	L	3.66

Smith River

**Recreation**

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:			20.07

Sources: Livestock (Grazing or Feeding Operations); Municipal (Urbanized High Density Area); Unspecified Domestic Waste; Wet Weather Discharges (Non-Point Source); Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L54R-01-BEN** **Smith River**

Cause Location: The benthic impairment begins near the Martinsville Dam and extends downstream to the mouth of Turkeypen Creek.

Cause City/County: Henry County; Martinsville

Use(s): Aquatic Life

Causes(s)/VA Category: Benthic Macroinvertebrates Bioassessments/4A

Cause Description: The Smith River General Standard - Benthic TMDL received U.S. EPA approval 1/13/11 for a phased approach [Fed IDs 39703/39705/39706/39707]. Phase I seeks to define/identify stressors to the benthic community beyond general identification. The 2012 assessment delisted the benthic impairment 3.59 mi (AU VAW-L54R\_SRE06A00 / Fed ID 39705) based on Virginia Stream Condition Index (VSCI) surveys from stations 4ASRE024.30 & 4ASRE022.90 upstream of the Martinsville STP. Benthic data from station 4ASRE024.30 show a decline during the 2016 data window and return 3.65 mi to impaired status. The increase of 0.06 miles from 2012 are due to the 2014 cycle GIS mapping conversion of the National Hydrography Dataset from 1:100K to 1:24K scale.

The 1998 Aquatic Life Use impairment remains for these 13.71 mi waters. Two municipal facilities closed as a result of industrial plant closings in the Martinsville/Henry County area greatly reducing influent chloride levels. A 1998 Corbicula study indicates chlorides may have impacted benthos. Stations below are downstream of 2 hydroelectric dams resulting in daily fluctuations of stream flow and temperature.

4ASRE024.30 (Off Frith Rd. downstream of RR trestle) 2016 12 surveys (2009-2014) Spring seasonal avg scored 17 points below the impairment threshold of VSCI <60 while Fall seasonal avg scored 8 points abv. Overall, there is a decline in VSCI scores within the 2016 data window. Recent emergency sewer repairs upstream of this site may contribute to improved conditions in the future.

4ASRE022.90 (Downstream of Machine Br mouth) 2016 IR 11 surveys avg 62.4. Fall 2013 (55.90) Spr. 2014 (36.50) Fall 2014 (63.0).

4ASRE022.30 (below the Martinsville STP) No additional VSCI samples within 2018 IR data window. 2016 IR 10 surveys (2009-2014) 58.6. 2014 IR 11 surveys (2007-2012) 6-yr avg 57.3/2-yr avg 63.9. 2012 IR 7 surveys (2005-2010) 6-yr avg 53.52/2-yr avg 56.47. 2010 IR 7 surveys (2003-2008) 52.0. 2008 IR (2001-2006) 51.3.

2016 IR data shows scores typically higher in Spring than Fall. In the last 2 yrs, Fall scores > Spring scores. Fall 2011 (75.29) & Spr. 2012 (68.66) indicate the best water quality at this site since established in 1997. Historical data show slight improvement in VSCI scores. However, data indicate a decline in Fall 2012 (52.63). Benthos at this site typically consist of pollution tolerant taxa in Spring. This station shows the least improvement of stations sampled for the Smith R. TMDL. Fall 2005 survey indicates a community dominated by the moderately tolerant caddisfly, an indication of organic/nutrient pollution. Improvement in operation of the Martinsville WWTP may be responsible for increasing scores since 2001.

4ASRE019.00 (abv Marrowbone Ck mouth) 2016 IR 11 surveys (2009-14) 6-yr avg 54.9/2-yr avg 53.5. Spr. 2012, recorded the highest score (68.59), scores have since declined. 2014 IR 11 surveys (2007-2012) 6-yr avg 54.3/2-yr avg 61.2. 2012 IR 9 surveys (2005-2010) 6-yr avg 49.58/2-yr avg 49.71. 2010 IR 7 surveys (2003-2008) 46.8. 2008 IR 5 surveys (2001-2006) 42.4.

The dominant family observed has typically been the moderately tolerant caddisfly Hydropsychidae (an indication of organic/nutrient pollution). Fall 2009 had the largest percentage (27.84%) of mayflies (VSCI=62.0). Fall 2008 (VSCI=58.22) had 13.22% mayflies. Fall 2001 survey, reports sensitive insects in the orders Ephemeroptera (mayflies), Plecoptera (stoneflies), and Trichoptera (caddisflies) decreased and pollution tolerant organisms increased relative to earlier surveys. 2007/2008 surveys show Hydropsychidae and other nutrient/organic pollution tolerant families dominate samples.

4ASRE015.43 (Rt. 636 Br) 2018 IR 9 surveys (2011-2014) 59.7. 2016 IR 11 surveys (2009-2014) 6-yr avg 58.0/2-yr avg 55.7. 2014 IR 11 surveys (2007-2012) 6-yr avg 54.9/2-yr avg 55.5. 201

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L54R_SRE03A00 / Smith River / Smith River mainstem from the Leatherwood Creek mouth downstream to the confluence of Turkeypen Branch (RD30).	4A	Benthic Macroinvertebrates Bioassessments	1998	L	4.68
VAW-L54R_SRE03A02 / Smith River / Smith River mainstem from the Marrowbone Creek mouth downstream to the confluence of Leatherwood Creek (RD26).	4A	Benthic Macroinvertebrates Bioassessments	1998	L	1.75
VAW-L54R_SRE04A00 / Smith River / The mainstem Smith River located between the HCPSA Lower Smith River STP and the confluence of Marrowbone Creek (RD26).	4A	Benthic Macroinvertebrates Bioassessments	1998	L	0.39
VAW-L54R_SRE05A00 / Smith River / The mainstem Smith River located between the Martinsville City STP outfall downstream to the Henry County PSA Lower Smith STP outfall (RD26).	4A	Benthic Macroinvertebrates Bioassessments	1998	L	3.28
VAW-L54R_SRE06A00 / Smith River / The mainstem Smith River located between the Martinsville Dam downstream to Martinsville City STP outfall (RD26).	4A	Benthic Macroinvertebrates Bioassessments	2004	L	3.66

Smith River

**Aquatic Life**

Benthic Macroinvertebrates Bioassessments - Total Impaired Size by Water Type:

Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
		13.76

Sources: Dam or Impoundment; Municipal (Urbanized High Density Area); Sediment Resuspension (Clean Sediment); Silviculture Harvesting

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L54R-02-BAC** **Mulberry Creek**

Cause Location: Mulberry Creek from its confluence with the Smith River upstream to an unnamed tributary (36°40'03"/79°50'00").

Cause City/County: Henry County; Martinsville

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: The Dan River Bacteria Total Maximum Daily Load (TMDL) is U.S. EPA approved on 12/08/2008 [Fed ID 35748] and SWCB approved 4/28/2009. The Dan River Bacteria TMDL incorporates Mulberry Creek as it lies within the TMDL Watershed. The TMDL and allocations can be viewed at <http://www.deq.virginia.gov>.

4AMBY001.51 (Sam Lions Trail/Country Club Dr. Crossing) There is no additional data beyond the 2016 Integrated report (IR) which found the initial bacteria Listing from four of 12 escherichia coli (E.coli) samples in excess of the WQS instantaneous criterion of 235 cfu/100 ml. The range of exceeding values is from 275 to 500 cfu/100 ml.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L54R_MBY01A10 / Mulberry Creek / Mulberry Creek from its confluence with the Smith River upstream to an unnamed tributary (36°40'03"/79°50'00") (RD26).	4A	Escherichia coli (E. coli)	2016	L	2.6

Mulberry Creek

**Recreation**

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:			2.6

Sources: Livestock (Grazing or Feeding Operations); Municipal (Urbanized High Density Area); Unspecified Domestic Waste; Wastes from Pets; Wet Weather Discharges (Non-Point Source); Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L54R-02-BEN** **Machine Branch**

Cause Location: Machine Branch from its mouth on the Smith River upstream to its headwaters.

Cause City/County: Henry County; Martinsville

Use(s): Aquatic Life

Causes(s)/VA Category: Benthic Macroinvertebrates Bioassessments/5A

Cause Description: 4AMCH000.53 (Clover Rd - Rt. 976 Bridge) Bio 'IM' from two 2020 VSCI scores avg 32. This is a TMDL station that was selected to be the Targeted Stress site in 2020. The watershed is commercial, industrial and has a racetrack upstream. Much of the riparian zone is grass mowed up to the streambanks. Bio 'IM' The 2016 & 2018 Integrated Reports (IRs) find continued impaired benthic community impairment. Five Virginia Stream Condition Index (VSCI) surveys (2009-2014) report an average score of 21.9. The 2014 (IR) finds Aquatic Life Use impairment from three VSCI (2008-2009) surveys. The average score is 24.0. The original 2010 303(d) Listing is based on the single 2008 survey scoring 30.7. The surveys find a stressed community with low taxonomic diversity dominated by pollution-tolerant organisms. Habitat surveys indicate a stream section with substrates impacted by excessive fine sediments, severely eroded stream banks, and impacted riparian buffer strips.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L54R_MCH01A10 / Machine Branch / Machine Branch from its mouth on the Smith River upstream to its headwaters (RD26).	5A	Benthic Macroinvertebrates Bioassessments	2010	L	0.69

Machine Branch

<b>Aquatic Life</b>	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Benthic Macroinvertebrates Bioassessments - Total Impaired Size by Water Type:			0.69

Sources: Loss of Riparian Habitat; Sediment Resuspension (Clean Sediment); Streambank Modifications/Destabilization

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L54R-03-BAC** **Machine Branch**

Cause Location: Machine Branch from its mouth on the Smith River upstream to its headwaters.

Cause City/County: Henry County; Martinsville

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: The Dan River Bacteria Total Maximum Daily Load (TMDL) is U.S. EPA approved on 12/08/2008 [Fed ID 35757] and SWCB approved 4/28/2009. The Dan River Bacteria TMDL incorporates Machine Branch as it lies within the TMDL Watershed. The TMDL and allocations can be viewed at <http://www.deq.virginia.gov>.

4AMCH000.53 (Clover Rd - Rt. 976 Bridge) Four of 13 escherichia coli samples exceed the WQS instantaneous criterion of 235 cfu/100 ml. This initial 2016 listing of the waters shows a range of exceeding values from 259 to 591 cfu/100 ml.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L54R_MCH01A10 / Machine Branch / Machine Branch from its mouth on the Smith River upstream to its headwaters (RD26).	4A	Escherichia coli (E. coli)	2016	L	0.69

Machine Branch

**Recreation**

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:			0.69

Sources: Livestock (Grazing or Feeding Operations); Municipal (Urbanized High Density Area); Unspecified Domestic Waste; Wastes from Pets; Wet Weather Discharges (Non-Point Source); Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L54R-03-BEN** Mulberry Creek

Cause Location: Mulberry Creek from its confluence with the Smith River upstream to an unnamed tributary (36°40'03"/79°50'00").

Cause City/County: Henry County; Martinsville

Use(s): Aquatic Life

Causes(s)/VA Category: Benthic Macroinvertebrates Bioassessments/5A

Cause Description: The Aquatic Life Use is impaired as determined by the 2010 assessment.

4AMBY001.51 (Sam Lions Trail/Country Club Dr. Crossing) Bio 'IM' There are no additional data beyond the 2016 Integrated Report (IR) which found impairment from four Virginia Stream Condition Index (VSCI) surveys (2013-2014). The average score is 45.9. The samples are dominated by pollution tolerant organisms and show variability in the total number of taxa observed. Habitat surveys indicated the stream is impacted by eroded banks and sediment.

4AMBY001.33- Bio 'IM' A 2008 probabilistic site. Two 2008 Virginia Stream Condition Index (VSCI) surveys with an average score of 46.8 find a stressed benthic community dominated by pollution tolerant organisms. Habitat surveys indicate the stream is impacted by eroded banks, sediment deposition and a riparian zone that has almost no vegetation. There are no additional data within the 2012 or 2014 data windows.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L54R_MBY01A10 / Mulberry Creek / Mulberry Creek from its confluence with the Smith River upstream to an unnamed tributary (36°40'03"/79°50'00") (RD26).	5A	Benthic Macroinvertebrates Bioassessments	2010	L	2.6

Mulberry Creek

**Aquatic Life**

Benthic Macroinvertebrates Bioassessments - Total Impaired Size by Water Type:

Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
		2.6

Sources: Loss of Riparian Habitat; Sediment Resuspension (Clean Sediment); Streambank Modifications/Destabilization

# Virginia Department of Environmental Quality

## Appendix 4 - Fact Sheets for Impaired (Category 4 or 5) Waters in 2022

---

### Roanoke and Yadkin River Basins

**Cause Group Code:** L55R-01-BAC Marrowbone Creek

**Cause Location:** The bacteria impairment begins at the former Henry County PSA Water Treatment Plant on Marrowbone Creek and extends downstream to Marrowbone Creek's mouth on the Smith River (Northwest Eden Quad).

**Cause City/County:** Henry County

**Use(s):** Recreation

**Causes(s)/VA Category:** Escherichia coli (E. coli)/4A

**Cause Description:** The Dan River Bacteria Total Maximum Daily Load (TMDL) is U.S. EPA approved on 12/08/2008 [Fed ID 35757] and SWCB approved 4/28/2009. The Dan River Bacteria TMDL incorporates Marrowbone Creek as it lies within the TMDL Watershed. The TMDL and allocations can be viewed at <http://www.deq.virginia.gov>.

Station 4AMRR000.02 is a 1999 Federal Consent Decree Attachment B station. The 2002 impairment remains for the Recreational Use.

4AMRR000.02 (Rt. 642 Bridge) Four of 11 E.coli samples exceed during the 2020 data window. There are no additional data beyond the 2014 data window. Seven of 24 escherichia coli (E.coli) samples exceed the 235 cfu/100 ml instantaneous criterion within the 2014 data window. Exceedances range from 250 cfu/100 ml to 850 causing non-support of the Recreational Use. The 2010 and 2012 data windows report eight of 23 E.coli samples in excess of the 235 cfu/100 ml instantaneous criterion. The eight exceeding values range from 250 to 1410 cfu/100 ml. The 2008 assessment finds three of 11 E.coli exceedances ranging from 270 cfu/100 ml to 1410.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L55R_MRR01A00 / Marrowbone Creek / Marrowbone Creek mainstem from its mouth on the Smith River upstream to the Henry County PSA Water Treatment Plant (RD25).	4A	Escherichia coli (E. coli)	2008	L	4.48

Marrowbone Creek

**Recreation**

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:			4.48

Sources: Livestock (Grazing or Feeding Operations); Municipal (Urbanized High Density Area); Unspecified Domestic Waste; Wet Weather Discharges (Non-Point Source); Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code: L56R-01-BAC Leatherwood Creek and Headwater Tributaries**

Cause Location: This bacteria impairment begins in the headwater tributaries and mainstem of Leatherwood Creek, excluding the West Fork of Leatherwood Creek, on downstream to its mouth on the Smith River (Martinsville East and Northwest Eden Quads).

Cause City/County: Henry County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: The Dan River Bacteria Total Maximum Daily Load (TMDL) is U.S. EPA approved on 12/08/2008 [Fed ID 35757] and SWCB approved 4/28/2009. The Dan River Bacteria TMDL incorporates Leatherwood Creek as it lies within the TMDL Watershed. Allocation scenario development is for the entire drainage to provide pollutant reductions for all watersheds contributing to the bacteria impairment. The entirety of the approved TMDL and allocations can be viewed at <http://www.deq.virginia.gov>.

Station 4ALWD002.54 is a 1999 Federal Consent Decree Attachment B station. The waters are 2002 303(d) Listed for fecal coliform bacteria where three of 23 samples exceed the former 1000 cfu/100 ml instantaneous criterion (1996 to 2000 data window). The 2002 original 8.45 mile 303(d) Listing is extended 25.30 miles with the 2006 Integrated Report (IR) based on results from station 4ALWD011.03. Bacteria impaired waters now total 33.75 miles. Escherichia coli (E.coli) replaces fecal coliform (FC) bacteria as the indicator as per Water Quality Standards [9 VAC 25-260-170. Bacteria; other waters].

4ALWD011.03 (Rt. 648 Bridge) Eight of 11 excursions are reported during the 2020 data window. There is no additional data beyond the 2014 IR which found six of 12 escherichia coli (E.coli) samples are in excess of the WQS 235 cfu/100 ml instantaneous criterion. Excessive values range from 350 to 850 cfu/100 ml. There are no additional data within the 2010 or 2012 data windows. The 2008 assessment finds eight of 21 E.coli samples exceed the 235 cfu/100 ml criterion. Values in excess of the criterion range from 250 to 1600 cfu/100 ml. Two of five geometric mean calculations exceed the former (2 samples / calendar month) 126 cfu/100 ml criterion at 188 and 704 cfu/100 ml. 2006 E.coli results extended the bacteria impairment on the mainstem of Leatherwood upstream to include headwater tributaries (excluding the West Fork) for a total of 15.95 miles.

4ALWD002.54 (Rt. 650 Bridge) There is no new data since the 2016 data window. The 2016 assessment finds four of 12 E.coli samples exceed the WQS instantaneous criterion with values ranging from 250 to 450 cfu/100 ml. There are no additional data beyond the 2008 assessment where eight of 31 E.coli samples exceed the 235 cfu/100 ml criterion. Values in excess of the criterion range from 250 to 1600 cfu/100 ml. Two of five geometric mean calculations exceed the former (2 samples / calendar month) 126 cfu/100 ml criterion at 188 and 704 cfu/100 ml

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L56R_LWD01A00 / Leatherwood Creek / Leatherwood Creek mainstem from its mouth on the Smith River upstream to an unnamed tributary's confluence with Leatherwood approximately 0.1 miles upstream of the Rt. 620 crossing (RD29).	4A	Escherichia coli (E. coli)	2008	L	5.44
VAW-L56R_LWD02A00 / Leatherwood Creek / Leatherwood Creek mainstem from an unnamed tributary's confluence with Leatherwood approximately 0.1 miles upstream of the Rt. 620 crossing on upstream to the Martinsville City water intake (RD29).	4A	Escherichia coli (E. coli)	2008	L	3.02

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

(continued)

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L56R_LWD02B14 / Leatherwood Creek / Leatherwood Creek from the Martinsville City intake upstream to West Fork Leatherwood Creek confluence and tributaries to points 5 miles upstream (RD29).	4A	Escherichia coli (E. coli)	2006	L	0.04
VAW-L56R_LWD03A00 / Leatherwood Creek / Leatherwood Creek mainstem and tributaries from the mouth of West Fork Leatherwood Creek to points 5 miles upstream Class III sec. 4c PWS (RD27).	4A	Escherichia coli (E. coli)	2006	L	25.31

Leatherwood Creek and Headwater Tributaries

**Recreation**

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:			33.81

Sources: Livestock (Grazing or Feeding Operations); Municipal (Urbanized High Density Area); On-site Treatment Systems (Septic Systems and Similar Decentralized Systems); Unspecified Domestic Waste; Wastes from Pets; Wet Weather Discharges (Non-Point Source); Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L56R-02-BAC** **West Fork Leatherwood Creek**

Cause Location: West Fork of Leatherwood Creek mainstem and tributaries from its mouth on Leatherwood Creek upstream to the end of WQS PWS section waters.

Cause City/County: Henry County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: The Dan River Bacteria Total Maximum Daily Load (TMDL) is U.S. EPA approved on 12/08/2008 [Fed ID 35752] and SWCB approved 4/28/2009. The Dan River Bacteria TMDL incorporates the West Fork Leatherwood Creek as it lies within the TMDL Watershed. Allocation scenario development is for the entire drainage to provide pollutant reductions for all watersheds contributing to the bacteria impairment. The entirety of the approved TMDL and allocations can be viewed at <http://www.deq.virginia.gov>. The 2012 assessment initially finds the Recreational Use impaired due to escherichia coli (E.coli) exceedances.

4ALWF004.32 (Rt. 57 Bridge) The 2018 data window finds three of 11 samples exceed the 235 cfu/100 ml instantaneous E.coli criterion. Excursions range from 292-528 cfu/100 ml. The 2012 IR finds escherichia coli (E.coli) exceed the WQS 235 cfu/100 ml instantaneous criterion in six of 12 samples. Values in excess of the criterion range from 380 to 550 cfu/100 ml.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L56R_LWF01A00 / West Fork Leatherwood Creek & Tributaries / West Fork of Leatherwood Creek mainstem and tributaries from its mouth on Leatherwood Creek to points 5 miles upstream from the Martinsville City intake on Leatherwood Creek (RD28).	4A	Escherichia coli (E. coli)	2012	L	23.46

West Fork Leatherwood Creek

**Recreation**

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:			23.46

Sources: Livestock (Grazing or Feeding Operations); On-site Treatment Systems (Septic Systems and Similar Decentralized Systems); Unspecified Domestic Waste; Wet Weather Discharges (Non-Point Source); Wildlife Other than Waterfowl

# Virginia Department of Environmental Quality

## Appendix 4 - Fact Sheets for Impaired (Category 4 or 5) Waters in 2022

---

### Roanoke and Yadkin River Basins

**Cause Group Code:** L57R-01-BAC Dan River

Cause Location: Dan River mainstem from the downstream most Virginia/North Carolina State Line (exiting Virginia) in Watershed L57R upstream to the Rt. 880 crossing (Virginia/North Carolina State Line entering Virginia).

Cause City/County: Pittsylvania County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: The Dan River Bacteria TMDL Study (Dan River) received U.S. EPA approval on 12/8/2008 [Fed. ID.35748] and SWCB approval on 4/28/2009 for these 2004 303(d) Listed waters for fecal coliform and 2006 303(d) Listed waters for Bacteria. Escherichia coli (E.coli) replaces fecal coliform (FC) bacteria as the indicator as per Water Quality Standards [9 VAC 25-260-170. Bacteria; other waters]. 35748, 12/8/2008

One station is located within the 7.38 miles of impaired waters. 4ADAN075.22 (Ambient)(Route 880 Bridge at State Line)

4ADAN075.22 (Ambient)(Route 880 Bridge at State Line) Ten of 37 samples in excess of the instantaneous criterion during the 2020 data window. Eight of 35 samples in excess of the statistical threshold value of 410 cfu/100ml in the 2022 data window

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L57R_DAN04A00 / Dan River / Dan River mainstem from the downstream most Virginia/North Carolina State Line (exiting Virginia) in Watershed L57R upstream to the Rt. 880 crossing (Virginia/North Carolina State Line entering Virginia) (RD32)	4A	Escherichia coli (E. coli)	2006	L	7.37

Dan River

**Recreation**

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:			7.37

Sources: Livestock (Grazing or Feeding Operations); Unspecified Domestic Waste; Wastes from Pets; Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L57R-04-BAC** Cascade Creek

Cause Location: Cascade Creek mainstem from the VA/NC State Line upstream to its headwaters.

Cause City/County: Pittsylvania County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: NESTED 2014: 35748

The Dan River Bacteria TMDL Study (Dan River) received U.S. EPA approval on 12/8/2008 [Fed. ID.35748] and SWCB approval on 4/28/2009 for these 2004 303(d) Listed waters for fecal coliform and 2006 303(d) Listed waters for Bacteria. Escherichia coli (E.coli) replaces fecal coliform (FC) bacteria as the indicator as per Water Quality Standards [9 VAC 25-260-170. Bacteria; other waters]. 35748, 12/8/2008

One station is located within the 11.79 miles of impaired waters. 4ACAS001.92 (Ambient)(Route 860- near State Line)

4ACAS001.92 (Ambient) ( Route 860 - near State Line) Four of 12 samples in excess of the instantaneous criterion.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L57R_CAS01A00 / Cascade Creek / Cascade Creek mainstem from the VA/NC State Line upstream to its headwaters (RD31).	4A	Escherichia coli (E. coli)	2006	L	11.82

Cascade Creek

**Recreation**

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:			11.82

Sources: Livestock (Grazing or Feeding Operations); Unspecified Domestic Waste; Wastes from Pets; Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L57R-04-BEN** Cascade Creek and East Branch Cascade Creek

Cause Location: Cascade Creek mainstem from the VA/NC State Line upstream to its headwaters including East Branch Cascade Creek (CEB) mainstem from its mouth on Cascade Cr. upstream to its headwaters in RD31.

Cause City/County: Pittsylvania County

Use(s): Aquatic Life

Causes(s)/VA Category: Benthic Macroinvertebrates Bioassessments/5A

Cause Description: The initial Aquatic Life Use impairment on Cascade Creek occurs during the 2020 data window based on several benthic macroinvertebrate samples collected at the stations listed below. The 2022 data window extends the impairment to include the entire 4.9 miles of East Branch Cascade Creek mainstem upstream to its headwaters.

4ACAS006.64 (Cascade Mill Rd Rt. 855) - Virginia Stream Condition (VSCI) scores collected in Spring (59.6) and Fall 2017 (50.7) result in benthic impairment during the 2020 data window.

4ACAS004.33 (Unicorn Dr Rt. 855) - Impaired conditions for benthic macroinvertebrate communities are observed during Spring and Fall 2017 based on VSCI scores of 50.6 and 49, respectively.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L57R_CAS01A00 / Cascade Creek / Cascade Creek mainstem from the VA/NC State Line upstream to its headwaters (RD31).	5A	Benthic Macroinvertebrates Bioassessments	2020	L	11.82
VAW-L57R_CEB01A20 / East Branch Cascade Creek / East Branch Cascade Creek mainstem from its mouth on Cascade Cr. (CAS) upstream to its headwaters (RD31).	5A	Benthic Macroinvertebrates Bioassessments	2022	L	4.90

Cascade Creek and East Branch Cascade Creek

**Aquatic Life**

Benthic Macroinvertebrates Bioassessments - Total Impaired Size by Water Type:

Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
		16.72

Sources: Agriculture; Non-Point Source; Silviculture Harvesting; Source Unknown

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L57R-05-BEN** **Pumpkin Creek**

Cause Location: Pumpkin Ck @ Cobb Knob Rd

Cause City/County: Pittsylvania County

Use(s): Aquatic Life

Causes(s)/VA Category: Benthic Macroinvertebrates Bioassessments/5A

Cause Description: 4APMN001.01 (2017 Bio)( @ Cobb Knob Rd) 2022 Cycle: Bio 'IM' from four VSCI scores avg 45 (2017, 2019). This stream is very sandy and has marginal riffles consisting of gravel with some cobble. Cattle have access to the stream and the habitat assessment indicates a high probability of stress to the aquatic life.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L57R_PMN01A20 / Pumpkin Creek / Pumpkin Creek from its mouth on Cascade Cr. (CAS) upstream to its headwaters just over the Henry Co. / Pittsylvania Co. line (RD31).	5A	Benthic Macroinvertebrates Bioassessments	2020	L	3.73

Pumpkin Creek

**Aquatic Life**

Benthic Macroinvertebrates Bioassessments - Total Impaired Size by Water Type:

Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
		3.73

Sources: Clean Sediments; Livestock (Grazing or Feeding Operations); Loss of Riparian Habitat

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code: L57R-06-HG Dan River**

Cause Location: Dan River mainstem from the impounded backwaters of Schoolfield Dam upstream to the VA/NC State Line.

Cause City/County: Pittsylvania County

Use(s): Fish Consumption

Causes(s)/VA Category: Mercury in Fish Tissue/5A

Cause Description: This Dan River Mercury 303(d) listing is separated from the adjacent Mercury 303(d) listing by the Schoolfield Dam. This initial 2020 data window listing is based on fish tissue collections during 2017 and 2018. It will ultimately include the impounded waters of Schoolfield Dam, but those waters were previously listed and assigned to a different cause group code.

4ADAN060.16 (Above Schoolfield Dam) Exceedance of the Mercury (Hg) WQS based tissue value (TV) of 0.3 ppm and the VDH screening value of 0.5 ppm is found in one species from 2017 collections; Largemouth Bass ( 1 fish ) at 0.61 ppm and (1 fish) at 0.53 ppm. Two species exceeded the Mercury (Hg) WQS based tissue value (TV) of 0.3 ppm: Largemouth Bass (1 fish) at 0.49 ppm, (1 fish) at 0.39 ppm, and (1 fish) at 0.39 ppm; and Quillback Carpsucker (1 fish) at 0.46 ppm. Exceedance of the Mercury (Hg) WQS based tissue value (TV) of 0.3 ppm and the VDH screening value of 0.5 ppm is found in one species from 2018 collections; Largemouth Bass ( 2 fish ) at 0.61 ppm. One species exceeded the Mercury (Hg) WQS based tissue value (TV) of 0.3 ppm: Largemouth Bass (3 fish) at 0.32 ppm, (3 fish) at 0.34 ppm. 2019 (Hg) collections: One species exceeds the Mercury (Hg) WQS based tissue value (TV) of 0.3 ppm; Largemouth bass (1 fish) at 0.50 ppm, (2 fish) at .34 ppm, (2 fish) at .53 ppm, and (2 fish) at .30 ppm. Two of these collections were above the VDH level of concern (.50ppm):

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L57R_DAN03A00 / Dan River / Dan River mainstem from the impounded backwaters of Schoolfield Dam upstream to the VA/NC State Line (RD33).	5A	Mercury in Fish Tissue	2020	L	4.17

Dan River

**Fish Consumption**

Mercury in Fish Tissue - Total Impaired Size by Water Type:

Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
		4.17

Sources: Source Unknown

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L58R-01-BAC** **Sandy River**

Cause Location: Sandy River mainstem from the Hickory Forest Creek mouth downstream to the Sandy River confluence on the Dan River.

Cause City/County: Pittsylvania County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: The Dan River Bacteria TMDL Study (Sandy River) received U.S. EPA approval on 12/8/2008 [Fed. ID.35759] and SWCB approval on 4/28/2009 for these 2004 303(d) Listed waters for fecal coliform and 2006 303(d) Listed waters for Bacteria. Escherichia coli (E.coli) replaces fecal coliform (FC) bacteria as the indicator as per Water Quality Standards [9 VAC 25-260-170. Bacteria; other waters]. 35759, 12/8/2008

One station is located within the 7.23 miles of impaired waters. 4ASRV000.20 (Ambient, TMDL Monitoring)(Route 58 Bridge)

4ASRV000.20 (Ambient, TMDL Monitoring)(Route 58 Bridge) 2022: Seven of 35 samples in excess of the statistical threshold value of 410 cfu/100ml. 2020: 10 of 12 samples in excess of the instantaneous criterion. 2016: Two of 12 samples in excess of the instantaneous criterion.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L58R_SRV01A00 / Sandy River / Sandy River mainstem from the Hickory Forest Creek mouth downstream to the Sandy River confluence on the Dan River (RD36).	4A	Escherichia coli (E. coli)	2010	L	7.23

Sandy River

**Recreation**

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:			7.23

Sources: Livestock (Grazing or Feeding Operations); Unspecified Domestic Waste; Wastes from Pets; Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L58R-02-BAC** Tanyard Creek

Cause Location: Tanyard Creek from the confluence of Glady Fork to South Prong Sandy River

Cause City/County: Pittsylvania County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: NESTED 2014: 35759, 12/8/2008

The Dan River Bacteria TMDL Study (Sandy River) received U.S. EPA approval on 12/8/2008 [Fed. ID.35759] and SWCB approval on 4/28/2009 for these 2004 303(d) Listed waters for fecal coliform and 2006 303(d) Listed waters for Bacteria. Escherichia coli (E.coli) replaces fecal coliform (FC) bacteria as the indicator as per Water Quality Standards [9 VAC 25-260-170. Bacteria; other waters]. 35759, 12/8/2008

One station is located within the 2.86 miles of impaired waters. 4ATRD000.04 (Ambient) (Route 855 in Soap Stone)

4ATRD000.04 (Ambient) (Route 855 in Soap Stone) two of 11 samples in excess of the instantaneous criterion.

Was listed in 2008 as Tardy Creek - correct name is Tanyard Creek

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L58R_TRD01A06 / Tanyard Creek / From the confluence of Glady Fork to South Prong Sandy River (RD34).	4A	Escherichia coli (E. coli)	2006	L	2.86

Tanyard Creek

**Recreation**

Escherichia coli (E. coli) - Total Impaired Size by Water Type:

Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
		2.86

Sources: Livestock (Grazing or Feeding Operations); Unspecified Domestic Waste; Wastes from Pets; Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L58R-04-BAC** **Sandy River**

Cause Location: Sandy River from its headwaters to its confluence with Bawley Branch.

Cause City/County: Pittsylvania County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: The Dan River Bacteria TMDL Study (Sandy River) received U.S. EPA approval on 12/8/2008 [Fed. ID.35759] and SWCB approval on 4/28/2009 for these 2004 303(d) Listed waters for fecal coliform and 2006 303(d) Listed waters for Bacteria. Escherichia coli (E.coli) replaces fecal coliform (FC) bacteria as the indicator as per Water Quality Standards [9 VAC 25-260-170. Bacteria; other waters]. 35759, 12/8/2008

Two stations are located within the 10.79 miles of impaired waters. 4ASRV022.99 (Ambient)(Sandy River @ Wyatt Farm Road RT. 612) and 4ASRV025.40 (Ambient)(2018)(Sandy River @ Mapleton Rd.)

4ASRV022.99 (Ambient)(Sandy River @ Wyatt Farm Road RT. 612)Three of 12 samples in excess of the instantaneous criterion.

4ASRV025.40 (Ambient)(2018)(Sandy River @ Mapleton Rd.) Six of 12 samples in excess of the instantaneous criterion..

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L58R_SRV04A06 / Sandy River / From its headwaters to its confluence with Bawley Branch (RD35).	4A	Escherichia coli (E. coli)	2006	L	10.79

Sandy River

**Recreation**

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:			10.79

Sources: Livestock (Grazing or Feeding Operations); Unspecified Domestic Waste; Wastes from Pets; Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L58R-05-BAC** **Sugartree Creek**

Cause Location: Sugartree Creek from its headwaters to its mouth on Sandy River

Cause City/County: Pittsylvania County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: NESTED 2014: 35759, 12/8/2008

The Dan River Bacteria TMDL Study (Sandy River) received U.S. EPA approval on 12/8/2008 [Fed. ID.35759] and SWCB approval on 4/28/2009 for these 2004 303(d) Listed waters for fecal coliform and 2006 303(d) Listed waters for Bacteria. Escherichia coli (E.coli) replaces fecal coliform (FC) bacteria as the indicator as per Water Quality Standards [9 VAC 25-260-170. Bacteria; other waters]. 35759, 12/8/2008

One station is located within the 6.97 miles of impaired waters. 4ASUT000.89 (Ambient)(2018)( Sugartree @ Inman Rd)

4ASUT000.89 (Ambient)(2018)( Sugartree @ Inman Rd) Three of 10 samples in excess of the instantaneous criterion.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L58R_SUT01A08 / Sugartree Creek / Sugartree Creek from its headwaters to its mouth on Sandy River	4A	Escherichia coli (E. coli)	2008	L	6.97

Sugartree Creek

**Recreation**

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:			6.97

Sources: Livestock (Grazing or Feeding Operations); Unspecified Domestic Waste; Wastes from Pets; Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L58R-06-BAC** **Stewart Creek**

Cause Location: Stewart Creek from its headwaters to its mouth on Sandy River

Cause City/County: Pittsylvania County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: NESTED 2014: 35759, 12/8/2008

The Dan River Bacteria TMDL Study (Sandy River) received U.S. EPA approval on 12/8/2008 [Fed. ID.35759] and SWCB approval on 4/28/2009 for these 2004 303(d) Listed waters for fecal coliform and 2006 303(d) Listed waters for Bacteria. Escherichia coli (E.coli) replaces fecal coliform (FC) bacteria as the indicator as per Water Quality Standards [9 VAC 25-260-170. Bacteria; other waters]. 35759, 12/8/2008

One station is located within the 7.34 miles of impaired waters. 4ASWA002.97 (TMDL Monitoring)(Route 882) 4ASWA002.97 (TMDL Monitoring)(Route 882) Three of 12 samples in excess of the instantaneous criterion.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L58R_SWA01A08 / Stewart Creek / Stewart Creek from its headwaters to its mouth on Sandy River (RD36).	4A	Escherichia coli (E. coli)	2008	L	7.34

Stewart Creek

**Recreation**

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:			7.34

Sources: Livestock (Grazing or Feeding Operations); Unspecified Domestic Waste; Wastes from Pets; Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L58R-07-BAC** **South Prong Sandy River**

Cause Location: South Prong Sandy River from its headwaters to the confluence with Sandy River

Cause City/County: Pittsylvania County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: NESTED 2018: 35759, EPA Approved 12/8/2008

The Dan River Bacteria TMDL Study (Sandy River) received U.S. EPA approval on 12/8/2008 [Fed. ID.35759] and SWCB approval on 4/28/2009 for these 2004 303(d) Listed waters for fecal coliform and 2006 303(d) Listed waters for Bacteria. Escherichia coli (E.coli) replaces fecal coliform (FC) bacteria as the indicator as per Water Quality Standards [9 VAC 25-260-170. Bacteria; other waters]. 35759, 12/8/2008

One station is located within the 13.22 miles of impaired waters. 4ASSP002.44 (Rt. 841, Whispering Pines Rd.) 4ASSP002.44 (Rt. 841, Whispering Pines Rd.) - The 2018 data window finds six of 10 Escherichia coli (E.coli) samples in excess of the 235 cfu/100 ml instantaneous criterion. Excursions range from 246 to 1850 cfu/100 ml. The 2020 data window finds six of 11 Escherichia coli (E.coli) samples in excess of the 235 cfu/100 ml instantaneous criterion. The 2022 data window finds three of 12 Escherichia coli (E.coli) samples in excess of the 410 cfu/100 ml statistical threshold value.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L58R_SSP01A06 / South Prong Sandy River / From its headwaters to the confluence with Sandy River (RD34).	4A	Escherichia coli (E. coli)	2018	L	13.23

South Prong Sandy River

<b>Recreation</b>	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:			13.23

Sources: Livestock (Grazing or Feeding Operations); Unspecified Domestic Waste; Wastes from Pets; Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L59R-01-BAC** Sandy Creek

Cause Location: Sandy Creek mainstem from near its headwaters downstream to the confluence of Little Sandy Creek.

Cause City/County: Pittsylvania County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: The Dan River Bacteria TMDL Study (Sandy Creek) received U.S. EPA approval on 12/8/2008 [Fed. ID.35758] and SWCB approval on 4/28/2009 for these 2004 303(d) Listed waters for fecal coliform and 2006 303(d) Listed waters for Bacteria. Escherichia coli (E.coli) replaces fecal coliform (FC) bacteria as the indicator as per Water Quality Standards [9 VAC 25-260-170. Bacteria; other waters]. 35758, 12/8/2008

One station is located within the 9.49 miles of impaired waters. 4ASCR007.06 (Ambient, TMDL Monitoring)(Route 746 Bridge)

4ASCR007.06 (Ambient, TMDL Monitoring)(Route 746 Bridge) 2022: Three of 12 samples in excess of the statistical threshold value of 410 cfu/100ml. 2020: Three of 12 samples in excess of the instantaneous criterion. 2018: Three of 12 samples in excess of the instantaneous criterion. 2016: Four of 12 samples in excess of the instantaneous criterion.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L59R_SCR02A02 / Sandy Creek / Sandy Creek mainstem from near its headwaters downstream to the confluence of Little Sandy Creek (RD37).	4A	Escherichia coli (E. coli)	2008	L	9.49

Sandy Creek

**Recreation**

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:			9.49

Sources: Livestock (Grazing or Feeding Operations); Unspecified Domestic Waste; Wastes from Pets; Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L59R-02-BEN** Sandy Creek

Cause Location: Sandy Creek mainstem from the Little Sandy Creek mouth downstream to the confluence of Sandy Creek on the Dan River.

Cause City/County: Pittsylvania County

Use(s): Aquatic Life

Causes(s)/VA Category: Benthic Macroinvertebrates Bioassessments/5A

Cause Description: The 2022 data window finds the initial 5.52 mile listing of Sandy Creek for Aquatic Life Use based on benthic macroinvertebrate community surveys.

4ASCR003.33 (upstream of Rt 724, Pittsylvania Co.; Probabilistic Monitoring) - The 2022 data window finds two Virginia Stream Condition Index (VSCI) Scores not meeting the impairment threshold of 60. The data were collected during 2020: VSCI 53.3 (Spring) and VSCI 42.8 (Fall). This stream is very sandy and has marginal riffles. Sediment deposition and bank erosion are stressors to the benthic community.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L59R_SCR01A02 / Sandy Creek / Sandy Creek mainstem from the Little Sandy Creek mouth downstream to the confluence of Sandy Creek on the Dan River.	5A	Benthic Macroinvertebrates Bioassessments	2022	L	5.52

Sandy Creek

**Aquatic Life**

Benthic Macroinvertebrates Bioassessments - Total Impaired Size by Water Type:

Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
		5.52

Sources: Source Unknown

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

**Roanoke and Yadkin River Basins**

**Cause Group Code: L60R-01-BAC Dan River**

Cause Location: Dan River from the VA/NC State Line to its confluence with Peter Creek.

Cause City/County: Halifax County; Pittsylvania County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: The Dan River Bacteria TMDL Study (Dan River) received U.S. EPA approval on 12/8/2008 [Fed. ID.35748] and SWCB approval on 4/28/2009 for these 2004 303(d) Listed waters for fecal coliform and 2006 303(d) Listed waters for Bacteria. Escherichia coli (E.coli) replaces fecal coliform (FC) bacteria as the indicator as per Water Quality Standards [9 VAC 25-260-170. Bacteria; other waters]. 35748, 12/8/2008

Three stations are located within the 36.91 miles of impaired waters. 4ADAN042.80 (Ambient)(2018)(Route 62 at VA/NC State Line), 4ADAN028.90 (Ambient)(Route 658 at Paces), and 4ADAN015.30 (Ambient)( Route 501 below South Boston)

4ADAN042.80 (Ambient)(2018)(Route 62 at VA/NC State Line) 2020: Two of 12 samples in excess of the instantaneous criterion. 2018:Three of 12 samples in excess of the instantaneous criterion.

4ADAN028.90 (Ambient) (Route 658 at Paces) 2022:Four of 29 samples in excess of the statistical threshold value of 410 cfu/100ml. 2020:Eight of 30 samples in excess of the instantaneous criterion. 2018: Nine of 35 samples in excess of the instantaneous criterion. 2016:11 of 36 samples in excess of the instantaneous criterion.

4ADAN015.30 (Ambient)( Route 501 below South Boston)6 samples in excess of the instantaneous criterion.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L60R_DAN01A00 / Dan River / Dan River mainstem from VA/NC State Line downstream to watershed L60R/L62R boundary downstream of the mouth of Mineral Springs Branch (RD41).	4A	Escherichia coli (E. coli)	2004	L	1.84
VAW-L62R_DAN02A98 / Dan River / Mineral Springs Branch to Route 658 bridge (RD46).	4A	Escherichia coli (E. coli)	1998	L	11.86
VAW-L62R_DAN03A98 / Dan River / Route 658 bridge to Birch Creek (RD46).	4A	Escherichia coli (E. coli)	1998	L	2.81
VAW-L64R_DAN04A98 / Dan River / Birch Creek to South Boston raw water intake location (RD49).	4A	Escherichia coli (E. coli)	1998	L	10.57
VAW-L64R_DAN05A98 / Dan River / South Boston raw water intake location to Banister River.	4A	Escherichia coli (E. coli)	1998	L	6.58
VAW-L73R_DAN06A98 / Dan River / Dan River from the Banister River (watershed boundary) to the Peter Creek confluence (Kerr Reservoir)	4A	Escherichia coli (E. coli)	1998	L	3.30

Dan River

**Recreation**

Escherichia coli (E. coli) - Total Impaired Size by Water Type:

Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
		36.96

Sources: Livestock (Grazing or Feeding Operations); Unspecified Domestic Waste; Wastes from Pets; Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code: L60R-01-HG Dan River, Banister River and Hyco River**

Cause Location: Dan River within the state of Virginia from Schoolfield Dam in Danville downstream to the confluence with Roanoke River on John. H. Kerr Reservoir, including its tributaries Hyco River up to Rt. 738 bridge and Banister River up to the Banister Dam.

Cause City/County: Danville; Halifax County; Pittsylvania County

Use(s): Fish Consumption

Causes(s)/VA Category: Mercury in Fish Tissue/5A

Cause Description: The initial 303(d) listing is based on 2007 fish tissue collections and new Water Quality Standards effective 2/1/2010. Mercury (Hg) exceedances of the DEQ 0.3 parts per million (ppm) tissue value cause impairment of the Fish Consumption Use. No VDH Fish Consumption or Drinking Water Advisories are issued for mercury for these waters. The Virginia Department of Health (VDH) level of concern is 0.5 ppm.

4ADAN054.03 [Rt.265 Bridge] - The initial 303(d) Listing is based on 2007 fish tissue analysis where Hg is found in 4 Sp; Smouth bass at 0.71 ppm, flathead catfish at 0.90 ppm and 0.78 ppm and 0.38 ppm, channel catfish at 0.31 ppm, and quillback carpsucker 0.39 ppm; each in excess of the new WQS TV based 0.3 ppm. There are no additional data within the 2012, 2014, 2016 data windows. Exceedance of the Hg WQS based tissue value (TV) of 0.3 ppm is found in 1 sp in the 2015 FT Sample collections; flathead catfish at 0.34 ppm and 4 sp in the 2016 FT Sample collections; flathead catfish at 0.84 ppm and 0.64 ppm, striped bass at 0.74 ppm, 0.62 ppm, and 0.31 ppm, Lmouth bass at 0.31 ppm, and Smouth bass at 0.30 ppm. Exceedance of the Hg WQS based TV of 0.3 ppm and the VDH screening value of 0.5 ppm is found in 1 sp from 2017 collections; Striped Bass (1 fish ) at 0.56 ppm; 1 sp exceeded the Hg WQS based TV of 0.3 ppm; Smouth Bass (1 fish) at 0.40 ppm. Exceedance of the Hg WQS based TV of 0.3 ppm is found in 1 sp from 2018 collections; Walleye (1 fish) at 0.37 ppm.

4ABAN000.50 (2007 FT/Sed)[upstream of the pipeline]- Listing based on 2007 fish tissue analysis where Hg is found in 2 sp; longnose gar at 1.03ppm, 0.83ppm, and 1.09 ppm and blue catfish at 0.72 ppm, 0.83 ppm, 0.39 ppm, 0.37 ppm, 0.36 ppm, and 0.32; each in excess of the new WQS TV based 0.3 ppm. There are no additional data within the 2012, 2014, 2016 or 2018 data windows.

4ABAN008.30 (2007 FT/Sed)[near Rt.614 bridge]- Listing based on 2007 fish tissue analysis where Hg is found in 1 sp; blue catfish at 0.52 ppm and 0.51 ppm; each in excess of the new WQS TV based 0.3 ppm. There are no additional data within the 2012, 2014, 2016 or 2018 data windows.

4ADAN001.18 [Dan River/Kerr Reservoir near State Park] - Listing based on 2007 fish tissue analysis where Hg is found in 3 sp; white crappie at 0.42 ppm and 0.39 ppm, Lmouth bass at 0.36 ppm and 0.43 ppm, and flathead catfish at 0.37 ppm; each in excess of the new WQS TV based 0.3 ppm. There are no additional data within the 2012, 2014, 2016 windows. Exceedance of the Hg WQS based TV of 0.3 ppm is found in 1 sp in the 2015 FT Sample collections; blue catfish at 0.38 ppm and 2 sp in the 2016 FT sample collections; golden redhorse sucker at 0.34 ppm and 0.32 ppm; and Lmouth bass at 0.55 ppm, 0.31 ppm, and 0.30 ppm. Exceedance of the Hg WQS based TV of 0.3 ppm is found in 3 sp from 2017 collections; Freshwater Drum (1 fish) at 0.34 ppm; Channel Catfish (1 Fish) at 0.30 ppm; and Carp (1 Fish) at 0.41 ppm. Exceedance of the Hg WQS based TV of 0.3 ppm and the VDH screening value of 0.5 ppm is found in 1 sp from 2018 collections; Flathead Catfish (1 fish) at 1.03 ppm; Exceedance of the Hg WQS based TV of 0.3 ppm is found in 1 sp; Lmouth Bass (3 fish) at 0.30 ppm. 2018 PCB collections.

4AHYC002.70 (2007 FT/Sed)[Hyco River near Rt.58] - Listing based on 2007 fish tissue analysis where Hg is found in 3 sp; Lmouth bass at 1.28 ppm, 0.73 ppm, and 0.48 ppm, bowfin at 0.47 ppm, and blue catfish at 0.45 ppm and 0.44 ppm; each in excess of the new WQS TV based 0.3 ppm. There are no additional data within the 2012, 2014, 2016 or 2018 data windows.

VDH Fish Advisory - PCBs: Issued 10/27/99, revised 12/31/04 & Mercury: Issued 8/31/07

Dan River within the state of Virginia from the Brantley Steam Plant Dam in Danville downstream to the confluence with Roanoke River on John. H. Kerr Reservoir, including its tributaries Hyco River up to

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L57R_DAN01A00 / Dan River / Dan River mainstem from the mouth of Sandy River upstream to the Schoolfield Dam (RD33).	5A	Mercury in Fish Tissue	2010	L	1.17
VAW-L60R_DAN01A00 / Dan River / Dan River mainstem from VA/NC State Line downstream to watershed L60R/L62R boundary downstream of the mouth of Mineral Springs Branch (RD41).	5A	Mercury in Fish Tissue	2008	L	1.84
VAW-L60R_DAN02A00 / Dan River / Dan River mainstem from Danville Northside POTW downstream to VA/NC State Line (exiting Virginia) (RD39).	5A	Mercury in Fish Tissue	2008	L	2.03
VAW-L60R_DAN03A02 / Dan River / Dan River mainstem from the Brantley Steam Plant Dam downstream to the Danville Northside POTW (RD39).	5A	Mercury in Fish Tissue	2008	L	0.38
VAW-L60R_DAN04A06 / Dan River / From its confluence with Sandy River to Brantley Steam Plant Dam (RD39).	5A	Mercury in Fish Tissue	2010	L	4.28
VAW-L62R_DAN02A98 / Dan River / Mineral Springs Branch to Route 658 bridge (RD46).	5A	Mercury in Fish Tissue	2008	L	11.86
VAW-L62R_DAN03A98 / Dan River / Route 658 bridge to Birch Creek (RD46).	5A	Mercury in Fish Tissue	2008	L	2.81
VAW-L64R_DAN04A98 / Dan River / Birch Creek to South Boston raw water intake location (RD49).	5A	Mercury in Fish Tissue	2008	L	10.57
VAW-L64R_DAN05A98 / Dan River / South Boston raw water intake location to Banister River.	5A	Mercury in Fish Tissue	2008	L	6.58
VAW-L71R_BAN04A00 / Banister River / Banister Lake to Burlington Industries raw water intake 2000' downstream of Route 360 bridge (RD67).	5A	Mercury in Fish Tissue	2008	L	1.40
VAW-L71R_BAN05A00 / Banister River / 2000' downstream of Rt. 360 bridge (Burlington Industries' raw water intake) to its confluence with Wolf Trap Creek (RD67).	5A	Mercury in Fish Tissue	2008	L	8.25
VAW-L71R_BAN06A08 / Banister River / Confluence of Wolf Trap Creek to its mouth on the Dan River (RD67).	5A	Mercury in Fish Tissue	2008	L	2.34
VAW-L73L_DAN07A04 / Dan River / Peter Creek Confluence to Roanoke River Confluence (Kerr Reservoir)	5A	Mercury in Fish Tissue	2008	L	1655.18
VAW-L73R_DAN06A98 / Dan River / Dan River from the Banister River (watershed boundary) to the Peter Creek confluence (Kerr Reservoir)	5A	Mercury in Fish Tissue	2008	L	3.30
VAW-L74R_HYC01A00 / Hyco River / Route 738 Bridge to Dan River.	5A	Mercury in Fish Tissue	2008	L	6.12

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

Dan River, Banister River and Hyco River

<b>Fish Consumption</b>	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Mercury in Fish Tissue - Total Impaired Size by Water Type:		1655.18	62.93

---

Sources: Source Unknown

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L60R-01-PCB** **Dan River, Banister River and Hyco River**

Cause Location: Dan River within the state of Virginia from the VA/NC State Line in Pittsylvania Co. downstream to the confluence with Roanoke River on John. H. Kerr Reservoir, including its tributaries Hyco River up to the VA/NC State Line and Banister River up to the Banister Dam.

Cause City/County: Danville; Halifax County; Pittsylvania County

Use(s): Fish Consumption

Causes(s)/VA Category: PCBs in Fish Tissue/5A

Cause Description: The 2022 data window extends impairment on the Dan R. all the way up to the VA/NC State Line in Pittsylvania Co. and includes the backwaters of the Schoolfield Dam impoundment. Previously, the 2018 data window extended the impairment upstream on Hyco River by 17.48 miles. 4ADAN060.16 (Above Schoolfield Dam) 2019: 1 species out of 4 collected exceeds the DEQ screening value of 18 ppb: Carp (2 fish comp [70.8-75.1 cm]) at 59.47 ppb. 2016 fish collections find 1 species (Carp) out of 4 species collected exceeds WQS TV of 20 ppb (3 fish comp [69.0-73.3 cm]) at 53.21 ppb. 4ADAN054.03 (Rte 265 Br.-downstream of Danville) 2013 4 species analyzed - Flathead catfish exceeds WQS TV of 20 ppb at 235.05 ppb. Remaining species analyzed Carp at 58.81 ppb and 76.6 ppb; Blue catfish at 91.57 ppb; and Golden redhorse sucker at 42.590ppb. 2007 4 species analyzed - Flathead catfish exceeds WQS TV of 20 ppb at 222.30 ppb, 130.18 ppb, and 33.24 ppb. Remaining species analyzed Channel catfish at 32.20 ppb and 38.37 ppb; Redhorse sucker at 29.85 ppb; and Carp at 20.65 ppb and 27.66 ppb. 4ADAN028.90 (near Route 658 Br. near Paces) 2013 4 species analyzed - Flathead catfish exceeds WQS TV of 20 ppb; at 283.76 ppb and 68.92 ppb. Remaining species analyzed Carp at 45.77 ppb and 69.326 ppb; Blue catfish at 55.42 ppb and 27.79 ppb; and Channel catfish at 33.926 ppb. 4ADAN015.30 (near Route 501 below South Boston) 2013 3 species analyzed - Blue catfish exceeds WQS TV of 20 ppb; at 118.84 ppb, 268.04 ppb and 44.04 ppb. Remaining species analyzed Carp at 71.31 ppb; Flathead catfish at 724.49 ppb and 602.72 ppb. 4ABAN000.50 (upstream of the pipeline) 2013 3 species analyzed - Blue catfish exceeds WQS TV of 20 ppb; at 32.91 ppb. Remaining species analyzed Flathead catfish at 225.11 ppb; and Carp at 32.19 ppb and 54.88 ppb. 2007 3 species analyzed - Longnose gar exceeds WQS TV of 20 ppb; at 172.08 ppb, 686.90 ppb, and 254.03 ppb. Remaining species analyzed Blue catfish at 115.07 ppb, 180.97 ppb, 62.57 ppb, 70.64 ppb, 87.68 ppb, 82.28 ppb, and 40.18 ppb; and Carp at 97.04 ppb, 76.16 ppb, 40.53 ppb, 27.50 ppb, and 37.69 ppb. 4ABAN008.30 (near Route 614 br.) 2013 °PCB No exceedances. 2007 3 species analyzed - Flathead catfish exceeds WQS TV of 20 ppb; at 222.46 ppb. Remaining species analyzed Channel catfish at 99.31 ppb and 28.23 ppb; and Blue catfish at 199.72 ppb and 48.23 ppb. 4ADAN009.93 (at mouth of Grassy Cr.) 2013 4 species analyzed - Flathead catfish exceeds WQS TV of 20 ppb; at 480.96 ppb and 535.55 ppb. Remaining species analyzed Carp at 50.73 ppb and 87.03 ppb; Blue catfish at 84.23 ppb and 30.06 ppb; and Golden redhorse sucker at 39.84 ppb. 4ADAN001.18 (near Staunton River State Park) 2007 3 species analyzed - Flathead catfish exceeds WQS TV of 20 ppb; at 357.84 ppb. Remaining species analyzed Channel catfish at 21.28 ppb, 20.95 ppb, and 51.00 ppb; and Carp at 61.70 ppb, 158.54 ppb, and 20.33 ppb. 4AHYC010.76 (Near Rt. 744 Br.) 2013 fish tissue data finds 2 Channel Catfish PCB concentrations greater than DEQ's screening value of 20 ppb at 29.4 ppb and 28.1 ppb total PCB. 4AHYC002.70 (near Route 58 br.) 2013 2 species analyzed - Flathead catfish exceeds WQS TV of 20 ppb; at 77.40 ppb. Remaining species analyzed Carp at 36.12 ppb and 71.07 ppb. 2007 species analyzed - Channel catfish exceeds WQS TV of 20 ppb; at 28.88 ppb. Remaining species analyzed Blue catfish at 43.16 ppb and 51.89 ppb; and Carp at 36.80 ppb, 21.49 ppb, 23.20 ppb, 27.61 ppb, and 23.02 ppb. VDH Fish Advisory - PCBs: Issued 10/27/99, revised 12/31/04 & Mercury: Issued 8/31/07 Dan River within the state of Virginia from the Brantley Steam Plant Dam in Danville downstream to the confluence with Roanoke River on John. H. Kerr Reservoir, including its tributaries Hyco River up to Rt. 738 br. and Banister River up to the Banister Dam. These river segments comprise ~67 miles.

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L57R_DAN01A00 / Dan River / Dan River mainstem from the mouth of Sandy River upstream to the Schoolfield Dam (RD33).	5A	PCBs in Fish Tissue	2010	L	1.17
VAW-L57R_DAN02A00 / Dan River / Dan River mainstem from the Schoolfield Dam upstream to the backwaters of the impoundment (RD33).	5A	PCBs in Fish Tissue	2022	L	2.52
VAW-L57R_DAN03A00 / Dan River / Dan River mainstem from the impounded backwaters of Schoolfield Dam upstream to the VA/NC State Line (RD33).	5A	PCBs in Fish Tissue	2022	L	4.17
VAW-L60R_DAN01A00 / Dan River / Dan River mainstem from VA/NC State Line downstream to watershed L60R/L62R boundary downstream of the mouth of Mineral Springs Branch (RD41).	5A	PCBs in Fish Tissue	2002	L	1.84
VAW-L60R_DAN02A00 / Dan River / Dan River mainstem from Danville Northside POTW downstream to VA/NC State Line (exiting Virginia) (RD39).	5A	PCBs in Fish Tissue	2006	L	2.03
VAW-L60R_DAN03A02 / Dan River / Dan River mainstem from the Brantley Steam Plant Dam downstream to the Danville Northside POTW (RD39).	5A	PCBs in Fish Tissue	2006	L	0.38
VAW-L60R_DAN04A06 / Dan River / From its confluence with Sandy River to Brantley Steam Plant Dam (RD39).	5A	PCBs in Fish Tissue	2010	L	4.28
VAW-L62R_DAN02A98 / Dan River / Mineral Springs Branch to Route 658 bridge (RD46).	5A	PCBs in Fish Tissue	2002	L	11.86
VAW-L62R_DAN03A98 / Dan River / Route 658 bridge to Birch Creek (RD46).	5A	PCBs in Fish Tissue	2004	L	2.81
VAW-L64R_DAN04A98 / Dan River / Birch Creek to South Boston raw water intake location (RD49).	5A	PCBs in Fish Tissue	2002	L	10.57
VAW-L64R_DAN05A98 / Dan River / South Boston raw water intake location to Banister River.	5A	PCBs in Fish Tissue	2002	L	6.58
VAW-L71R_BAN04A00 / Banister River / Banister Lake to Burlington Industries raw water intake 2000' downstream of Route 360 bridge (RD67).	5A	PCBs in Fish Tissue	2004	L	1.40
VAW-L71R_BAN05A00 / Banister River / 2000' downstream of Rt. 360 bridge (Burlington Industries' raw water intake) to its confluence with Wolf Trap Creek (RD67).	5A	PCBs in Fish Tissue	2004	L	8.25
VAW-L71R_BAN06A08 / Banister River / Confluence of Wolf Trap Creek to its mouth on the Dan River (RD67).	5A	PCBs in Fish Tissue	2004	L	2.34
VAW-L73L_DAN07A04 / Dan River / Peter Creek Confluence to Roanoke River Confluence (Kerr Reservoir)	5A	PCBs in Fish Tissue	2002	L	1655.18
VAW-L73R_DAN06A98 / Dan River / Dan River from the Banister River (watershed boundary) to the Peter Creek confluence (Kerr Reservoir)	5A	PCBs in Fish Tissue	2002	L	3.30

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

*(continued)*

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L74R_HYC01A00 / Hyco River / Route 738 Bridge to Dan River.	5A	PCBs in Fish Tissue	2006	L	6.12
VAW-L74R_HYC02A06 / Hyco River / From the VA/NC State Line downstream to the Route 738 Bridge.	5A	PCBs in Fish Tissue	2018	L	17.48

Dan River, Banister River and Hyco River

**Fish Consumption**

PCBs in Fish Tissue - Total Impaired Size by Water Type:

Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
	1655.18	87.1

Sources: Source Unknown

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L60R-02-BAC** **Pumpkin Creek**

Cause Location: Pumpkin Creek from the VA/NC line to the mouth on the Dan River.

Cause City/County: Danville; Pittsylvania County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: NESTED 2014: 35748

The Dan River Bacteria TMDL Study (Dan River) received U.S. EPA approval on 12/8/2008 [Fed. ID.35748] and SWCB approval on 4/28/2009 for these 2004 303(d) Listed waters for fecal coliform and 2006 303(d) Listed waters for Bacteria. Escherichia coli (E.coli) replaces fecal coliform (FC) bacteria as the indicator as per Water Quality Standards [9 VAC 25-260-170. Bacteria; other waters]. 35748, 12/8/2008

One station is located within the 4.28 miles of impaired waters. 4APKP002.31 (Ambient)(Old Route 86)

4APKP002.31 (Ambient) (Old Route 86)Two of 12 samples in excess of the instantaneous criterion.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L60R_PKP01A06 / Pumpkin Creek / From the VA/NC line to the mouth on the Dan River (RD39).	4A	Escherichia coli (E. coli)	2006	L	4.28

Pumpkin Creek

**Recreation**

Escherichia coli (E. coli) - Total Impaired Size by Water Type:

Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
		4.28

Sources: Livestock (Grazing or Feeding Operations); Unspecified Domestic Waste; Wastes from Pets; Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L60R-02-BEN** **Pumpkin Creek**

Cause Location: From the VA/NC line to the mouth on the Dan River

Cause City/County: Danville; Pittsylvania County

Use(s): Aquatic Life

Causes(s)/VA Category: Benthic Macroinvertebrates Bioassessments/5A

Cause Description: Station ID:

4APKP002.46 (2009/2015 Bio) (Pumpkin Creek at College Park Road)The 2018 data window finds Bio 'IM' from two 2015 VSCI surveys: Spring 26.5, Fall 57.7. 2012 data window: Bio IM. Sampling station is in an urban watershed with abundant impervious surfaces. Flow regime and sedimentation seem to be affecting the benthic community negatively.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L60R_PKP01A06 / Pumpkin Creek / From the VA/NC line to the mouth on the Dan River (RD39).	5A	Benthic Macroinvertebrates Bioassessments	2012	L	4.28

Pumpkin Creek

<b>Aquatic Life</b>	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Benthic Macroinvertebrates Bioassessments - Total Impaired Size by Water Type:			4.28

Sources: Source Unknown

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L60R-03-BAC** Cane Creek

Cause Location: Cane Creek mainstem from its headwaters downstream to the VA/NC State Line.

Cause City/County: Pittsylvania County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: NESTED 2014: 35748

The Dan River Bacteria TMDL Study (Dan River) received U.S. EPA approval on 12/8/2008 [Fed. ID.35748] and SWCB approval on 4/28/2009 for these 2004 303(d) Listed waters for fecal coliform and 2006 303(d) Listed waters for Bacteria. Escherichia coli (E.coli) replaces fecal coliform (FC) bacteria as the indicator as per Water Quality Standards [9 VAC 25-260-170. Bacteria; other waters]. 35748, 12/8/2008

One station is located within the 12.25 miles of impaired waters. 4ACAN000.80 (Ambient)(2018)( Cane Cr. @ Cedar Rd (NC Route 1530))

4ACAN000.80 (Ambient)(2018) ( Cane Cr. @ Cedar Rd (NC Route 1530))Three of 12 samples in excess of the instantaneous criterion.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L60R_CAN01A02 / Cane Creek / Cane Creek mainstem from its headwaters downstream to the VA/NC State Line (RD41).	4A	Escherichia coli (E. coli)	2008	L	12.25

Cane Creek

**Recreation**

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:			12.25

Sources: Livestock (Grazing or Feeding Operations); Unspecified Domestic Waste; Wastes from Pets; Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L60R-03-BEN** Cane Creek

Cause Location: Cane Creek mainstem from its headwaters downstream to the VA/NC State Line.

Cause City/County: Pittsylvania County

Use(s): Aquatic Life

Causes(s)/VA Category: Benthic Macroinvertebrates Bioassessments/5A

Cause Description: Station ID:

4ACAN000.80 (2009/2016 Bio)( Cane Cr. @ Cedar Rd (NC Route 1530)) The 2018 data window finds Bio 'IM' from two 2016 VSCI surveys: Spring 43.7, Fall 74.0. Bank scour and sedimentation are negatively affecting the site. The fall 2015 VSCI is very promising and could indicate recovery; therefore this stream will be monitored in the future to document any improvements.

2012 data window: Bio 'IM' - Bank scour and sedimentation are negatively affecting the site.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L60R_CAN01A02 / Cane Creek / Cane Creek mainstem from its headwaters downstream to the VA/NC State Line (RD41).	5A	Benthic Macroinvertebrates Bioassessments	2012	L	12.25

Cane Creek

**Aquatic Life**

Benthic Macroinvertebrates Bioassessments - Total Impaired Size by Water Type:

Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
		12.25

Sources: Source Unknown

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L60R-04-BEN** **Rutledge Creek**

Cause Location: Rutledge Creek from its headwaters to the mouth on Pumpkin Creek

Cause City/County: Danville

Use(s): Aquatic Life

Causes(s)/VA Category: Benthic Macroinvertebrates Bioassessments/5A

Cause Description: Station ID:

4ARUT000.45 (2009 & 2011 Bio) (Rutledge Cr @ Edmunds St, Danville)No new data since the 2016 data window:

IM - 4ARUT000.45 is located in an older suburban watershed with abundant impervious surfaces. An historic pollution event at an up gradient industrial facility may be affecting the benthic community as well.

4ARUT002.04 (2009/2014 Bio) No new data since the 2016 data window:

J - 4ARUT002.04 is located in an older suburban watershed with abundant impervious surfaces. An historic pollution event at an up gradient industrial facility may be affecting the benthic community as well. Significant seasonal variability and a single score near the impairment cutoff of 60 warrants further sampling at 4ARUT002.04

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L60R_RUT01A12 / Rutledge Creek / Rutledge Creek from its headwaters to the mouth on Pumpkin Creek	5A	Benthic Macroinvertebrates Bioassessments	2012	L	4.37

Rutledge Creek

**Aquatic Life**

Benthic Macroinvertebrates Bioassessments - Total Impaired Size by Water Type:

Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
		4.37

Sources: Source Unknown

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code: L60R-05-BAC Dan River**

Cause Location: Dan River from its confluence with Sandy River downstream to VA/NC State Line (exiting Virginia).

Cause City/County: Danville; Pittsylvania County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: The Dan River Bacteria TMDL Study (Dan River) received U.S. EPA approval on 12/8/2008 [Fed. ID.35748] and SWCB approval on 4/28/2009 for the original 2004 303(d) Listed waters for fecal coliform and 2006 303(d) Listed waters for Bacteria. Escherichia coli (E.coli) replaces fecal coliform (FC) bacteria as the indicator as per Water Quality Standards [9 VAC 25-260-170. Bacteria; other waters]. 35748, 12/8/2008. The 2018 303(d) listed waters are nested in the Dan River Bacteria TMDL. The 2022 cycle extends the bacteria impairment an addition 2.02 miles to the VA/NC state line.

4ADAN053.40 (Bridge located near Danville STP) The 2018 data window finds four of 11 E.coli samples in exceedance of the 235 cfu/100 ml instantaneous criterion.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L60R_DAN02A00 / Dan River / Dan River mainstem from Danville Northside POTW downstream to VA/NC State Line (exiting Virginia) (RD39).	4A	Escherichia coli (E. coli)	2022	L	2.03
VAW-L60R_DAN03A02 / Dan River / Dan River mainstem from the Brantley Steam Plant Dam downstream to the Danville Northside POTW (RD39).	4A	Escherichia coli (E. coli)	2018	L	0.38
VAW-L60R_DAN04A06 / Dan River / From its confluence with Sandy River to Brantley Steam Plant Dam (RD39).	4A	Escherichia coli (E. coli)	2018	L	4.28

Dan River

**Recreation**

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:			6.69

Sources: Livestock (Grazing or Feeding Operations); Unspecified Domestic Waste; Wastes from Pets; Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L61R-01-BAC** **Fall Creek**

Cause Location: Fall Creek mainstem from its mouth on the Dan River upstream to its headwaters.

Cause City/County: Pittsylvania County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: The Dan River Bacteria TMDL Study (Fall Creek) received U.S. EPA approval on 12/8/2008 [Fed. ID.35751] and SWCB approval on 4/28/2009 for these 2004 303(d) Listed waters for fecal coliform and 2006 303(d) Listed waters for Bacteria. Escherichia coli (E.coli) replaces fecal coliform (FC) bacteria as the indicator as per Water Quality Standards [9 VAC 25-260-170. Bacteria; other waters]. 35751, 12/8/2008

Three stations are located within the 11.97 miles of impaired waters. 4AFAL001.58 (Ambient, TMDL Monitoring)(Route 730), 4AFAL005.42 (TMDL)(Fall Cr @ Twin Arch Dr (Rt 695)), and 4AFAL006.58 (Probambient)(2018)(in stream)

4AFAL001.58 (Ambient, TMDL Monitoring)(Route 730) Three of 24 samples in excess of the instantaneous criterion.

4AFAL005.42 (TMDL)(Fall Cr @ Twin Arch Dr (Rt 695)) Five of 12 samples in excess of the instantaneous criterion.

4AFAL006.58 (Probambient)(2018)(in stream) Two of 12 samples in excess of the instantaneous criterion.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L61R_FAL01A00 / Fall Creek / Fall Creek mainstem from its mouth on the Dan River upstream to its headwaters (RD38).	4A	Escherichia coli (E. coli)	2008	L	11.97

Fall Creek

**Recreation**

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:			11.97

Sources: Livestock (Grazing or Feeding Operations); Unspecified Domestic Waste; Wastes from Pets; Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** L61R-01-BEN Fall Creek

Cause Location: Fall Creek mainstem from its mouth on the Dan River upstream to its headwaters.

Cause City/County: Pittsylvania County

Use(s): Aquatic Life

Causes(s)/VA Category: Benthic Macroinvertebrates Bioassessments/5A

Cause Description: Station ID:

4AFAL000.92 (2007-2008, 2011-2012 Bio)(Fall Creek near E. Thomas St. (Rt. 655))

IM - AFAL000.92 exhibits significant seasonal variation. Additional data must be collected to accurately characterize the status of the stream community. VSCI scores from 2011 and 2012 indicate an unbalanced community with tolerant taxa dominating the samples. Sediment and nutrient enrichment are probable stressors to this reach.

4AFAL006.61 (2014 Probmon/2016) The 2018 data window finds Bio 'IM' from four VSCI surveys (2014, 2016) with an average score of 48.3.

IM - Bank scour and slight sedimentation were observed. Originally a PROBMON station, accessible from Rt 29 in Danville.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L61R_FAL01A00 / Fall Creek / Fall Creek mainstem from its mouth on the Dan River upstream to its headwaters (RD38).	5A	Benthic Macroinvertebrates Bioassessments	2014	L	11.97

Fall Creek

**Aquatic Life**

Benthic Macroinvertebrates Bioassessments - Total Impaired Size by Water Type:

Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
		11.97

Sources: Source Unknown

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** L61R-01-HG Fall Creek

Cause Location: Fall Creek mainstem from its mouth on the Dan River upstream to its headwaters.

Cause City/County: Pittsylvania County

Use(s): Fish Consumption

Causes(s)/VA Category: Mercury in Fish Tissue/5A

Cause Description: Station ID:

4AFAL000.92 (2007 FT Sampling)(Fall Creek near E. Thomas St. (Rt. 655))

Hg 2 Species

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L61R_FAL01A00 / Fall Creek / Fall Creek mainstem from its mouth on the Dan River upstream to its headwaters (RD38).	5A	Mercury in Fish Tissue	2010	L	11.97

Fall Creek

**Fish Consumption**

Mercury in Fish Tissue - Total Impaired Size by Water Type:

Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
		11.97

Sources: Source Unknown

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L61R-02-BAC** Lawless Creek

Cause Location: Lawless Creek from its headwaters to its mouth at Fall Creek.

Cause City/County: Pittsylvania County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: NESTED 2014: 35751

The Dan River Bacteria TMDL Study (Fall Creek) received U.S. EPA approval on 12/8/2008 [Fed. ID.35751] and SWCB approval on 4/28/2009 for these 2004 303(d) Listed waters for fecal coliform and 2006 303(d) Listed waters for Bacteria. Escherichia coli (E.coli) replaces fecal coliform (FC) bacteria as the indicator as per Water Quality Standards [9 VAC 25-260-170. Bacteria; other waters]. 35751, 12/8/2008

One station is located within the 4.72 miles of impaired waters. 4ALAW002.43 (Ambient)(2018)(Lawless Creek @ Lawless Creek Rd)

4ALAW002.43 (Ambient)(2018)(Lawless Creek @ Lawless Creek Rd) Two of 12 samples in excess of the instantaneous criterion.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L61R_LAW01A04 / Lawless Creek / Lawless Creek from its headwaters to its mouth at Fall Creek (RD38).	4A	Escherichia coli (E. coli)	2014	L	4.72

Lawless Creek

**Recreation**

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:			4.72

Sources: Livestock (Grazing or Feeding Operations); Unspecified Domestic Waste; Wastes from Pets; Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L61R-02-BEN** Lawless Creek

Cause Location: Lawless Creek from its headwaters to its mouth at Fall Creek.

Cause City/County: Pittsylvania County

Use(s): Aquatic Life

Causes(s)/VA Category: Benthic Macroinvertebrates Bioassessments/5A

Cause Description: This initial 2018 Aquatic Life Use impairment listing is based on Virginia Stream Condition Index (VSCI) surveys collected at two stations on Lawless Creek.

4ALAW002.43 (Above Lawless Creek Rd.) - The 2018 data window finds Bio 'IM' from four (2013, 2015) VSCI surveys with an average score of 46.2, which is below the impairment threshold of VSCI = 60.

4ALAW002.33 (40 meters downstream of Lawless Creek Rd. bridge) - The 2018 data window finds Bio 'IM' from five VSCI surveys (2013-2015) with an average VSCI score of 50.8.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L61R_LAW01A04 / Lawless Creek / Lawless Creek from its headwaters to its mouth at Fall Creek (RD38).	5A	Benthic Macroinvertebrates Bioassessments	2018	L	4.72

Lawless Creek

**Aquatic Life**

Benthic Macroinvertebrates Bioassessments - Total Impaired Size by Water Type:

Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
		4.72

Sources: Source Unknown

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L62R-03-BAC** **Double Creek**

Cause Location: Double Creek from its headwaters to its mouth on the Dan River.

Cause City/County: Halifax County; Pittsylvania County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: The Dan River Bacteria TMDL Study (Double Creek) received U.S. EPA approval on 12/8/2008 [Fed. ID.35942] and SWCB approval on 4/28/2009 for these 2004 303(d) Listed waters for fecal coliform and 2006 303(d) Listed waters for Bacteria. Escherichia coli (E.coli) replaces fecal coliform (FC) bacteria as the indicator as per Water Quality Standards [9 VAC 25-260-170. Bacteria; other waters]. 35942, 12/8/2008

One station is located within the 8.89 miles of impaired waters. 4ADBC002.19 (Ambient, TMDL)

4ADBC002.19 (Ambient, TMDL) Two of 12 samples in excess of the instantaneous criterion.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L62R_DBC01A98 / Double Creek / Headwaters to Dan River (RD44).	4A	Escherichia coli (E. coli)	2008	L	8.89

Double Creek

**Recreation**

Escherichia coli (E. coli) - Total Impaired Size by Water Type:	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
			8.89

Sources: Livestock (Grazing or Feeding Operations); Unspecified Domestic Waste; Wastes from Pets; Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L62R-04-BAC** Byrds Branch

Cause Location: Byrds Branch from its headwaters to the mouth at the Dan River

Cause City/County: Halifax County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: The Dan River Bacteria TMDL Study (Byrds Branch) received U.S. EPA approval on 12/8/2008 [Fed. ID.35750] and SWCB approval on 4/28/2009 for these 2004 303(d) Listed waters for fecal coliform and 2006 303(d) Listed waters for Bacteria. Escherichia coli (E.coli) replaces fecal coliform (FC) bacteria as the indicator as per Water Quality Standards [9 VAC 25-260-170. Bacteria; other waters]. 35750, 12/8/2008

Two stations are located within the 3.76 miles of impaired waters. 4ABYR000.80 (Hog Farm Special Study Station & Follow-up) and 4ABYR002.13 (Hog Farm Special Study Station & Follow-up)(2018)

4ABYR000.80 (Hog Farm Special Study Station & Follow-up) Two of 6 samples in excess of the instantaneous criterion.

4ABYR002.13 (Hog Farm Special Study Station & Follow-up)(2018) Three of 11 samples in excess of the instantaneous criterion.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L62R_BYR01A04 / Byrds Branch / Byrds Branch from its headwaters to the mouth at the Dan River (RD46).	4A	Escherichia coli (E. coli)	2008	L	3.76

Byrds Branch

**Recreation**

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:			3.76

Sources: Livestock (Grazing or Feeding Operations); Unspecified Domestic Waste; Wastes from Pets; Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L62R-05-BAC** **Big Toby Creek**

Cause Location: Big Toby Creek from its headwaters to its mouth on the Dan River

Cause City/County: Halifax County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: NESTED 2014: 35748

The Dan River Bacteria TMDL Study (Dan River) received U.S. EPA approval on 12/8/2008 [Fed. ID.35748] and SWCB approval on 4/28/2009 for these 2004 303(d) Listed waters for fecal coliform and 2006 303(d) Listed waters for Bacteria. Escherichia coli (E.coli) replaces fecal coliform (FC) bacteria as the indicator as per Water Quality Standards [9 VAC 25-260-170. Bacteria; other waters]. 35748, 12/8/2008

One station is located within the 7.57 miles of impaired waters. 4ABTC000.60 (Ambient)(2018)

4ABTC000.60 (Ambient)(2018) Six of 12 samples in excess of the instantaneous criterion.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L62R_BTC01A08 / Big Toby Creek / Big Toby Creek from its headwaters to its mouth on the Dan River	4A	Escherichia coli (E. coli)	2008	L	7.57

Big Toby Creek

**Recreation**

Escherichia coli (E. coli) - Total Impaired Size by Water Type:

Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
		7.57

Sources: Livestock (Grazing or Feeding Operations); Unspecified Domestic Waste; Wastes from Pets; Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L62R-06-BAC** **Powells Creek**

Cause Location: Powells Creek from its headwaters to its mouth on the Dan River

Cause City/County: Halifax County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: NESTED 2014: 35748

The Dan River Bacteria TMDL Study (Dan River) received U.S. EPA approval on 12/8/2008 [Fed. ID.35748] and SWCB approval on 4/28/2009 for these 2004 303(d) Listed waters for fecal coliform and 2006 303(d) Listed waters for Bacteria. Escherichia coli (E.coli) replaces fecal coliform (FC) bacteria as the indicator as per Water Quality Standards [9 VAC 25-260-170. Bacteria; other waters]. 35748, 12/8/2008

One station is located within the 4.63 miles of impaired waters. 4APOW000.69 (Ambient)(2018)

4APOW000.69 (Ambient)(2018) Four of 12 samples in excess of the instantaneous criterion.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L62R_POW01A08 / Powells Creek / Powells Creek from its headwaters to its mouth on the Dan River	4A	Escherichia coli (E. coli)	2008	L	4.63

Powells Creek

**Recreation**

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:			4.63

Sources: Livestock (Grazing or Feeding Operations); Unspecified Domestic Waste; Wastes from Pets; Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L62R-07-BEN** **Wolfe Creek**

Cause Location: Wolfe Creek from its headwaters to its mouth on the Dan River

Cause City/County: Halifax County; Pittsylvania County

Use(s): Aquatic Life

Causes(s)/VA Category: Benthic Macroinvertebrates Bioassessments/5A

Cause Description: Station ID:

4AWFE000.60 (2012 Bio)

J - This stream had marginal bank stability and increased sedimentation as well as marginal habitat.

4AWFE001.57 (2006-2007 FPM)

IM - scored close to the VSCI impairment cutoff score of 60. Habitat seemed suitable in Wolfe Creek; nutrient levels may be shifting the stream community towards more tolerant taxa. Access to the site is limited by private landowners and additional sampling will be difficult.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L62R_WFE01A08 / Wolfe Creek / Wolfe Creek from its headwaters to its mouth on the Dan River	5A	Benthic Macroinvertebrates Bioassessments	2008	L	2.87

Wolfe Creek

**Aquatic Life**

Benthic Macroinvertebrates Bioassessments - Total Impaired Size by Water Type:

Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
		2.87

Sources: Source Unknown

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L62R-08-BAC** Sandy Creek

Cause Location: Sandy Creek from its headwaters to the mouth at the Dan River

Cause City/County: Pittsylvania County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: NESTED 2014: 35748

The Dan River Bacteria TMDL Study (Dan River) received U.S. EPA approval on 12/8/2008 [Fed. ID.35748] and SWCB approval on 4/28/2009 for these 2004 303(d) Listed waters for fecal coliform and 2006 303(d) Listed waters for Bacteria. Escherichia coli (E.coli) replaces fecal coliform (FC) bacteria as the indicator as per Water Quality Standards [9 VAC 25-260-170. Bacteria; other waters]. 35748, 12/8/2008

One station is located within the 9.41 miles of impaired waters.

4ASLC002.75 (Ambient)(2018)

4ASLC002.75 (Ambient)(2018) Two of 12 samples in excess of the instantaneous criterion.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L62R_SLC01A04 / Sandy Creek / Sandy Creek from its headwaters to the mouth at the Dan River (RD43).	4A	Escherichia coli (E. coli)	2012	L	9.41

Sandy Creek

**Recreation**

Escherichia coli (E. coli) - Total Impaired Size by Water Type:	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
			9.41

Sources: Livestock (Grazing or Feeding Operations); Unspecified Domestic Waste; Wastes from Pets; Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L62R-09-BAC** **Winns Creek**

Cause Location: Winns Creek from its headwaters to the Dan River.

Cause City/County: Halifax County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: NESTED 2014: 35748

The Dan River Bacteria TMDL Study (Dan River) received U.S. EPA approval on 12/8/2008 [Fed. ID.35748] and SWCB approval on 4/28/2009 for these 2004 303(d) Listed waters for fecal coliform and 2006 303(d) Listed waters for Bacteria. Escherichia coli (E.coli) replaces fecal coliform (FC) bacteria as the indicator as per Water Quality Standards [9 VAC 25-260-170. Bacteria; other waters]. 35748, 12/8/2008

One station is located within the 7.12 miles of impaired waters. 4AWNS004.02 (Ambient)(2018)

4AWNS004.02 (Ambient)(2018) Two of 12 samples in excess of the instantaneous criterion.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L62R_WNS01A04 / Winns Creek / Winns Creek from its headwaters to the mouth at the Dan River (RD45).	4A	Escherichia coli (E. coli)	2016	L	7.12

Winns Creek

**Recreation**

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:			7.12

Sources: Livestock (Grazing or Feeding Operations); Unspecified Domestic Waste; Wastes from Pets; Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code: L62R-10-BAC Sandy Creek, Unnamed Tributary**

Cause Location: Unnamed Tributary of Sandy Creek from its headwaters to the mouth.

Cause City/County: Halifax County; Pittsylvania County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: NESTED 2014: 35748

The Dan River Bacteria TMDL Study (Dan River) received U.S. EPA approval on 12/8/2008 [Fed. ID.35748] and SWCB approval on 4/28/2009 for these 2004 303(d) Listed waters for fecal coliform and 2006 303(d) Listed waters for Bacteria. Escherichia coli (E.coli) replaces fecal coliform (FC) bacteria as the indicator as per Water Quality Standards [9 VAC 25-260-170. Bacteria; other waters]. 35748, 12/8/2008

One station is located within the 2.3 miles of impaired waters. 4AXVQ000.97 (Prob Ambient)(2018)

4AXVQ000.97 (Prob Ambient)(2018) Four of 12 samples in excess of the instantaneous criterion.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L62R_XVQ01A16 / Sandy Creek, Unnamed Tributary / Unnamed Tributary of Sandy Creek from its headwaters to the mouth (RD43).	4A	Escherichia coli (E. coli)	2016	L	2.3

Sandy Creek, Unnamed Tributary

**Recreation**

Escherichia coli (E. coli) - Total Impaired Size by Water Type:

Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
		2.3

Sources: Livestock (Grazing or Feeding Operations); Unspecified Domestic Waste; Wastes from Pets; Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L62R-10-BEN** **Sandy Creek, Unnamed Tributary**

Cause Location: Unnamed Tributary of Sandy Creek from its headwaters to the mouth.

Cause City/County: Halifax County; Pittsylvania County

Use(s): Aquatic Life

Causes(s)/VA Category: Benthic Macroinvertebrates Bioassessments/5A

Cause Description: Station ID:

4AXVQ000.77 (2013 FPM)

IM - 4AXVQ000.77 is a small stream within the PROBMON program. Access to the site is limited by private landowners and additional sampling will not be possible.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L62R_XVQ01A16 / Sandy Creek, Unnamed Tributary / Unnamed Tributary of Sandy Creek from its headwaters to the mouth (RD43).	5A	Benthic Macroinvertebrates Bioassessments	2016	L	2.3

Sandy Creek, Unnamed Tributary

**Aquatic Life**

Benthic Macroinvertebrates Bioassessments - Total Impaired Size by Water Type:

Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
		2.3

Sources: Source Unknown

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L63R-01-BAC** **Birch Creek**

Cause Location: Birch Creek from its headwaters to the mouth on the Dan River.

Cause City/County: Halifax County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: The Birch Creek Bacteria TMDL Study received U.S. EPA approval on 5/26/2004 [Fed. ID.23317] and SWCB approval on 8/31/2004 for these 2004 303(d) Listed waters for fecal coliform. Escherichia coli (E.coli) replaces fecal coliform (FC) bacteria as the indicator as per Water Quality Standards [9 VAC 25-260-170. Bacteria; other waters]. 23317, 5/26/2004

Five stations are located within the 20.14 miles of impaired waters. 4ABIR001.00 (Ambient & Birch Creek TMDL), 4ABIR004.22 (Birch Creek TMDL), 4ABIR005.34 (Birch Creek TMDL), 4ABIR011.55 (Birch Creek TMDL & Ambient)(2018), and 4ABIR014.28 (Birch Creek TMDL)

4ABIR001.00 (Ambient & Birch Creek TMDL) Six of 11 samples in excess of the instantaneous criterion.

4ABIR004.22 (Birch Creek TMDL) Five of 11 samples in excess of the instantaneous criterion.

4ABIR005.34 (Birch Creek TMDL) Six of 11 samples in excess of the instantaneous criterion.

4ABIR011.55 (Birch Creek TMDL & Ambient)(2018) Four of 12 samples in excess of the instantaneous criterion.

4ABIR014.28 (Birch Creek TMDL) Teo of 11 samples in excess of the instantaneous criterion.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L63R_BIR01A98 / Birch Creek / From its headwaters to its mouth on the Dan River (RD47).	4A	Escherichia coli (E. coli)	2004	L	20.16

Birch Creek

**Recreation**

Escherichia coli (E. coli) - Total Impaired Size by Water Type:	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
			20.16

Sources: Livestock (Grazing or Feeding Operations); Unspecified Domestic Waste; Wastes from Pets; Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** L63R-01-BEN Birch Creek

Cause Location: Birch Creek from its headwaters to the mouth on the Dan River.

Cause City/County: Halifax County

Use(s): Aquatic Life

Causes(s)/VA Category: Benthic Macroinvertebrates Bioassessments/5A

Cause Description: Station ID:

4ABIR011.55 (2013 Bio)

IM - Unbalanced benthic community. A breached mill dam is present upstream which may negatively affect the flow regime. Moderate algae production and embeddedness indicate nutrient enrichment and sedimentation are also likely stressors.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L63R_BIR01A98 / Birch Creek / From its headwaters to its mouth on the Dan River (RD47).	5A	Benthic Macroinvertebrates Bioassessments	2016	L	20.16

Birch Creek

**Aquatic Life**

Benthic Macroinvertebrates Bioassessments - Total Impaired Size by Water Type:

Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
		20.16

Sources: Source Unknown

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L63R-02-BAC** **Unnamed Tributary to Birch Creek**

Cause Location: Unnamed Tributary to Birch Creek from its headwaters to its mouth on Birch Creek

Cause City/County: Halifax County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: NESTED 2014: 23317

The Birch Creek Bacteria TMDL Study received U.S. EPA approval on 5/26/2004 [Fed. ID.23317] and SWCB approval on 8/31/2004 for these 2004 303(d) Listed waters for fecal coliform. Escherichia coli (E.coli) replaces fecal coliform (FC) bacteria as the indicator as per Water Quality Standards [9 VAC 25-260-170. Bacteria; other waters]. 23317, 5/26/2004

One station is located within the 5.35 miles of impaired waters. 4AXDK000.94 (TMDL Monitoring)

4AXDK000.94 (TMDL Monitoring) Four of 11 samples in excess of the instantaneous criterion.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L63R_XDK01A06 / Birch Creek, Unnamed Tributary / From its headwaters to the mouth on Birch Creek	4A	Escherichia coli (E. coli)	2006	L	5.35

Unnamed Tributary to Birch Creek

**Recreation**

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:			5.35

Sources: Livestock (Grazing or Feeding Operations); Unspecified Domestic Waste; Wastes from Pets; Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** L63R-03-BAC Germey Creek

Cause Location: Germey Creek from its headwaters to its mouth on Birch Creek

Cause City/County: Halifax County; Pittsylvania County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: NESTED 2014: 23317

The Birch Creek Bacteria TMDL Study received U.S. EPA approval on 5/26/2004 [Fed. ID.23317] and SWCB approval on 8/31/2004 for these 2004 303(d) Listed waters for fecal coliform. Escherichia coli (E.coli) replaces fecal coliform (FC) bacteria as the indicator as per Water Quality Standards [9 VAC 25-260-170. Bacteria; other waters]. 23317, 5/26/2004

One station is located within the 5.37 miles of impaired waters. 4AGER001.17 (Ambient)(2018)

4AGER001.17 (Ambient)(2018) Five of 12 samples in excess of the instantaneous criterion.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L63R_GER01A08 / Germey Creek / Germey Creek from its headwaters to its mouth on Birch Creek	4A	Escherichia coli (E. coli)	2014	L	5.37

Germey Creek

**Recreation**

Escherichia coli (E. coli) - Total Impaired Size by Water Type:

Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
		5.37

Sources: Livestock (Grazing or Feeding Operations); Unspecified Domestic Waste; Wastes from Pets; Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** L64R-01-BAC Lawsons Creek

Cause Location: Lawsons Creek from its headwaters to the mouth on the Dan River.

Cause City/County: Halifax County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: NESTED 2014: 35748

The Dan River Bacteria TMDL Study (Dan River) received U.S. EPA approval on 12/8/2008 [Fed. ID.35748] and SWCB approval on 4/28/2009 for these 2004 303(d) Listed waters for fecal coliform and 2006 303(d) Listed waters for Bacteria. Escherichia coli (E.coli) replaces fecal coliform (FC) bacteria as the indicator as per Water Quality Standards [9 VAC 25-260-170. Bacteria; other waters]. 35748, 12/8/2008

One station is located within the 15.54 miles of impaired waters. 4ALSN007.45 (Ambient, TMDL Monitoring)

4ALSN007.45 (Ambient, TMDL Monitoring) 2022: Six of 12 samples in excess of the statistical threshold value. 2020: Eight of 12 samples in excess of the instantaneous criterion. 2016: Three of 12 samples in excess of the instantaneous criterion.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L64R_LSN01A98 / Lawsons Creek / Headwaters to Jerimy Creek (RD50).	4A	Escherichia coli (E. coli)	2008	L	8.27
VAW-L64R_LSN02A02 / Lawsons Creek / Lawsons Creek from Jerimy Creek to its confluence with Dan River (RD50).	4A	Escherichia coli (E. coli)	2012	L	7.27

Lawsons Creek

**Recreation**

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:			15.54

Sources: Livestock (Grazing or Feeding Operations); Unspecified Domestic Waste; Wastes from Pets; Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L64R-02-BAC** **Miry Creek**

Cause Location: Miry Creek from the confluence with the Dan River upstream to its headwaters.

Cause City/County: Halifax County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: NESTED 2014: 35748

The Dan River Bacteria TMDL Study (Dan River) received U.S. EPA approval on 12/8/2008 [Fed. ID.35748] and SWCB approval on 4/28/2009 for these 2004 303(d) Listed waters for fecal coliform and 2006 303(d) Listed waters for Bacteria. Escherichia coli (E.coli) replaces fecal coliform (FC) bacteria as the indicator as per Water Quality Standards [9 VAC 25-260-170. Bacteria; other waters]. 35748, 12/8/2008. The 2018 cycle extends the E.coli impairment upstream to the headwaters of Miry Creek.

One station is located within the 1.12 miles of impaired waters. 4AMRY000.82 (Ambient)

4AMRY003.58 (Route 681, Union Church Road) - The 2018 IR finds ten of 12 E.coli samples in exceedance of the 235 cfu/100 ml instantaneous criterion. Exceedances range from 259 - >24,000 cfu/100 ml.

4AMRY000.82 (Ambient) Six of 12 samples in excess of the instantaneous criterion.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L64R_MRY01A04 / Miry Creek / Miry Creek from the Mikes Creek confluence to the Dan River (RD48).	4A	Escherichia coli (E. coli)	2006	L	1.12
VAW-L64R_MRY02A18 / Miry Creek (Middle) / Miry Creek from the confluence with Mikes Cr. upstream to the UT confluence at Deer View Trl crossing (36 41 32.5 N, -78 59 56.4 W) (RD48).	4A	Escherichia coli (E. coli)	2018	L	2.12
VAW-L64R_MRY03A18 / Miry Creek (Upper) / Miry Creek from its confluence with Unnamed Tributary at Deer View Trl crossing (36 41 32.5 N, -78 59 36.4 W) upstream to its headwaters (RD48).	4A	Escherichia coli (E. coli)	2018	L	9.84

Miry Creek

<b>Recreation</b>	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:			13.08

Sources: Livestock (Grazing or Feeding Operations); Unspecified Domestic Waste; Wastes from Pets; Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L64R-02-BEN** **Miry Creek**

Cause Location: Miry Creek from the confluence with the Dan River upstream to its headwaters.

Cause City/County: Halifax County

Use(s): Aquatic Life

Causes(s)/VA Category: Benthic Macroinvertebrates Bioassessments/5A

Cause Description: The 2020 data window is the initial 303(d) Aquatic Life Use listing for Miry Creek.

4AMRY000.82 (River Rd. [Rt. 659]) - Bio 'IM' based on three VSCI Scores collected in 2018 (Spring 46.4) and 2014 (Spring 42, Fall 60.6). 4AMRY000.82 continues to exhibit significant seasonal variation. Additional data must be collected to accurately characterize the status of the stream community. High flows in fall 2018 prohibited further sampling. Sedimentation is a probable stressor. 2022: Bio 'IM' from VSCI scores: 46 (S 2018), 61 (S 2020), and 47 (F 2020); VSCI avg 52. 4AMRY000.82 continues to exhibit significant seasonal variation

4AMRY003.58 (Union Church Rd. [Rt. 681]) - Bio 'J' from one 2018 Spring sample of 50.5. High flows in fall 2018 prevented additional sampling.

Additional Information: 4AMRY003.02 (Downstream of Rt. 681) - Bio 'J' from two 2015 VSCI scores of 48.46 (Spring) and 39.13 (Fall). This site was sampled as part of the probabilistic monitoring program and will not be revisited. Follow up samples may be collected at 4AMRY003.58.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L64R_MRY01A04 / Miry Creek / Miry Creek from the Mikes Creek confluence to the Dan River (RD48).	5A	Benthic Macroinvertebrates Bioassessments	2020	L	1.12
VAW-L64R_MRY02A18 / Miry Creek (Middle) / Miry Creek from the confluence with Mikes Cr. upstream to the UT confluence at Deer View Trl crossing (36 41 32.5 N, -78 59 56.4 W) (RD48).	5A	Benthic Macroinvertebrates Bioassessments	2020	L	2.12
VAW-L64R_MRY03A18 / Miry Creek (Upper) / Miry Creek from its confluence with Unnamed Tributary at Deer View Trl crossing (36 41 32.5 N, -78 59 36.4 W) upstream to its headwaters (RD48).	5A	Benthic Macroinvertebrates Bioassessments	2020	L	9.84

Miry Creek

**Aquatic Life**

Benthic Macroinvertebrates Bioassessments - Total Impaired Size by Water Type:

Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
		13.08

Sources: Clean Sediments; Non-Point Source

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L64R-03-BAC** **Grassy Creek**

Cause Location: Grassy Creek from its headwaters to the Route 744 crossing

Cause City/County: Halifax County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: The 2020 IR is the initial 303(d) listing for the Recreational Use on Grassy Creek. These waters are Nested in the Dan River Watershed Bacteria TMDL: Approved EPA 12/8/08, SWCB 4/28/09 [TMDL ID: 36223].

4AGSY004.60 - The 2022 data window finds five of 12 E.coli samples in exceedance of the 410 cfu/100 ml statistical threshold value. The 2020 data window finds eight of 12 E.coli samples in exceedance of the 235 cfu/100 ml instantaneous criterion.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L64R_GSY01A08 / Grassy Creek / Grassy Creek from its headwaters to the Route 744 crossing (RD51).	4A	Escherichia coli (E. coli)	2020	L	0.83

Grassy Creek

**Recreation**

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:			0.83

Sources: Livestock (Grazing or Feeding Operations); Unspecified Domestic Waste; Wastes from Pets; Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** L64R-03-BEN Grassy Creek

Cause Location: Grassy Creek from its headwaters to the Route 744 crossing

Cause City/County: Halifax County

Use(s): Aquatic Life

Causes(s)/VA Category: Benthic Macroinvertebrates Bioassessments/5A

Cause Description: Station ID: 4AGSY004.98 (2006 FPM) IM - Headwater stream which flows through an active cattle pasture. The stream community may be negatively impacted from sedimentation and excess nutrients. Additional monitoring needed to accurately delineate impairment.

4AGSY004.60 (2010/2014 Bio) Bio 'IM' from two 2014 VSCI surveys: Spring 23.5, Fall 46.1. IM - Significant seasonal variability and a VSCI score close to the impairment cutoff of 60. Very low flows are characteristic of this waterbody. Further sampling is required to accurately assess this waterbody. 4AGSY004.60 was sampled in response to a J assessment of an upstream PROBMON station (4AGSY004.98). 2022: Bio 'IM' from six VSCI scores avg 38. This site is characterized by embedded riffles that are deteriorating with time. In 2020 there were new bank failures and scoured areas of the streambed.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L64R_GSY01A08 / Grassy Creek / Grassy Creek from its headwaters to the Route 744 crossing (RD51).	5A	Benthic Macroinvertebrates Bioassessments	2008	H	0.83

Grassy Creek

**Aquatic Life**

Benthic Macroinvertebrates Bioassessments - Total Impaired Size by Water Type:

Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
		0.83

Sources: Source Unknown

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L64R-04-BAC** **Poplar Creek**

Cause Location: Poplar Creek from its headwaters to its mouth on the Dan River.

Cause City/County: Halifax County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: The 2020 IR finds the initial Recreational Use 303(d) impairment listing for Poplar Creek. These waters are Nested in the Dan River Watershed Bacteria TMDLs which were EPA approved on 12/8/2008 and SWCB approved on 4/28/2009 [Fed ID: 36223].

4APDA000.35 - The 2022 data window finds six of 12 E.coli samples in exceedance of the 410 cfu/100 ml statistical threshold value. The 2020 data window finds six of 12 E.coli samples in exceedance of the 235 cfu/100 ml instantaneous criterion.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L64R_PDA01A10 / Poplar Creek / Poplar Creek from its headwaters to its mouth on the Dan River (RD51).	4A	Escherichia coli (E. coli)	2020	L	4.05

Poplar Creek

**Recreation**

Escherichia coli (E. coli) - Total Impaired Size by Water Type:

Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
		4.05

Sources: Livestock (Grazing or Feeding Operations); Unspecified Domestic Waste; Wastes from Pets; Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L64R-04-BEN** **Poplar Creek**

Cause Location: Poplar Creek from its headwaters to its mouth on the Dan River.

Cause City/County: Halifax County

Use(s): Aquatic Life

Causes(s)/VA Category: Benthic Macroinvertebrates Bioassessments/5A

Cause Description: Station ID: 4APDA000.35 (2008/2012 Bio) Bio 'IM' from four VSCI surveys with an avg score of 41.2. Flow regime related sedimentation seems to be negatively affecting the stream community. 4APDA000.35 is located in a highly urban/industrial watershed. 2022: Bio 'IM' from six VSCI surveys with an avg score of 32. Flow regime-related sedimentation seems to be negatively affecting the stream community. 4APDA000.35 is located in a highly urban/industrial watershed.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L64R_PDA01A10 / Poplar Creek / Poplar Creek from its headwaters to its mouth on the Dan River (RD51).	5A	Benthic Macroinvertebrates Bioassessments	2010	H	4.05

Poplar Creek

**Aquatic Life**

Benthic Macroinvertebrates Bioassessments - Total Impaired Size by Water Type:

Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
		4.05

Sources: Source Unknown

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L64R-05-BAC** **Reedy Creek**

Cause Location: Reedy Creek from its headwaters to the confluence of Woods Creek.

Cause City/County: Halifax County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: The 2020 data window finds the Recreational Use impaired on Reedy Creek based on E.coli samples collected in 2018. These waters are Nested in the Dan River Watershed Bacteria TMDL [Fed ID: 36223], EPA approved 12/8/2008 and SWCB approved 4/28/2009.

4ARAC000.92 (Ash St, South Boston)- The 2022 data window finds three of 12 E.coli samples in exceedance of the 410 cfu/100ml statistical threshold value. The 2020 data window finds seven of 12 E.coli samples in exceedance of the 235 cfu/100 ml instantaneous criterion.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L64R_RAC01A04 / Reedy Creek / Reedy Creek from its headwaters to the confluence of Woods Creek (RD51).	4A	Escherichia coli (E. coli)	2020	L	2.92

Reedy Creek

**Recreation**

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:			2.92

Sources: Livestock (Grazing or Feeding Operations); Unspecified Domestic Waste; Wastes from Pets; Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L64R-05-BEN** **Reedy Creek**

Cause Location: Reedy Creek from its headwaters to the confluence of Woods Creek.

Cause City/County: Halifax County

Use(s): Aquatic Life

Causes(s)/VA Category: Benthic Macroinvertebrates Bioassessments/5A

Cause Description: Station ID: 4ARAC000.92 (2008/2012 Bio) IM - 4ARAC000.92 is located in an older suburban watershed with abundant impervious surfaces which negatively affects flows and sedimentation. There is also an unlined municipal landfill in the watershed which has historical leachate issues. 2018: Bio 'IM' from four VSCI surveys averaging 31.1 (2012, 2016).

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L64R_RAC01A04 / Reedy Creek / Reedy Creek from its headwaters to the confluence of Woods Creek (RD51).	5A	Benthic Macroinvertebrates Bioassessments	2010	H	2.92

Reedy Creek

**Aquatic Life**

Benthic Macroinvertebrates Bioassessments - Total Impaired Size by Water Type:

Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
		2.92

Sources: Source Unknown

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L64R-06-BAC** Stokes Creek

Cause Location: Stokes Creek from its headwaters to its mouth on Lawsons Creek.

Cause City/County: Halifax County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: NESTED 2014: 35748

The Dan River Bacteria TMDL Study (Dan River) received U.S. EPA approval on 12/8/2008 [Fed. ID.35748] and SWCB approval on 4/28/2009 for these 2004 303(d) Listed waters for fecal coliform and 2006 303(d) Listed waters for Bacteria. Escherichia coli (E.coli) replaces fecal coliform (FC) bacteria as the indicator as per Water Quality Standards [9 VAC 25-260-170. Bacteria; other waters]. 35748, 12/8/2008

One station is located within the 2.3 miles of impaired waters.4ASKS002.80 (Ambient)(2018)

4ASKS002.80 (Ambient)(2018) Two of 11 samples in excess of the instantaneous criterion.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L64R_SKS01A08 / Stokes Creek / Stokes Creek from its headwaters to its mouth on Lawsons Creek	4A	Escherichia coli (E. coli)	2014	L	6.36

Stokes Creek

**Recreation**

Escherichia coli (E. coli) - Total Impaired Size by Water Type:

Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
		6.36

Sources: Livestock (Grazing or Feeding Operations); Unspecified Domestic Waste; Wastes from Pets; Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code: L65R-01-BAC Banister River**

Cause Location: Banister River from its headwaters to its confluence with Bearskin Creek.

Cause City/County: Pittsylvania County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: The Banister River Bacteria TMDL Study (Banister River) received U.S. EPA approval on 11/4/2007 [Fed. ID.33820] and SWCB approval on 7/31/2008 for these 2004 303(d) Listed waters for fecal coliform and 2006 303(d) Listed waters for Bacteria. Escherichia coli (E.coli) replaces fecal coliform (FC) bacteria as the indicator as per Water Quality Standards [9 VAC 25-260-170. Bacteria; other waters]. 33820, 11/04/2007

Two stations are located within the 11.88 miles of impaired waters. 4ABAN070.20 (Ambient & Banister River TMDL Study)(2018) and 4ABAN074.58 (TMDL Monitoring)

4ABAN070.20 (Ambient & Banister River TMDL Study)(2018) Six of 12 samples in excess of the instantaneous criterion.

4ABAN074.58 (TMDL Monitoring) Three of 12 samples in excess of the instantaneous criterion.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L65R_BAN03A00 / Banister River / Banister River mainstem from the mouth of Bearskin Creek upstream to the mouth of Wet Sleeve Creek (RD52).	4A	Escherichia coli (E. coli)	2010	L	5.09
VAW-L65R_BAN04A00 / Banister River / Banister River mainstem from the mouth of Wet Sleeve Creek upstream to its headwaters (RD52).	4A	Escherichia coli (E. coli)	2008	L	6.79

Banister River

**Recreation**

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:			11.88

Sources: Livestock (Grazing or Feeding Operations); Unspecified Domestic Waste; Wastes from Pets; Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L65R-02-BAC** **Bearskin Creek**

Cause Location: Bearskin Creek from its mouth on the Banister River upstream to its headwaters.

Cause City/County: Pittsylvania County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: NESTED 2014: 33820

The Banister River Bacteria TMDL Study (Bearskin Creek) received U.S. EPA approval on 11/4/2007 [Fed. ID.34104] and SWCB approval on 7/31/2008 for these 2004 303(d) Listed waters for fecal coliform and 2006 303(d) Listed waters for Bacteria. Escherichia coli (E.coli) replaces fecal coliform (FC) bacteria as the indicator as per Water Quality Standards [9 VAC 25-260-170. Bacteria; other waters]. 34104, 11/04/2007

One station is located within the 9.57 of impaired waters. 4ABKN002.47 (Banister River TMDL Study)

4ABKN002.47 (Banister River TMDL Study) Four of 12 samples in excess of the instantaneous criterion.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L65R_BKN01A00 / Bearskin Creek / Bearskin Creek from its mouth on the Banister River upstream to its headwaters (RD53).	4A	Escherichia coli (E. coli)	2006	L	9.57

Bearskin Creek

**Recreation**

Escherichia coli (E. coli) - Total Impaired Size by Water Type:

Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
		9.57

Sources: Livestock (Grazing or Feeding Operations); Unspecified Domestic Waste; Wastes from Pets; Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L65R-02-BEN** **Bearskin Creek**

Cause Location: Bearskin Creek from its mouth on the Banister River upstream to its headwaters.

Cause City/County: Pittsylvania County

Use(s): Aquatic Life

Causes(s)/VA Category: Benthic Macroinvertebrates Bioassessments/5A

Cause Description: Station ID:

4ABKN000.52 (Ambient, Bio) 2008/2011/2012/2014 Bio -2016 data window finds five VSCI surveys with average score: 59.3. IM - Sediment and flow regime seem to affect the stream community negatively. Showing improvement in 2012 and 2014. Sedimentation still seems to be the main stressor. However, when in-stream snag habitat is present a fairly diverse benthic community is supported. 2022: Bio 'IM' from two 2019 VSCI Scores avg 40 (S 45, F 36). Limited habitat available, sand deposition occurring.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L65R_BKN01A00 / Bearskin Creek / Bearskin Creek from its mouth on the Banister River upstream to its headwaters (RD53).	5A	Benthic Macroinvertebrates Bioassessments	2010	L	9.57

Bearskin Creek

**Aquatic Life**

Benthic Macroinvertebrates Bioassessments - Total Impaired Size by Water Type:

Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
		9.57

Sources: Source Unknown

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L65R-03-BAC** **White Oak Creek**

Cause Location: White Oak Creek from its headwaters to its mouth.

Cause City/County: Pittsylvania County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: NESTED 2014: 33820

The Banister River Bacteria TMDL Study (Banister River) received U.S. EPA approval on 11/4/2007 [Fed. ID.33820] and SWCB approval on 7/31/2008 for these 2004 303(d) Listed waters for fecal coliform and 2006 303(d) Listed waters for Bacteria. Escherichia coli (E.coli) replaces fecal coliform (FC) bacteria as the indicator as per Water Quality Standards [9 VAC 25-260-170. Bacteria; other waters]. 33820, 11/04/2007

One station is located within the 6.37 miles of impaired waters. 4AWOA002.43 (Ambient)(2018)

4AWOA002.43 (Ambient)(2018) Ten of 12 samples in excess of the instantaneous criterion. (2020) Ten of 12 samples in excess of the instantaneous criterion. (2022) Six of 12 samples in excess of the statistical threshold value.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L65R_WOA01A10 / White Oak Creek / White Oak Creek from its headwaters to its mouth (RD54).	4A	Escherichia coli (E. coli)	2010	L	6.37

White Oak Creek

**Recreation**

Escherichia coli (E. coli) - Total Impaired Size by Water Type:

Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
		6.37

Sources: Livestock (Grazing or Feeding Operations); Unspecified Domestic Waste; Wastes from Pets; Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L65R-04-BAC** **Strawberry Creek**

Cause Location: Strawberry Creek from its headwaters to its mouth on the Banister River.

Cause City/County: Pittsylvania County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: The Strawberry Creek Recreational Use is 303(d) listed during the 2020 IR. These waters are Nested in the Banister River Watershed Bacteria TMDL [Fed ID: 33820], EPA approved 11/42007 and SWCB approved 7/31/2008.

4ASRW002.32 (Strawberry Rd, Rt 750) - The 2020 data window finds six of 12 E.coli samples in exceedance of the 235 cfu/100 ml instantaneous criterion.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L65R_SRW02A08 / Strawberry Creek / Strawberry Creek from its headwaters to its mouth on the Banister River (RD52).	4A	Escherichia coli (E. coli)	2020	L	5.96

Strawberry Creek

**Recreation**

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:			5.96

Sources: Livestock (Grazing or Feeding Operations); Unspecified Domestic Waste; Wastes from Pets; Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L65R-04-BEN** **Strawberry Creek**

Cause Location: Strawberry Creek from its headwaters to its mouth on the Banister River.

Cause City/County: Pittsylvania County

Use(s): Aquatic Life

Causes(s)/VA Category: Benthic Macroinvertebrates Bioassessments/5A

Cause Description: Station ID:

4ASRW002.32 (2011 Bio) IM - Habitat scores and taxa lists indicate sedimentation as a stressor causing an unbalanced community. 2022: Bio 'IM' from two 2020 VSCI scores avg 55 (S 56.5, F 54.7). Sedimentation is a likely stressor to the benthic community.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L65R_SRW02A08 / Strawberry Creek / Strawberry Creek from its headwaters to its mouth on the Banister River (RD52).	5A	Benthic Macroinvertebrates Bioassessments	2014	L	5.96

Strawberry Creek

**Aquatic Life**

Benthic Macroinvertebrates Bioassessments - Total Impaired Size by Water Type:

Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
		5.96

Sources: Source Unknown

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** L66L-02-DO **Roaring Fork Reservoir**

Cause Location: Roaring Fork Reservoir

Cause City/County: Pittsylvania County

Use(s): Aquatic Life

Causes(s)/VA Category: Dissolved Oxygen/5A

Cause Description: Station ID: 4ARFK000.20 (Lake Station) 2022: Dissolved Oxygen - 8/39 Exceedance Rate 2020:  
Dissolved Oxygen - 7/29 Exceedance Rate

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L66L_RFK01A06 / Roaring Fork Reservoir / From its headwaters to its impounding structure	5A	Dissolved Oxygen	2008	L	19.58

Roaring Fork Reservoir

**Aquatic Life**

Dissolved Oxygen - Total Impaired Size by Water Type:	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
		19.58	

Sources: Dam or Impoundment

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L66R-01-BAC** **Cherrystone Creek**

Cause Location: Cherrystone Creek from the Cherrystone Creek Reservoir Dam to the Chatham STP outfall.

Cause City/County: Pittsylvania County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: The Banister River Bacteria TMDL Study (Cherrystone Creek) received U.S. EPA approval on 11/4/2007 [Fed. ID.33823] and SWCB approval on 7/31/2008 for these 2004 303(d) Listed waters for fecal coliform and 2006 303(d) Listed waters for Bacteria. Escherichia coli (E.coli) replaces fecal coliform (FC) bacteria as the indicator as per Water Quality Standards [9 VAC 25-260-170. Bacteria; other waters]. 33823, 11/04/2007

One station is located within the 5.97 miles of impaired waters. 4ACRR003.56 (Ambient)

4ACRR003.56 (Ambient) 2022: Eight of 12 samples in excess of the statistical threshold value. 2020: 12 of 12 samples in excess of the instantaneous criterion.2016: Nine of 12 samples in excess of the instantaneous criterion. Station ID:

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L66R_CRR02A00 / Cherrystone Creek / Cherrystone Creek mainstem from the Chatham STP outfall upstream to Chatham's water intake (RD55).	4A	Escherichia coli (E. coli)	2008	L	3.49
VAW-L66R_CRR03A00 / Cherrystone Creek / Cherrystone Creek from the town of Chatham water intake upstream to the Cherrystone Creek Dam (RD55).	4A	Escherichia coli (E. coli)	2008	L	2.49

Cherrystone Creek

**Recreation**

Escherichia coli (E. coli) - Total Impaired Size by Water Type:

Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
		5.98

Sources: Livestock (Grazing or Feeding Operations); Unspecified Domestic Waste; Wastes from Pets; Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** L66R-02-BAC Little Cherrystone Creek

Cause Location: Little Cherrystone Creek from its headwaters to its mouth on Cherrystone Creek

Cause City/County: Pittsylvania County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: NESTED 2014: 33823

The Banister River Bacteria TMDL Study (Cherrystone Creek) received U.S. EPA approval on 11/4/2007 [Fed. ID.33823] and SWCB approval on 7/31/2008 for these 2004 303(d) Listed waters for fecal coliform and 2006 303(d) Listed waters for Bacteria. Escherichia coli (E.coli) replaces fecal coliform (FC) bacteria as the indicator as per Water Quality Standards [9 VAC 25-260-170. Bacteria; other waters]. 33823, 11/04/2007

One station is located within the 4.84 miles of impaired waters. 4ALCC000.59 (Ambient)(2018)

4ALCC000.59 (Ambient)(2018) Four of 12 samples in excess of the instantaneous criterion.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L66R_LCC01A08 / Little Cherrystone Creek / Little Cherrystone Creek from its headwaters to its mouth on Cherrystone Creek	4A	Escherichia coli (E. coli)	2008	L	4.84

Little Cherrystone Creek

**Recreation**

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:			4.84

Sources: Livestock (Grazing or Feeding Operations); Unspecified Domestic Waste; Wastes from Pets; Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code: L66R-03-BAC Pole Bridge Branch**

Cause Location: Pole Bridge Branch from its headwaters to its mouth.

Cause City/County: Pittsylvania County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: NESTED 2014: 33823

The Banister River Bacteria TMDL Study (Cherrystone Creek) received U.S. EPA approval on 11/4/2007 [Fed. ID.33823] and SWCB approval on 7/31/2008 for these 2004 303(d) Listed waters for fecal coliform and 2006 303(d) Listed waters for Bacteria. Escherichia coli (E.coli) replaces fecal coliform (FC) bacteria as the indicator as per Water Quality Standards [9 VAC 25-260-170. Bacteria; other waters]. 33823, 11/04/2007

One station is located within the 5.02 miles of impaired waters. 4APDE002.12 (Ambient)

4APDE002.12 (Ambient) Four of 12 samples in excess of the instantaneous criterion.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L66R_PDE01A10 / Pole Bridge Branch / Pole Bridge Branch from its headwaters to its mouth.	4A	Escherichia coli (E. coli)	2010	L	5.02

Pole Bridge Branch

**Recreation**

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:			5.02

Sources: Livestock (Grazing or Feeding Operations); Unspecified Domestic Waste; Wastes from Pets; Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L66R-04-BEN** **Cherrystone Creek**

Cause Location: Cherrystone Creek mainstem from the backwaters of Cherrystone Creek Reservoir upstream to its headwaters.

Cause City/County: Pittsylvania County

Use(s): Aquatic Life

Causes(s)/VA Category: Benthic Macroinvertebrates Bioassessments/5A

Cause Description: The 2022 data window finds this initial 4.1 mile Aquatic Life Use 303(d) listing on Cherrystone Creek due to Virginia Stream Condition Index scores below the assessment threshold of 60.

4ACRR011.77 (Cherrystone Ck US of trib crossing 798) - The 2022 data window finds Bio 'IM' from 7 VSCI scores avg 59 (2016-17, 2019). This stream has great riffles but all surfaces are covered in periphyton. Previous samples scored just above the impairment threshold.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L66R_CRR04A00 / Cherrystone Creek / Cherrystone Creek mainstem from the backwaters of Cherrystone Creek Reservoir upstream to its headwaters (RD55).	5A	Benthic Macroinvertebrates Bioassessments	2022	L	4.1

Cherrystone Creek

**Aquatic Life**

Benthic Macroinvertebrates Bioassessments - Total Impaired Size by Water Type:

Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
		4.1

Sources: Source Unknown

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code: L67R-01-BAC Banister River**

Cause Location: Banister River from its confluence with Cherrystone Creek to the backwaters of Banister Lake.

Cause City/County: Halifax County; Pittsylvania County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: The Banister River Bacteria TMDL Study (Banister River) received U.S. EPA approval on 11/4/2007 [Fed. ID.34089] and SWCB approval on 7/31/2008 for these 2004 303(d) Listed waters for fecal coliform and 2006 303(d) Listed waters for Bacteria. Escherichia coli (E.coli) replaces fecal coliform (FC) bacteria as the indicator as per Water Quality Standards [9 VAC 25-260-170. Bacteria; other waters]. 34089, 11/04/2007

Four stations are located within the 39.29 miles of impaired waters. 4ABAN023.28 (Ambient), 4ABAN029.81 (TMDL Monitoring), 4ABAN039.76 (Ambient)(2018), and 4ABAN053.77 (Ambient)(2018)

4ABAN023.28 (Ambient) 2022: Six of 12 samples in excess of the statistical threshold value. 2020: Six of 12 samples in excess of the instantaneous criterion. 2016: Three of 12 samples in excess of the instantaneous criterion.

4ABAN029.81 (TMDL Monitoring) Three of 12 samples in excess of the instantaneous criterion.

4ABAN039.76 (Ambient)(2022) Nine of 35 samples in excess of the instantaneous criterion. (2020) Nine of 36 samples in excess of the instantaneous criterion. (2018) Seven of 35 samples in excess of the instantaneous criterion.

4ABAN053.77 (Ambient)(2018) Two of 12 samples in excess of the instantaneous criterion.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L67R_BAN01A98 / Banister River / Elkhorn Creek to Sandy Creek (RD62).	4A	Escherichia coli (E. coli)	2004	L	8.61
VAW-L67R_BAN02A04 / Banister River / Banister River from the Pittsylvania/Halifax County line downstream to the Elkhorn Creek confluence (RD60).	4A	Escherichia coli (E. coli)	2012	L	1.83
VAW-L67R_BAN03A04 / Banister River / Banister River from the Stinking River confluence downstream to the Pittsylvania/Halifax County line (RD60).	4A	Escherichia coli (E. coli)	2012	L	7.48
VAW-L67R_BAN04A08 / Banister River / Banister River from its confluence with Cherrystone Creek to its confluence with Stinking River (RD58).	4A	Escherichia coli (E. coli)	2016	L	16.87
VAW-L71R_BAN02A98 / Banister River / Sandy Creek to Banister Lake	4A	Escherichia coli (E. coli)	2004	L	4.49

Banister River

**Recreation**

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:			39.28

Sources: Livestock (Grazing or Feeding Operations); Unspecified Domestic Waste; Wastes from Pets; Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** L67R-02-BAC Allen Creek

Cause Location: Allen Creek from its headwaters to its mouth on the Banister River

Cause City/County: Pittsylvania County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: NESTED 2014: 34089

The Banister River Bacteria TMDL Study (Banister River) received U.S. EPA approval on 11/4/2007 [Fed. ID.34089] and SWCB approval on 7/31/2008 for these 2004 303(d) Listed waters for fecal coliform and 2006 303(d) Listed waters for Bacteria. Escherichia coli (E.coli) replaces fecal coliform (FC) bacteria as the indicator as per Water Quality Standards [9 VAC 25-260-170. Bacteria; other waters]. 34089, 11/04/2007

One station is located within the 5.45 miles of impaired waters. 4AALL001.13 (Ambient)

4AALL001.13 (Ambient) Eight of 12 samples in excess of the instantaneous criterion.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L67R_ALL01A08 / Allen Creek / Allen Creek from its headwaters to its mouth on the Banister River	4A	Escherichia coli (E. coli)	2008	L	6.02

Allen Creek

**Recreation**

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:			6.02

Sources: Livestock (Grazing or Feeding Operations); Unspecified Domestic Waste; Wastes from Pets; Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L67R-03-BEN** Elkhorn Creek

Cause Location: Elkhorn Creek from its headwaters to its mouth.

Cause City/County: Halifax County; Pittsylvania County

Use(s): Aquatic Life

Causes(s)/VA Category: Benthic Macroinvertebrates Bioassessments/5A

Cause Description: Station ID:

4AEKH003.18 (2001 Probabilistic Monitoring)

4AEKH003.68 (Bio)

2008/2012 Bio - IM

4AEKH003.68 was sampled to replace 4AEKH003.18. Bio 'IM' from four VSCI surveys (2012, 2015). VSCI scores average 45.7.

4AEKH003.18 was a probabilistic monitoring station located on private property. The final assessment of 4AEKH003.18 was °J°, meaning more information was needed for an accurate assessment. The remoteness of this site makes future sampling at 4AEKH003.18 unlikely.

The proximity of station 4AEKH003.68 to 4AEKH003.18 makes it a suitable surrogate for the assessment of both stations.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L67R_EKH01A04 / Elkhorn Creek / Elkhorn Creek from the Pittsylvania/Halifax County line downstream to the Banister River (RD61).	5A	Benthic Macroinvertebrates Bioassessments	2010	L	3.01
VAW-L67R_EKH02A10 / Elkhorn Creek / Elkhorn Creek from the Pittsylvania/Halifax County line upstream to its headwaters (RD61).	5A	Benthic Macroinvertebrates Bioassessments	2010	L	9.91

Elkhorn Creek

**Aquatic Life**

Benthic Macroinvertebrates Bioassessments - Total Impaired Size by Water Type:

Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
		12.92

Sources: Source Unknown

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** L67R-04-BAC Bradley Creek

Cause Location: Bradley Creek from its headwaters to its mouth on the Banister River.

Cause City/County: Halifax County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: NESTED 2014: 34089

The Banister River Bacteria TMDL Study (Banister River) received U.S. EPA approval on 11/4/2007 [Fed. ID.34089] and SWCB approval on 7/31/2008 for these 2004 303(d) Listed waters for fecal coliform and 2006 303(d) Listed waters for Bacteria. Escherichia coli (E.coli) replaces fecal coliform (FC) bacteria as the indicator as per Water Quality Standards [9 VAC 25-260-170. Bacteria; other waters]. 34089, 11/04/2007

One station is located within the 6.47 miles of impaired waters.4ABDB000.75 (Ambient)(2018)

4ABDB000.75 (Ambient)(2018) Four of 12 samples in excess of the instantaneous criterion.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L67R_BDB01A08 / Bradley Creek / Bradley Creek from its headwaters to its mouth on the Banister River (RD62).	4A	Escherichia coli (E. coli)	2014	L	6.47

Bradley Creek

**Recreation**

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:			6.47

Sources: Livestock (Grazing or Feeding Operations); Unspecified Domestic Waste; Wastes from Pets; Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L67R-04-BEN** **Bradley Creek**

Cause Location: Bradley Creek from its headwaters to its mouth on the Banister River.

Cause City/County: Halifax County

Use(s): Aquatic Life

Causes(s)/VA Category: Benthic Macroinvertebrates Bioassessments/5A

Cause Description: Station ID:

4ABDB000.75 (2010/2014 Bio) IM - VSCI scores continually close to the impairment cutoff score of 60. Additional sampling yielded lower scores. Loose, soft sand/sediment dominated stream bottom and banks. 2022: Bio 'IM' from four VSCI scores avg 48.2 (2014, 2017). 4ABDB000.75 has VSCI scores continually close to the impairment cutoff score of 60. Additional sampling yielded lower scores. Loose, soft sand/sediment dominated stream bottom and banks.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L67R_BDB01A08 / Bradley Creek / Bradley Creek from its headwaters to its mouth on the Banister River (RD62).	5A	Benthic Macroinvertebrates Bioassessments	2016	L	6.47

Bradley Creek

**Aquatic Life**

Benthic Macroinvertebrates Bioassessments - Total Impaired Size by Water Type:

Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
		6.47

Sources: Source Unknown

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L67R-05-BAC** **Bye Creek**

Cause Location: Bye Creek from its headwaters to its mouth on the Banister River.

Cause City/County: Halifax County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: NESTED 2014: 34089

The Banister River Bacteria TMDL Study (Banister River) received U.S. EPA approval on 11/4/2007 [Fed. ID.34089] and SWCB approval on 7/31/2008 for these 2004 303(d) Listed waters for fecal coliform and 2006 303(d) Listed waters for Bacteria. Escherichia coli (E.coli) replaces fecal coliform (FC) bacteria as the indicator as per Water Quality Standards [9 VAC 25-260-170. Bacteria; other waters]. 34089, 11/04/2007

One station is located within the 7.3 miles of impaired waters. 4ABYE000.85 (Ambient)(2018)

4ABYE000.85 (Ambient)(2018) Five of 12 samples in excess of the instantaneous criterion.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L67R_BYE01A08 / Bye Creek / Bye Creek from its headwaters to its mouth on the Banister River	4A	Escherichia coli (E. coli)	2014	L	7.3

Bye Creek

**Recreation**

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:			7.3

Sources: Livestock (Grazing or Feeding Operations); Unspecified Domestic Waste; Wastes from Pets; Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code: L67R-06-BEN Shockoe Creek**

Cause Location: Shockoe Cr. mainstem from its headwaters to its mouth on Banister R.

Cause City/County: Pittsylvania County

Use(s): Aquatic Life

Causes(s)/VA Category: Benthic Macroinvertebrates Bioassessments/5A

Cause Description: The 2022 assessment cycle finds the initial 5.51 mile 303(d) Aquatic Life Use listing on Shockoe Creek based on benthic macroinvertebrate community data as evaluated by the Virginia Stream Condition Index (VSCI). VSCI scores were found to be below the impairment threshold of VSCI=60.

4ASCK003.10 (Shockoe Ck @ Rte 895) finds Bio 'IM' from two 2019 VSCI scores: 58 (Spring) and 36 (Fall). Regional Biologist notes that this stream had low water and was very incised. It had multiple bank failures and the habitat was poor.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L67R_SCK01A22 / Shockoe Creek / Shockoe Cr. mainstem from its headwaters to its mouth on Banister R. (BAN) (RD58).	5A	Benthic Macroinvertebrates Bioassessments	2022	L	5.51

Shockoe Creek

**Aquatic Life**

Benthic Macroinvertebrates Bioassessments - Total Impaired Size by Water Type:

Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
		5.51

Sources: Source Unknown

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** L68R-01-BAC Whitehorn Creek

Cause Location: Whitehorn Creek mainstem from its mouth upstream to its headwaters.

Cause City/County: Pittsylvania County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: The Banister River Bacteria TMDL Study (Whitehorn Creek) received U.S. EPA approval on 11/4/2007 [Fed. ID.33819] and SWCB approval on 7/31/2008 for these 2004 303(d) Listed waters for fecal coliform and 2006 303(d) Listed waters for Bacteria. Escherichia coli (E.coli) replaces fecal coliform (FC) bacteria as the indicator as per Water Quality Standards [9 VAC 25-260-170. Bacteria; other waters]. 33819, 11/04/2007

Two stations are located within the 15.89 miles of impaired waters. 4AWRN000.43 (Ambient, TMDL Monitoring)(2018) and 4AWRN000.43 (Ambient, TMDL Monitoring)(2018)

4AWRN000.43 (Ambient, TMDL Monitoring)(2018) Five of 11 samples in excess of the instantaneous criterion.

4AWRN000.43 (Ambient, TMDL Monitoring)(2018) Six of 12 samples in excess of the instantaneous criterion.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L68R_WRN01A00 / Whitehorn Creek / Whitehorn Creek mainstem from its mouth upstream to the confluence with Georges Creek (RD57).	4A	Escherichia coli (E. coli)	2006	L	0.79
VAW-L68R_WRN02A06 / Whitehorn Creek / From its headwaters to the confluence with Georges Creek (RD56).	4A	Escherichia coli (E. coli)	2006	L	15.11

Whitehorn Creek

**Recreation**

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:			15.9

Sources: Livestock (Grazing or Feeding Operations); Unspecified Domestic Waste; Wastes from Pets; Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L68R-01-BEN** **Whitehorn Creek**

Cause Location: Whitehorn Creek mainstem from its confluence with Georges Creek upstream to its headwaters.

Cause City/County: Pittsylvania County

Use(s): Aquatic Life

Causes(s)/VA Category: Benthic Macroinvertebrates Bioassessments/5A

Cause Description: Station ID:

4AWRN005.50 (2009/2013/2016 Bio) 2008 data window finds Bio 'IM' from four VSCI surveys (2013, 2016) averaging 51.1. Exhibits significant seasonal variation. Additional data were collected to accurately characterize the stream community. 2013 data are dominated by tolerant Chironomidae taxa and may indicate sediment as a probable stressor.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L68R_WRN02A06 / Whitehorn Creek / From its headwaters to the confluence with Georges Creek (RD56).	5A	Benthic Macroinvertebrates Bioassessments	2016	L	15.11

Whitehorn Creek

<b>Aquatic Life</b>	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Benthic Macroinvertebrates Bioassessments - Total Impaired Size by Water Type:			15.11

Sources: Source Unknown

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L68R-02-BAC** Mill Creek

Cause Location: Mill Creek from its headwaters to its mouth on Whitethorn Creek.

Cause City/County: Pittsylvania County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: The 2020 IR finds the Mill Creek Recreational Use impaired. These waters are Nested in the Banister River Watershed Bacteria TMDLs [Fed ID: 33820], EPA approved 11/4/2007 and SWCB approved 7/31/2008.

4AMIL002.17 - Eight of 12 E.coli samples exceed the 235 cfu/100 ml instantaneous criterion during the 2020 data window. Five of 12 E.coli samples exceed the 410 cfu/100 ml statistical threshold value during the 2022 data window.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L68R_MIL01A16 / Mill Creek / Mill Creek from its headwaters to its mouth (RD56).	4A	Escherichia coli (E. coli)	2020	L	9.29

Mill Creek

**Recreation**

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:			9.29

Sources: Livestock (Grazing or Feeding Operations); Unspecified Domestic Waste; Wastes from Pets; Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L69R-01-BAC** **Stinking River**

Cause Location: Stinking River mainstem from its mouth on the Banister River upstream to its headwaters.

Cause City/County: Pittsylvania County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: The Banister River Bacteria TMDL Study (Stinking Creek) received U.S. EPA approval on 11/4/2007 [Fed. ID.33822] and SWCB approval on 7/31/2008 for these 2004 303(d) Listed waters for fecal coliform and 2006 303(d) Listed waters for Bacteria. Escherichia coli (E.coli) replaces fecal coliform (FC) bacteria as the indicator as per Water Quality Standards [9 VAC 25-260-170. Bacteria; other waters]. 33822, 11/04/2007

Two stations are located within the 14.15 miles of impaired waters. 4ASNE005.30 (Ambient, TMDL Monitoring)(2018) and 4ASNE010.46 (TMDL Monitoring)

4ASNE005.30 (Ambient, TMDL Monitoring)(2018) One of 12 samples in excess of the instantaneous criterion.

4ASNE010.46 (TMDL Monitoring) Two of 12 samples in excess of the instantaneous criterion.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L69R_SNE01A00 / Stinking River / Stinking River mainstem from its mouth on the Banister River upstream to its headwaters (RD59).	4A	Escherichia coli (E. coli)	2008	L	14.15

Stinking River

**Recreation**

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:			14.15

Sources: Livestock (Grazing or Feeding Operations); Unspecified Domestic Waste; Wastes from Pets; Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L69R-02-BEN** Flybow Creek

Cause Location: Flyblow Creek from the confluence with an unnamed tributary (36 56' 56.645"N, -79 12' 45.017"W) to its headwaters.

Cause City/County: Pittsylvania County

Use(s): Aquatic Life

Causes(s)/VA Category: Benthic Macroinvertebrates Bioassessments/5A

Cause Description: The 2022 assessment report finds the initial benthic macroinvertebrate community 303(d) listing affecting the Aquatic Life Use on Flybow Creek. Virginia Stream Condition Index (VSCI) scores are reported below the impairment threshold of VSCI=60.

4AFly001.78 (Flyblow Creek at Rt 606) - the 2022 data window finds Bio 'IM' from four VSCI scores avg 50 (2016, 2019). Habitat scores indicate a high probability of stress to Aquatic Life. There is silviculture very close to the stream and heavy sediment deposition instream.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L69R_FLY02A18 / Flyblow Creek / Flyblow Creek from the confluence with an unnamed tributary (36 56' 56.645"N, -79 12' 45.017"W) to its headwaters (RD59).	5A	Benthic Macroinvertebrates Bioassessments	2022	L	2.14

Flybow Creek

**Aquatic Life**

Benthic Macroinvertebrates Bioassessments - Total Impaired Size by Water Type:

Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
		2.14

Sources: Source Unknown

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L70R-01-BAC** **Sandy Creek**

Cause Location: Sandy Creek from its confluence with Pine Creek to its mouth on the Banister River.

Cause City/County: Halifax County; Pittsylvania County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: The Banister River Bacteria TMDL Study (Sandy Creek) received U.S. EPA approval on 11/4/2007 [Fed. ID.33821] and SWCB approval on 7/31/2008 for these 2004 303(d) Listed waters for fecal coliform and 2006 303(d) Listed waters for Bacteria. Escherichia coli (E.coli) replaces fecal coliform (FC) bacteria as the indicator as per Water Quality Standards [9 VAC 25-260-170. Bacteria; other waters]. 33821, 11/04/2007

Two stations are located within the 20.47 miles of impaired waters. 4ASNA000.20 (Ambient)(2018) and 4ASNA015.30 (Ambient)

4ASNA000.20 (Ambient)(2022) Nine of 30 samples in excess of the instantaneous criterion. (2020) 11 of 30 samples in excess of the instantaneous criterion. (2018) Five of 17 samples in excess of the instantaneous criterion.

4ASNA015.30 (Ambient) Four of 12 samples in excess of the instantaneous criterion.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L70R_SNA01A00 / Sandy Creek / Near the Pittsylvania/Halifax County line to mouth on Banister River (RD64).	4A	Escherichia coli (E. coli)	2014	L	14.57
VAW-L70R_SNA01B10 / Sandy Creek / Sandy Creek from its confluence with Pine Creek to near the Halifax/Pittsylvania County line.	4A	Escherichia coli (E. coli)	2010	L	5.90

Sandy Creek

**Recreation**

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:			20.47

Sources: Livestock (Grazing or Feeding Operations); Unspecified Domestic Waste; Upstream Impoundments; Wastes from Pets; Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L70R-02-BEN** **Sweden Fork**

Cause Location: Sweden Fork from its headwaters to the mouth.

Cause City/County: Pittsylvania County

Use(s): Aquatic Life

Causes(s)/VA Category: Benthic Macroinvertebrates Bioassessments/5A

Cause Description: Station ID:

4ASDE004.07

Bio 'IM' from two 2014 VSCI surveys averaging 52.6.

4ASDE002.18 (2012 FPM/2014)

No additional data since the 2016 data window: Bio 'IM' from three VSCI surveys (2012, 2014) averaging 38.9. This site is on private property and was sampled as part of the Probabilistic Monitoring program, therefore it will not be revisited. The stream had relatively unstable banks and increased sediment deposition. There was a large beaver dam just downstream of the reach in fall 2012 in addition to several smaller beaver dams throughout the sampling reach.

4ASDE002.65 (2010 FPM)

J - VSCI scores close to the impairment cutoff of 60. Further sampling is required to accurately assess this waterbody.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L70R_SDE01A12 / Sweden Fork / From its headwaters to the mouth	5A	Benthic Macroinvertebrates Bioassessments	2014	L	8.64

Sweden Fork

**Aquatic Life**

Benthic Macroinvertebrates Bioassessments - Total Impaired Size by Water Type:

Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
		8.64

Sources: Source Unknown

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L70R-03-BEN** **Bar Branch**

Cause Location: Bar Branch from its headwaters to its mouth.

Cause City/County: Pittsylvania County

Use(s): Aquatic Life

Causes(s)/VA Category: Benthic Macroinvertebrates Bioassessments/5A

Cause Description: Station ID:

4ABAR000.32 (2012/2014 Bio) No additional data beyond the 2016 data window:

IM - 4ABAR000.32 exhibits great seasonal variability with the fall sample scoring near the impairment threshold of 60. Habitat scores indicate sediment may be a stressor on the system. Additional sampling is required to accurately assess water quality within this reach.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L70R_BAR01A06 / Bar Branch / From its headwaters to the mouth	5A	Benthic Macroinvertebrates Bioassessments	2016	L	4.04

Bar Branch

**Aquatic Life**

Benthic Macroinvertebrates Bioassessments - Total Impaired Size by Water Type:

Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
		4.04

Sources: Source Unknown

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L70R-04-BAC** **Lick Branch**

Cause Location: Lick Branch mainstem from its mouth on Sandy Cr. to the confluence of two unnamed tributaries (RD63).

Cause City/County: Pittsylvania County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: The 2018 initial Recreational Use listing of Lick Branch is Nested in the Banister River Bacteria TMDL Study (Sandy Creek) which received U.S. EPA approval on 11/4/2007 [Fed. ID.33821] and SWCB approval on 7/31/2008. The TMDL addressed 2004 303(d) Listed waters for fecal coliform and 2006 303(d) Listed waters for Bacteria. Escherichia coli (E.coli) replaces fecal coliform (FC) bacteria as the indicator as per Water Quality Standards [9 VAC 25-260-170. Bacteria; other waters]. 33821, 11/04/2007

4ALBR000.37 (Route 662 / Randolph Road) The 2018 data window finds an E.coli exceedance rate of 5/12 with excursions ranging from 246 to greater than 1,000 cfu/100 ml.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L70R_LBR01A18 / Lick Branch / Lick Branch mainstem from its mouth on Sandy Cr. to the confluence of two unnamed tributaries (RD63).	4A	Escherichia coli (E. coli)	2018	L	3

Lick Branch

**Recreation**

Escherichia coli (E. coli) - Total Impaired Size by Water Type:

Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
		3

Sources: Livestock (Grazing or Feeding Operations); Unspecified Domestic Waste; Wastes from Pets; Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** L71L-01-DO **Banister Lake**

Cause Location: Banister Lake

Cause City/County: Halifax County

Use(s): Aquatic Life

Causes(s)/VA Category: Dissolved Oxygen/4C

Cause Description: Station ID: 4ABAN012.46 (Lake) 2022: Dissolve Oxygen - 7/52 Exceedance Rate 2020: Dissolve Oxygen - 7/52 Exceedance Rate

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L71L_BAN03L00 / Banister Lake / From its impounding structure to its backwaters on the Banister River	4C	Dissolved Oxygen	NA	NA	351.84

Banister Lake

**Aquatic Life**

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Dissolved Oxygen - Total Impaired Size by Water Type:		351.84	

Sources: Natural Conditions - Water Quality Standards Use Attainability Analyses Needed

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** L71L-01-HG Banister Lake

Cause Location: Banister Lake

Cause City/County: Halifax County

Use(s): Fish Consumption

Causes(s)/VA Category: Mercury in Fish Tissue/5A

Cause Description: 4ABAN012.46: 2020 FT (Hg) one species, 2 fish

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L71L_BAN03L00 / Banister Lake / From its impounding structure to its backwaters on the Banister River	5A	Mercury in Fish Tissue	2022	L	351.84

Banister Lake

**Fish Consumption**

Mercury in Fish Tissue - Total Impaired Size by Water Type:

Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
	351.84	

Sources: Source Unknown

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L71R-04-BAC** **Banister River**

Cause Location: Banister River from Banister Lake Dam to its mouth on the Dan River.

Cause City/County: Halifax County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: The Banister River Bacteria TMDL Study (Banister River) received U.S. EPA approval on 7/8/2013 [Fed. ID.52942] and SWCB approval on 4/4/2014 for these 2004 303(d) Listed waters for fecal coliform and 2006 303(d) Listed waters for Bacteria. Escherichia coli (E.coli) replaces fecal coliform (FC) bacteria as the indicator as per Water Quality Standards [9 VAC 25-260-170. Bacteria; other waters]. 52942, 7/8/2013

Two stations are located within the 11.99 miles of impaired waters. 4ABAN005.58 (Ambient)(2018) and 4ABAN001.86 (Ambient)

4ABAN005.58 (Ambient)(2018) 12 of 36 samples in excess of the instantaneous criterion.

4ABAN001.86 (Ambient) Four of 12 samples in excess of the instantaneous criterion.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L71R_BAN04A00 / Banister River / Banister Lake to Burlington Industries raw water intake 2000' downstream of Route 360 bridge (RD67).	4A	Escherichia coli (E. coli)	2012	L	1.40
VAW-L71R_BAN05A00 / Banister River / 2000' downstream of Rt. 360 bridge (Burlington Industries' raw water intake) to its confluence with Wolf Trap Creek (RD67).	4A	Escherichia coli (E. coli)	2012	L	8.25
VAW-L71R_BAN06A08 / Banister River / Confluence of Wolf Trap Creek to its mouth on the Dan River (RD67).	4A	Escherichia coli (E. coli)	2008	L	2.34

Banister River

**Recreation**

Escherichia coli (E. coli) - Total Impaired Size by Water Type:	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
			11.99

Sources: Livestock (Grazing or Feeding Operations); Unspecified Domestic Waste; Wastes from Pets; Wildlife Other than Waterfowl

# Virginia Department of Environmental Quality

## Appendix 4 - Fact Sheets for Impaired (Category 4 or 5) Waters in 2022

---

### Roanoke and Yadkin River Basins

**Cause Group Code:** **L71R-05-BAC** Polecat Creek

Cause Location: Polecat Creek from its headwaters to the mouth at the Banister River.

Cause City/County: Halifax County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: NESTED 2014: 34089

The Banister River Bacteria TMDL Study (Banister River) received U.S. EPA approval on 11/4/2007 [Fed. ID.34089] and SWCB approval on 7/31/2008 for these 2004 303(d) Listed waters for fecal coliform and 2006 303(d) Listed waters for Bacteria. Escherichia coli (E.coli) replaces fecal coliform (FC) bacteria as the indicator as per Water Quality Standards [9 VAC 25-260-170. Bacteria; other waters]. 34089, 11/4/2007

Two stations are located within the 9.7 miles of impaired waters. 4APEC002.42 (Ambient)(2018) and 4APEC006.49 (Ambient)

4APEC002.42 (Ambient)(2022) Three of 12 samples in excess of the statistical threshold value. (2020) Five of 12 samples in excess of the instantaneous criterion. (2018) Three of 12 samples in excess of the instantaneous criterion.

4APEC006.49 (Ambient) Two of 12 samples in excess of the instantaneous criterion.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L71R_PEC01A04 / Polecat Creek / Polecat Creek from its headwaters to the mouth at the Banister River (RD65).	4A	Escherichia coli (E. coli)	2010	L	9.71

Polecat Creek

**Recreation**

Escherichia coli (E. coli) - Total Impaired Size by Water Type:	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
			9.71

Sources: Livestock (Grazing or Feeding Operations); Unspecified Domestic Waste; Wastes from Pets; Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L71R-05-BEN** **Polecat Creek**

Cause Location: Polecat Creek from its headwaters to the mouth at the Banister River.

Cause City/County: Halifax County

Use(s): Aquatic Life

Causes(s)/VA Category: Benthic Macroinvertebrates Bioassessments/5A

Cause Description: Station ID:

4APEC002.42 (2009 & 2013 Bio) 2018 data window:

Bio 'IM' from four VSCI surveys (2013, 2016) with an average score of 49.1.

IM - 4APEC002.42 exhibits seasonal variability. Spring scores are very low. Sedimentation is a likely stressor due to high embeddedness scores.

4APEC006.49 (2009/2013/2016 Bio) 2018 data window:

Bio 'IM' from four VSCI surveys (2013, 2016) averaging 43.8. IM - 4APEC006.49 has fall VSCI scores very close to the impairment cutoff score of 60. Spring scores are very low. Sedimentation is a likely stressor due to high embeddedness scores.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L71R_PEC01A04 / Polecat Creek / Polecat Creek from its headwaters to the mouth at the Banister River (RD65).	5A	Benthic Macroinvertebrates Bioassessments	2016	L	9.71

Polecat Creek

**Aquatic Life**

Benthic Macroinvertebrates Bioassessments - Total Impaired Size by Water Type:

Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
		9.71

Sources: Source Unknown

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L71R-06-BAC** **Winn Creek**

Cause Location: Winn Creek from its headwaters to the mouth on the Banister River.

Cause City/County: Halifax County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: The Banister River Bacteria TMDL Study (Winn Creek) received U.S. EPA approval on 7/8/2013 [Fed. ID.52941] and SWCB approval on 7/4/2014 for these 2008 303(d) Listed waters for e.coli. Escherichia coli (E.coli) replaces fecal coliform (FC) bacteria as the indicator as per Water Quality Standards [9 VAC 25-260-170. Bacteria; other waters]. 52941, 7/8/2013

One station is located within the 7.09 miles of impaired waters. 4AWNN000.99 (Ambient)

4AWNN000.99 (Ambient) Two of 12 samples in excess of the instantaneous criterion.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L71R_WNN01A06 / Winn Creek / From its headwaters to the mouth on the Banister River	4A	Escherichia coli (E. coli)	2008	L	7.09

Winn Creek

**Recreation**

Escherichia coli (E. coli) - Total Impaired Size by Water Type:

Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
		7.09

Sources: Livestock (Grazing or Feeding Operations); Unspecified Domestic Waste; Wastes from Pets; Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L71R-07-BAC** **Gibson Creek**

Cause Location: Gibson Creek from its headwaters to its mouth on the Banister River.

Cause City/County: Halifax County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: NESTED 2014: 52942

The Banister River Bacteria TMDL Study (Banister River) received U.S. EPA approval on 7/8/2013[Fed. ID.52942] and SWCB approval on 7/31/2008 for these 2004 303(d) Listed waters for fecal coliform and 2006 303(d) Listed waters for Bacteria. Escherichia coli (E.coli) replaces fecal coliform (FC) bacteria as the indicator as per Water Quality Standards [9 VAC 25-260-170. Bacteria; other waters]. 52942, 7/8/2013

One station is located within the 5.26 miles of impaired waters. 4AGIB000.66 (Ambient)(2018)

4AGIB000.66 (Ambient)(2018) Two of 6 samples in excess of the instantaneous criterion.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L71R_GIB01A08 / Gibson Creek / Gibson Creek from its headwaters to its mouth on the Banister River (RD67).	4A	Escherichia coli (E. coli)	2014	L	5.39

Gibson Creek

**Recreation**

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:			5.39

Sources: Livestock (Grazing or Feeding Operations); Unspecified Domestic Waste; Wastes from Pets; Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L71R-08-BAC** **Kents Creek**

Cause Location: Kents Creek from its backwaters on Banister Lake to its headwaters (RD65).

Cause City/County: Halifax County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: The Banister River Bacteria TMDL Study (Banister River) received U.S. EPA approval on 7/8/2013 [Fed. ID.52942] and SWCB approval on 4/4/2014 for these 2004 303(d) Listed waters for fecal coliform and 2006 303(d) Listed waters for Bacteria. Escherichia coli (E.coli) replaces fecal coliform (FC) bacteria as the indicator as per Water Quality Standards [9 VAC 25-260-170. Bacteria; other waters]. 52942, 7/8/2013. The Unnamed Tributary to Kents Creek (XVY) is nested within the Banister River TMDL Study.

4AXVY000.00 (Off Ball Park Loop) - The 2018 data window finds E.coli exceeds the 235 cfu/100 ml instantaneous criterion in five of 12 samples with excursions ranging from 243 to greater than 11,000 cfu/100 ml.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L71R_KTS01A18 / Kents Creek / Kents Creek from its backwaters on Banister Lake to its headwaters (RD65).	4A	Escherichia coli (E. coli)	2018	L	1.9

Kents Creek

**Recreation**

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:			1.9

Sources: Livestock (Grazing or Feeding Operations); Unspecified Domestic Waste; Wastes from Pets; Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** L72R-01-BAC **Terrible Creek**

Cause Location: Terrible Creek from Little Terrible Creek to its mouth on Banister River.

Cause City/County: Halifax County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/5A

Cause Description: Station ID:

4ATTR001.92 (Ambient/Bio)(2018)

E. coli - 4/12Exceedance Rate

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L72R_TRR01A00 / Terrible Creek / Little Terrible Creek to Banister River (RD66).	5A	Escherichia coli (E. coli)	2014	L	4.83

Terrible Creek

**Recreation**

Escherichia coli (E. coli) - Total Impaired Size by Water Type:	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
			4.83

Sources: Source Unknown

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** L72R-01-BEN Terrible Creek

Cause Location: Terrible Creek from Little Terrible Creek to its mouth on Banister River.

Cause City/County: Halifax County

Use(s): Aquatic Life

Causes(s)/VA Category: Benthic Macroinvertebrates Bioassessments/5A

Cause Description: Station ID:

4ATRR001.92 (Ambient/Bio) - The 2018 data window finds Aquatic Life Use impairment based on six VSCI surveys (2011-2012, 2016) with an average score of 55.1. 4ATRR001.92 exhibits some seasonal variability near the assessment threshold of 60. The community depends greatly on snag habitat which is limited by scoured banks and sandy bottoms. Sampling was moved downstream of the bridge in fall 2016 due to a massive beaver dam under the bridge. Beaver activity in the area may be affecting the flow regime of the stream and consequently the benthic community. Benthic macroinvertebrate community data was also collected: 2005-2006.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L72R_TRR01A00 / Terrible Creek / Little Terrible Creek to Banister River (RD66).	5A	Benthic Macroinvertebrates Bioassessments	2014	L	4.83

Terrible Creek

**Aquatic Life**

Benthic Macroinvertebrates Bioassessments - Total Impaired Size by Water Type:

Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
		4.83

Sources: Source Unknown

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** L73R-01-BAC Aarons Creek

Cause Location: Aarons Creek from its headwaters to the first unnamed tributary downstream of White House Road.

Cause City/County: Halifax County; Mecklenburg County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: NESTED 2016: 64072

The Hyco River Bacteria TMDL Study (Aarons Creek) received U.S. EPA approval on 2/3/2015 [Fed. ID.64072] and SWCB approval on 12/11/2014 for these 2004 303(d) Listed waters for fecal, 2006 303(d) Listed waters for bacteria, and 2008 303(d) Listed waters for e.coli. Escherichia coli (E.coli) replaces fecal coliform (FC) bacteria as the indicator as per Water Quality Standards [9 VAC 25-260-170. Bacteria; other waters]. 64072, 2/3/2015

One station is located within the 9.41 miles of impaired waters. 4AAAR006.20 (Ambient)(2018)

4AAAR006.20 (Ambient)(2018) Three of 12 samples in excess of the instantaneous criterion.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L73R_AAR02A10 / Aarons Creek / Aarons Creek from the VA/NC border to the confluence with Big Branch located downstream of White House Road (RD75).	4A	Escherichia coli (E. coli)	2016	L	9.41

Aarons Creek

**Recreation**

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:			9.41

Sources: Livestock (Grazing or Feeding Operations); Unspecified Domestic Waste; Wastes from Pets; Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L73R-02-BAC** **North Fork Aarons Creek**

Cause Location: From its headwaters to the mouth on Aarons Creek

Cause City/County: Halifax County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: NESTED 2016: 64072

The Hyco River Bacteria TMDL Study (Aarons Creek) received U.S. EPA approval on 2/3/2015 [Fed. ID.64072] and SWCB approval on 12/11/2014 for these 2004 303(d) Listed waters for fecal, 2006 303(d) Listed waters for bacteria, and 2008 303(d) Listed waters for e.coli. Escherichia coli (E.coli) replaces fecal coliform (FC) bacteria as the indicator as per Water Quality Standards [9 VAC 25-260-170. Bacteria; other waters]. 64072, 2/3/2015

One station is located within the 9.75 miles of impaired waters. 4ANFA000.35 (Ambient)

4ANFA000.35 (Ambient) Two of 12 samples in excess of the instantaneous criterion.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L73R_NFA01A06 / North Fork Aarons Creek / From its headwaters to the mouth on Aarons Creek	4A	Escherichia coli (E. coli)	2012	L	9.75

North Fork Aarons Creek

**Recreation**

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:			9.75

Sources: Livestock (Grazing or Feeding Operations); Unspecified Domestic Waste; Wastes from Pets; Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L73R-03-BAC** **Peter Creek**

Cause Location: Peter Creek from its headwaters to its confluence with the Dan River.

Cause City/County: Halifax County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: NESTED 2016: 35748

The Dan River Bacteria TMDL Study (Dan River) received U.S. EPA approval on 12/8/2008 [Fed. ID.35748] and SWCB approval on 4/28/2009 for these 2004 303(d) Listed waters for fecal coliform and 2006 303(d) Listed waters for Bacteria. Escherichia coli (E.coli) replaces fecal coliform (FC) bacteria as the indicator as per Water Quality Standards [9 VAC 25-260-170. Bacteria; other waters]. 35748, 12/8/2008

One station is located within the 6.6 miles of impaired waters.4APET004.35 (Ambient)(2018)

4APET004.35 (Ambient)(2018) Four of 12 samples in excess of the instantaneous criterion.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L73R_PET01A16 / Peter Creek / From its headwaters to its confluence with the Dan River (RD76).	4A	Escherichia coli (E. coli)	2016	L	6.61

Peter Creek

**Recreation**

Escherichia coli (E. coli) - Total Impaired Size by Water Type:

Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
		6.61

Sources: Livestock (Grazing or Feeding Operations); Unspecified Domestic Waste; Wastes from Pets; Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L73R-03-DO** **Peter Creek**

Cause Location: Peter Creek from its headwaters to its confluence with the Dan River.

Cause City/County: Halifax County

Use(s): Aquatic Life

Causes(s)/VA Category: Dissolved Oxygen/5A

Cause Description: The Dissolved Oxygen (DO) impairment initial 303(d) listing on Peter Creek is a result of exceedances of the Class III DO Water Quality Standard (WQS) of 4.0 mg/L.

4APET004.35 (Rt. 716) - The 2022 data window finds one excursion of the DO WQS at 3.7 mg/L (6/26/19). The 2016 data window finds three of 12 DO observations in exceedance of the 4.0 mg/L DO WQS.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L73R_PET01A16 / Peter Creek / From its headwaters to its confluence with the Dan River (RD76).	5A	Dissolved Oxygen	2016	L	6.61

Peter Creek

**Aquatic Life**

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Dissolved Oxygen - Total Impaired Size by Water Type:			6.61

Sources: Source Unknown

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code: L74R-01-BAC Hyco River**

Cause Location: Hyco River from the VA/NC state line to its mouth on the Dan River.

Cause City/County: Halifax County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: The Hyco River Bacteria TMDL Study (Hyco River) received U.S. EPA approval on 2/3/2015 [Fed. ID.64076] and SWCB approval on 12/11/2014 for these 2004 303(d) Listed waters for fecal, 2006 303(d) Listed waters for bacteria, and 2008 303(d) Listed waters for e.coli. Escherichia coli (E.coli) replaces fecal coliform (FC) bacteria as the indicator as per Water Quality Standards [9 VAC 25-260-170. Bacteria; other waters]. 64076, 2/3/2015

One station is located within the 23.57 miles of impaired waters. 4AHYC016.70 (Ambient)(2018)

4AHYC016.70 (Ambient)(2018) Four of 36 samples in excess of the instantaneous criterion.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L74R_HYC01A00 / Hyco River / Route 738 Bridge to Dan River.	4A	Escherichia coli (E. coli)	2008	L	6.12
VAW-L74R_HYC02A06 / Hyco River / From the VA/NC State Line downstream to the Route 738 Bridge.	4A	Escherichia coli (E. coli)	2006	L	17.48

Hyco River

**Recreation**

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:			23.6

Sources: Livestock (Grazing or Feeding Operations); Unspecified Domestic Waste; Wastes from Pets; Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L74R-03-BAC** Coleman Creek

Cause Location: Coleman Creek from its headwaters to its mouth on the Hyco River.

Cause City/County: Halifax County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: The Hyco River Bacteria TMDL Study (Hyco River) received U.S. EPA approval on 2/3/2015 [Fed. ID.64076] and SWCB approval on 12/11/2014 for these 2004 303(d) Listed waters for fecal, 2006 303(d) Listed waters for bacteria, and 2008 303(d) Listed waters for e.coli. Escherichia coli (E.coli) replaces fecal coliform (FC) bacteria as the indicator as per Water Quality Standards [9 VAC 25-260-170. Bacteria; other waters]. 64076, 2/3/2015

Two stations are located within the 8.49 miles of impaired waters. 4ACLB005.17 (Hog Farm Special Study & Follow-up)(2018) and 4ACLB007.78 (Hog Farm Special Study & Follow-up)

4ACLB005.17 (Hog Farm Special Study & Follow-up)(2018) One of 6 samples in excess of the instantaneous criterion.

4ACLB007.78 (Hog Farm Special Study & Follow-up) Three of 6 Insufficient Data.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L74R_CLB01A06 / Coleman Creek / From its headwaters to its mouth on the Hyco River (RD72).	4A	Escherichia coli (E. coli)	2008	L	8.49

Coleman Creek

**Recreation**

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:			8.49

Sources: Livestock (Grazing or Feeding Operations); Unspecified Domestic Waste; Wastes from Pets; Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L74R-03-BEN** Coleman Creek

Cause Location: Coleman Creek from its headwaters to its mouth on the Hyco River.

Cause City/County: Halifax County

Use(s): Aquatic Life

Causes(s)/VA Category: Benthic Macroinvertebrates Bioassessments/4A

Cause Description: The Coleman Creek Sediment TMDL for a Benthic Impairment received U.S. EPA approval on 2/3/2015 [Fed. ID.63928] and SWCB approval on 12/11/2014 for this 2008 303(d) Listed impairment to the benthic community.

Station IDs: 4ACLB001.90 (2006 Probmon) (2017 Probmon) Impaired Benthic Assessment - Lack of suitable habitat is negatively affecting the stream community. 4ACLB004.14 (2012 Bio) No new data since 2014 data window: IM - Beaver dam downstream. Very slow-moving water. Habitat rather lacking and livestock have access upstream of bridge.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L74R_CLB01A06 / Coleman Creek / From its headwaters to its mouth on the Hyco River (RD72).	4A	Benthic Macroinvertebrates Bioassessments	2008	L	8.49

Coleman Creek

**Aquatic Life**

Benthic Macroinvertebrates Bioassessments - Total Impaired Size by Water Type:

Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
		8.49

Sources: Clean Sediments

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L74R-04-DO** **Big Bluewing Creek**

Cause Location: Big Bluewing Creek from the VA/NC state line to its mouth on the Hyco River

Cause City/County: Halifax County

Use(s): Aquatic Life

Causes(s)/VA Category: Dissolved Oxygen/5A

Cause Description: Station ID:  
 4ABLU002.02 (Ambient) Dissolved Oxygen - 2/11 Exceedance Rate

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L74R_BLU01A08 / Big Bluewing Creek / Big Bluewing Creek from the VA/NC state line to its mouth on the Hyco River (RD73).	5A	Dissolved Oxygen	2008	L	11.24

Big Bluewing Creek

**Aquatic Life**

Dissolved Oxygen - Total Impaired Size by Water Type:	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
			11.24

Sources: Source Unknown

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L74R-05-BEN** **Bowes Branch**

Cause Location: Bowes Branch from the VA/NC State Line to its confluence with the Hyco River.

Cause City/County: Halifax County

Use(s): Aquatic Life

Causes(s)/VA Category: Benthic Macroinvertebrates Bioassessments/5A

Cause Description: Station ID:

4ABOS000.13 (2004 FPM)

IM - Segment affected by beaver activity. Suitable habitat was limited for the maintenance of an adequate stream community.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L74R_BOS01A06 / Bowes Branch / From the VA/NC State Line to its confluence with the Hyco River	5A	Benthic Macroinvertebrates Bioassessments	2008	L	1.44

Bowes Branch

**Aquatic Life**

Benthic Macroinvertebrates Bioassessments - Total Impaired Size by Water Type:

Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
		1.44

Sources: Source Unknown

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L74R-06-BAC** Mayo Creek

Cause Location: Mayo Creek from the VA/NC border to its confluence with Hyco River.

Cause City/County: Halifax County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: NESTED 2016: 64076

The Hyco River Bacteria TMDL Study (Hyco River) received U.S. EPA approval on 2/3/2015 [Fed. ID.64076] and SWCB approval on 12/11/2014 for these 2004 303(d) Listed waters for fecal, 2006 303(d) Listed waters for bacteria, and 2008 303(d) Listed waters for e.coli. Escherichia coli (E.coli) replaces fecal coliform (FC) bacteria as the indicator as per Water Quality Standards [9 VAC 25-260-170. Bacteria; other waters]. 64076, 2/3/2015

One station is located within the 4.93 miles of impaired waters. 4AMYO001.48 (Ambient)(2018)

4AMYO001.48 (Ambient)(2018) Two of 12 samples in excess of the instantaneous criterion.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L74R_MY001A04 / Mayo Creek / Mayo Creek from the VA/NC border to its confluence with Hyco River (RD71).	4A	Escherichia coli (E. coli)	2016	L	4.93

Mayo Creek

**Recreation**

Escherichia coli (E. coli) - Total Impaired Size by Water Type:

Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
		4.93

Sources: Livestock (Grazing or Feeding Operations); Unspecified Domestic Waste; Wastes from Pets; Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L74R-07-BAC** **Powells Creek**

Cause Location: Powells Creek from its headwaters to the confluence with an unnamed tributary upstream of NC Route 1325. (Virginia Portion of Powells Creek)

Cause City/County: Halifax County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: NESTED 2016: 64076

The Hyco River Bacteria TMDL Study (Hyco River) received U.S. EPA approval on 2/3/2015 [Fed. ID.64076] and SWCB approval on 12/11/2014 for these 2004 303(d) Listed waters for fecal, 2006 303(d) Listed waters for bacteria, and 2008 303(d) Listed waters for e.coli. Escherichia coli (E.coli) replaces fecal coliform (FC) bacteria as the indicator as per Water Quality Standards [9 VAC 25-260-170. Bacteria; other waters]. 64076, 2/3/2015

One station is located within the 4.65 miles of impaired waters. 4APWL001.11 (Ambient)(2018)

4APWL001.11 (Ambient)(2018) Three of 11 samples in excess of the instantaneous criterion.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L74R_PWL01A10 / Powells Creek / Powells Creek from its headwaters to the confluence with an unnamed tributary upstream of NC Route 1325 (RD69).	4A	Escherichia coli (E. coli)	2016	L	4.66

Powells Creek

**Recreation**

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:			4.66

Sources: Livestock (Grazing or Feeding Operations); Unspecified Domestic Waste; Wastes from Pets; Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L74R-08-BEN** **Little Bluewing Creek**

Cause Location: Little Bluewing Creek mainstem from its mouth on Big Bluewing Cr. to its headwaters in Halifax Co.

Cause City/County: Halifax County

Use(s): Aquatic Life

Causes(s)/VA Category: Benthic Macroinvertebrates Bioassessments/5A

Cause Description: The 2018 data window produces this initial Aquatic Life Use listing for Little Bluewing Creek.

4ALWN000.08 (Rt. 740/Wilson Rd) Bio 'IM' from two 2015 VSCI surveys: Spring 41.5, Fall 50.6. The high numbers of Chironomids (blackfly larvae) and Chuematopsyche (net-spinning caddisfly larvae) in spring indicate a nutrient or organic pollution problem.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L74R_LWN01A18 / Little Bluewing Creek / Little Bluewing Creek mainstem from its mouth on Big Bluewing Cr. to its headwaters in Halifax Co. (RD73).	5A	Benthic Macroinvertebrates Bioassessments	2018	L	7.92

Little Bluewing Creek

**Aquatic Life**

Benthic Macroinvertebrates Bioassessments - Total Impaired Size by Water Type:

Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
		7.92

Sources: Source Unknown

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

**Roanoke and Yadkin River Basins**

**Cause Group Code: L75L-01-PCB Kerr Reservoir**

Cause Location: Kerr Reservoir from the John H. Kerr dam to its backwaters, excluding the Dan River portion.

Cause City/County: Halifax County; Mecklenburg County

Use(s): Fish Consumption

Causes(s)/VA Category: PCBs in Fish Tissue/5A

Cause Description: VDH Fish Advisory - PCBs: Issued 7/24/98 , revised 8/31/07 & Mercury: Issued 8/31/07 Roanoke (Staunton) River from below Leesville Dam downstream ~ 98 miles to the confluence of Dan River including its tributary Cub Creek up to Rough Creek Road (State Route 695) near Rough Creek. 4AROA129.95 (near Bus Route 29 Bridge near Altavista Gage) 2019:5-sp. exceed DEQ's screening value (18ppb); Smallmouth Bass, Golden Redhorse Sucker, Carp, Blue Catfish, & Channel Catfish. Carp exceeds the VDH "Upper" (500ppb); 2013:3-sp. exceed VDH "lower" (50ppb); Flathead catfish, channel catfish, & Carp. 2006:Carp exceeds VDH "upper" (500ppb). 2006:6-sp exceeded VDH lower level of concern (50ppb); Smallmouth bass, Rock bass, Redbreast sunfish, Channel catfish, Carp, Redhorse sucker.

4AROA108.09 (near Long Island) 2018:2-sp.exceed the VDH "upper" (500ppb); Flathead Catfish and Carp. Golden Redhorse Sucker exceeds the VDH "lower" (100ppb); 3-sp. exceed (20ppb); Smallmouth Bass, Channel Catfish, & Spotted Bass. 2013 Flathead catfish exceeds VDH "upper"(500ppb); 4-sp. exceed VDH "lower"(50ppb); Channel catfish, Carp, Shorthead redhorse sucker, & gizzard shad. 2006: Carp exceeds VDH "upper" (500ppb). 3-sp.exceed VDH "lower" (50ppb); Smallmouth bass, Channel catfish, Carp, Redhorse sucker. 4AROA097.07 (Route 501 at Brookneal) - 2018: 4-sp.exceed the VDH "lower" (100ppb) Walleye, Carp, Channel Catfish, & Blue Catfish. Smallmouth Bass exceeds (20ppb); 2013: 2-sp.exceed VDH "upper" (500ppb); Blue catfish & Flathead catfish. 4-sps exceed VDH "lower" (50ppb); striped bass, Blue catfish, carp, & Channel catfish. 2006:Striped Bass exceeds VDH "upper" (500ppb); 5-sp.exceeds VDH "lower" (50ppb); Striped bass, Black crappie, Channel catfish, Carp, & Redhorse sucker. 4AROA067.91 (Route 746 Bridge) - 2018:5-sp. exceed WQS (20ppb); Smallmouth Bass, Walleye, Blue Catfish, Carp, & Channel Catfish. Carp and Channel Catfish exceed the VDH "lower" (100ppb); 2013: 4-sp. exceed VDH "lower" level (50ppb): Carp, Channel Catfish, Blue Catfish, & Golden Redhorse: 2006:Walleye, and Carp exceed VDH "upper"(500ppb); 5-sp. exceed VDH "lower" (50ppb); Blue catfish, Channel catfish, carp, Golden redhorse sucker, & Gizzard shad. 4AROA059.12 (Route 360 Bridge, east of Clover) - 2018:4-sp.exceed the VDH "lower" (100ppb); Freshwater Drum, Carp, Blue Catfish, & Golden Redhorse Sucker. Smallmouth Bass exceeds (20ppb); 2013:4-sp.exceed the VDH "lower" (100ppb); Flathead Catfish, Channel Catfish, Carp, & Blue Catfish; 2006: Striped Bass & Carp exceed VDH "upper" (500ppb); 7-sp. exceed VDH "lower" (50ppb); Striped bass, White bass, Largemouth bass, walleye, Channel catfish, carp, & Redhorse sucker. 4AROA036.59 (Station #B Buoy 18 Kerr Reservoir) - 2020:1 sp.exceeds PCB; Golden Redhorse Sucker. 2019:2 sp. exceed (18 ppb); Flathead Catfish and Channel Catfish. 2018: 2-sp. exceed the WQS TV of 20 ppb; Channel Catfish & Golden Redhorse Sucker 2006:2-sp.exceed VDH "lower" (50ppb); Carp & golden redhorse sucker.

4AROA028.04 (Station #B-9 Kerr Reservoir - Buoy 9) - 2006:2-sp. exceed VDH "lower" (50ppb); Largemouth bass & Longnose gar

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L75L_BHB01A22 / Butcher Creek / Butcher Creek and Tribs included in the boundaries of Kerr Reservoir.	5A	PCBs in Fish Tissue	2002	L	2196.07
VAW-L75L_ROA05L98 / Kerr Reservoir / Kerr Reservoir from the John H. Kerr dam to ~ Long Grass Branch confluence.	5A	PCBs in Fish Tissue	2002	L	7018.24
VAW-L75L_ROA05M22 / Kerr Reservoir / Kerr Reservoir from ~Long Grass Branch confluence to about 2 miles upstream of the confluence with Grassy Creek..	5A	PCBs in Fish Tissue	2002	L	14828.39

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

(continued)

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L75L_ROA05N22 / Kerr Reservoir / Kerr Reservoir from about 2 miles upstream of the confluence of Grassy Creek tot about 1 mile upstream of the confluence with Bluestone Creek.	5A	PCBs in Fish Tissue	2002	L	4182.41
VAW-L75L_ROA05O22 / Kerr Reservoir / Kerr Reservoir from about 1 mile upstream of the confluence of Bluestone Creek to the backwaters, excluding the Dan River, Bluestone Creek, Buffalo Creek, and Butcher Creek.	5A	PCBs in Fish Tissue	2002	L	2440.31
VAW-L76L_BMA01A06 / Buffalo Creek / Buffalo Creek and Tribs included in the boundaries of Kerr Reservoir	5A	PCBs in Fish Tissue	2002	L	358.96
VAW-L77L_BST01A06 / Bluestone Creek / Bluestone Creek and Tribs included in the boundaries of Kerr Reservoir	5A	PCBs in Fish Tissue	2002	L	860.22

Kerr Reservoir

<b>Fish Consumption</b>	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
PCBs in Fish Tissue - Total Impaired Size by Water Type:		31884.6	

Sources: Source Unknown

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L75L-02-DO** **Kerr Reservoir**

Cause Location: Kerr Reservoir from the John H. Kerr dam to about 2 miles upstream of the confluence of Grassy Creek, including Butcher Creek. Kerr Reservoir-Bluestone Creek.

Cause City/County: Halifax County; Mecklenburg County

Use(s): Aquatic Life

Causes(s)/VA Category: Dissolved Oxygen/5A

Cause Description: Dissolved oxygen exceeds the WQS in the following stations: 4ABHB004.40 Butcher Creek  
 4ABST001.13 Bluestone Creek 4AROA018.36  
 4AROA022.52  
 4AROA028.04 4AROA032.42

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L75L_BHB01A22 / Butcher Creek / Butcher Creek and Tribs included in the boundaries of Kerr Reservoir.	5A	Dissolved Oxygen	2022	L	2196.07
VAW-L75L_ROA05L98 / Kerr Reservoir / Kerr Reservoir from the John H. Kerr dam to ~ Long Grass Branch confluence.	5A	Dissolved Oxygen	2022	L	7018.24
VAW-L75L_ROA05M22 / Kerr Reservoir / Kerr Reservoir from ~Long Grass Branch confluence to about 2 miles upstream of the confluence with Grassy Creek..	5A	Dissolved Oxygen	2022	L	14828.39
VAW-L77L_BST01A06 / Bluestone Creek / Bluestone Creek and Tribs included in the boundaries of Kerr Reservoir	5A	Dissolved Oxygen	2022	L	860.22

Kerr Reservoir

**Aquatic Life**

Dissolved Oxygen - Total Impaired Size by Water Type:

Estuary  
(Sq. Miles)

Reservoir  
(Acres)  
24902.92

River  
(Miles)

Sources: Source Unknown

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L75R-03-BAC** **Beech Creek**

Cause Location: Beech Creek from its headwaters to the VA/NC state line.

Cause City/County: Mecklenburg County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: The Hyco River Bacteria TMDL Study (Beech Creek) received U.S. EPA approval on 2/3/2015 [Fed. ID.64066] and SWCB approval on 12/11/2014 for these 2004 303(d) Listed waters for fecal, 2006 303(d) Listed waters for bacteria, and 2008 303(d) Listed waters for e.coli. Escherichia coli (E.coli) replaces fecal coliform (FC) bacteria as the indicator as per Water Quality Standards [9 VAC 25-260-170. Bacteria; other waters]. 64066, 2/3/2015

One station is located within the 4.7 miles of impaired waters. 4ABEE000.80 (Ambient)(2018)

4ABEE000.80 (Ambient)(2022) Zero of 12 samples in excess of the statistical threshold value, Insufficient Information. (2020) Two of 12 samples in excess of the instantaneous criterion. (2018) Four of 11 samples in excess of the instantaneous criterion.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L75R_BEE01A98 / Beech Creek / Headwaters to North Carolina Border (RL01).	4A	Escherichia coli (E. coli)	2008	L	4.7

Beech Creek

**Recreation**

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:			4.7

Sources: Livestock (Grazing or Feeding Operations); Unspecified Domestic Waste; Wastes from Pets; Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L75R-03-BEN** **Beech Creek**

Cause Location: Beech Creek from its headwaters to the VA/NC state line.

Cause City/County: Mecklenburg County

Use(s): Aquatic Life

Causes(s)/VA Category: Benthic Macroinvertebrates Bioassessments/5A

Cause Description: Station ID:

4ABEE000.80 (Ambient) 2018 data window finds Bio 'IM' from four VSCI surveys (2014, 2016) averaging 52.5.

2010/2014 Bio - IM - Site exhibits seasonal variability. Further sampling indicates an unbalanced benthos community. Sedimentation and nutrient enrichment are probable stressors.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L75R_BEE01A98 / Beech Creek / Headwaters to North Carolina Border (RL01).	5A	Benthic Macroinvertebrates Bioassessments	2016	L	4.7

Beech Creek

<b>Aquatic Life</b>	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Benthic Macroinvertebrates Bioassessments - Total Impaired Size by Water Type:			4.7

Sources: Source Unknown

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code: L75R-04-BEN Rocky Branch, Upper**

Cause Location: Rocky Branch mainstem (Upper) from the confluence with an unnamed tributary near Red Oak Ln upstream to its headwaters (RL07).

Cause City/County: Mecklenburg County

Use(s): Aquatic Life

Causes(s)/VA Category: Benthic Macroinvertebrates Bioassessments/5A

Cause Description: The initial 303(d) General Standard listing is based on data collection at 4AROB001.36 (Rocky Branch at Rocky Mt. Rd. (Rt. 689)) - Bio 'IM'. The 2022 data window finds two 2020 VSCI survey scores averaging 41 (Spring: 43; Fall: 38). Biologist notes: Small stream that is incised. Riffles were somewhat embedded and the habitat was suboptimal.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L75R_ROB02A22 / Rocky Branch, Upper / Rocky Branch mainstem (Upper) from the confluence with an unnamed tributary near Red Oak Ln upstream to its headwaters (RL07).	5A	Benthic Macroinvertebrates Bioassessments	2022	L	3.08

Rocky Branch, Upper

**Aquatic Life**

Benthic Macroinvertebrates Bioassessments - Total Impaired Size by Water Type:

Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
		3.08

Sources: Source Unknown; Streambank Erosion

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** L76L-01-BAC Buffalo Creek

Cause Location: Buffalo Creek and Tribs included in the boundaries of Kerr Reservoir

Cause City/County: Mecklenburg County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/5A

Cause Description: The initial 2020 303(d) Listing of these waters is a result of escherichia coli (E.coli) excursions of the 235 cfu/100 ml instantaneous criterion in five of 36 samples. Excursions range from 328 to 1314 cfu/100ml. 2022: E.coli 5/35 Exceedance rate. Impaired- 2 or more STV hits in the same 90-day period with < 10 samples.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L76L_BMA01A06 / Buffalo Creek / Buffalo Creek and Tribs included in the boundaries of Kerr Reservoir	5A	Escherichia coli (E. coli)	2020	L	358.96

Buffalo Creek

**Recreation**

Escherichia coli (E. coli) - Total Impaired Size by Water Type:

Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
	358.96	

Sources: Source Unknown

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L76R-01-BAC** **Little Buffalo Creek**

Cause Location: Little Buffalo Creek from its headwaters to its mouth on Kerr Reservoir.

Cause City/County: Mecklenburg County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: The Hyco River Bacteria TMDL Study (Little Buffalo Creek) received U.S. EPA approval on 2/3/2015 [Fed. ID.64074] and SWCB approval on 12/11/2014 for these 2004 303(d) Listed waters for fecal, 2006 303(d) Listed waters for bacteria, and 2008 303(d) Listed waters for e.coli. Escherichia coli (E.coli) replaces fecal coliform (FC) bacteria as the indicator as per Water Quality Standards [9 VAC 25-260-170. Bacteria; other waters]. 64074, 2/3/2015

One station is located within the 2.51 miles of impaired waters. 4ALFF001.85 (Ambient)(2018)

4ALFF001.85 (Ambient)(2018) Six of 12 samples in excess of the instantaneous criterion.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L76R_LFF01A00 / Little Buffalo Creek / Headwaters to Kerr Reservoir (RD77).	4A	Escherichia coli (E. coli)	2004	L	2.51

Little Buffalo Creek

**Recreation**

Escherichia coli (E. coli) - Total Impaired Size by Water Type:	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
			2.51

Sources: Livestock (Grazing or Feeding Operations); Unspecified Domestic Waste; Wastes from Pets; Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L76R-01-BEN** **Little Buffalo Creek**

Cause Location: Little Buffalo Creek from its headwaters to its mouth on Kerr Reservoir.

Cause City/County: Mecklenburg County

Use(s): Aquatic Life

Causes(s)/VA Category: Benthic Macroinvertebrates Bioassessments/5A

Cause Description: Station ID:

4ALFF001.85 (Bio) 2018 data window finds Bio 'IM' from two 2015 VSCI surveys greater than 60.0: Spring 30.0, Fall 38.7.

2010 Bio - IM - Sedimentation and STP effluent have negatively affected the benthic community.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L76R_LFF01A00 / Little Buffalo Creek / Headwaters to Kerr Reservoir (RD77).	5A	Benthic Macroinvertebrates Bioassessments	2012	L	2.51

Little Buffalo Creek

<b>Aquatic Life</b>	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Benthic Macroinvertebrates Bioassessments - Total Impaired Size by Water Type:			2.51

Sources: Municipal Point Source Discharges

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L76R-02-BAC** **Buffalo Creek**

Cause Location: Buffalo Creek from its headwaters to the backwaters of Kerr Reservoir.

Cause City/County: Mecklenburg County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/5A

Cause Description: Station ID: 4ABMA002.00 - The 2018 data window finds four of 36 Escherichia coli (E.coli) samples in excess of the 235 cfu/100 ml instantaneous criterion.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L76R_BMA01A06 / Buffalo Creek / From its headwaters to the backwaters of Kerr Reservoir (RD77).	5A	Escherichia coli (E. coli)	2018	L	5.68

Buffalo Creek

**Recreation**

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:			5.68

Sources: Source Unknown

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L76R-02-BEN** **Buffalo Creek**

Cause Location: Buffalo Creek from its headwaters to the backwaters of Kerr Reservoir.

Cause City/County: Mecklenburg County

Use(s): Aquatic Life

Causes(s)/VA Category: Benthic Macroinvertebrates Bioassessments/5A

Cause Description: 4ABMA005.64 - The 2018 data window finds Aquatic Life Use impairment from two 2015 VSCI surveys: Spring 27.8 and Fall 57.1. There was a large beaver dam just upstream of the sampling reach, which may have affected the benthic community. Further sampling is required to accurately assess the waterbody.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L76R_BMA01A06 / Buffalo Creek / From its headwaters to the backwaters of Kerr Reservoir (RD77).	5A	Benthic Macroinvertebrates Bioassessments	2018	L	5.68

Buffalo Creek

**Aquatic Life**

Benthic Macroinvertebrates Bioassessments - Total Impaired Size by Water Type:

Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
		5.68

Sources: Source Unknown

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L77R-01-BAC** **Little Bluestone Creek**

Cause Location: Little Bluestone Creek from a fork upstream of Route 696 to Kerr Reservoir.

Cause City/County: Mecklenburg County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: Station ID:

4ALNE006.56 (Ambient)(2018)

E. coli - 7/35 Exceedance Rate

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L77R_LNE01A98 / Little Bluestone Creek / Fork upstream of Route 696 to Kerr Reservoir.	4A	Escherichia coli (E. coli)	2006	L	9.39

Little Bluestone Creek

**Recreation**

Escherichia coli (E. coli) - Total Impaired Size by Water Type:	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
			9.39

Sources: Crop Production (Crop Land or Dry Land); Livestock (Grazing or Feeding Operations); On-site Treatment Systems (Septic Systems and Similar Decentralized Systems); Unspecified Domestic Waste; Unspecified Urban Stormwater

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L77R-02-BAC** **Bluestone Creek**

Cause Location: Bluestone Creek from its headwaters to its confluence with Moody Creek.

Cause City/County: Charlotte County; Mecklenburg County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: Station ID:

4ABST017.09 (Ambient)(2018)

E. coli - 5/12 Exceedance Rate

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L77R_BST02A06 / Bluestone Creek / From its headwaters to Moody Creek	4A	Escherichia coli (E. coli)	2006	L	8.26

Bluestone Creek

**Recreation**

Escherichia coli (E. coli) - Total Impaired Size by Water Type:	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
			8.26

Sources: Crop Production (Crop Land or Dry Land); Livestock (Grazing or Feeding Operations); On-site Treatment Systems (Septic Systems and Similar Decentralized Systems); Unspecified Domestic Waste; Unspecified Urban Stormwater

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L77R-02-BEN** **Bluestone Creek**

Cause Location: Bluestone Creek from its confluence with Moody Creek to the backwaters of Kerr Reservoir.

Cause City/County: Charlotte County; Mecklenburg County

Use(s): Aquatic Life

Causes(s)/VA Category: Benthic Macroinvertebrates Bioassessments/5A

Cause Description: Station ID:

4ABST013.64 (2012/2015 Bio) Bio 'IM' from four VSCI surveys with an average score of 43.3.

IM - 4ABST013.64 has limited habitat due to scour and sedimentation. Riparian vegetation was suitable but bank scour was evident. Spring taxa list was dominated by Simuliidae and Chironomidae, bringing VSCI scores well below the impairment threshold.

4ABST014.94 (2007 FPM)

J Benthic Assessment - 4ABST014.94 exhibits significant seasonal variation. Additional data must be collected to accurately characterize the status of the stream community.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L77R_BST01A98 / Bluestone Creek / Moody Creek to the backwaters of Kerr Reservoir	5A	Benthic Macroinvertebrates Bioassessments	2014	L	13.73

Bluestone Creek

**Aquatic Life**

Benthic Macroinvertebrates Bioassessments - Total Impaired Size by Water Type:

Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
		13.73

Sources: Source Unknown

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L77R-03-BEN** Devils Branch

Cause Location: Devils Branch from its headwaters to its mouth.

Cause City/County: Mecklenburg County

Use(s): Aquatic Life

Causes(s)/VA Category: Benthic Macroinvertebrates Bioassessments/5A

Cause Description: Station ID: 4ADEV000.86 (2020 Bio) Bio 'IM' from two VSCI surveys Spring 46.9 and Fall 49.4  
 Substrate mostly consists of broken up bedrock. Good riffles, but some sediment deposition occurring. Most rocks have obvious periphyton on surfaces.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L77R_DEV01A14 / Devils Branch / Devils Branch from its headwaters to its mouth	5A	Benthic Macroinvertebrates Bioassessments	2022	L	3.57

Devils Branch

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
<b>Aquatic Life</b>			
Benthic Macroinvertebrates Bioassessments - Total Impaired Size by Water Type:			3.57

Sources: Source Unknown

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L78R-02-BAC** **Unnamed Tributary to Allen Creek**

Cause Location: Entire tributary located just south of the intersection of Redlawn and Baskerville Roads in Mecklenburg County.

Cause City/County: Mecklenburg County

Use(s): Recreation

Causes(s)/VA Category: Fecal Coliform/4A

Cause Description: Station ID:

4AXUQ000.00 (Hog Farm SS)

Total Fecal Coliform - 2/4 Exceedance Rate

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L78R_XUQ01A04 / Allen Creek, Unnamed Tributary / Entire tributary located just south of the intersection of Redlawn and Baskerville Roads in Mecklenburg County (RL11).	4A	Fecal Coliform	2004	L	1.27

Unnamed Tributary to Allen Creek

**Recreation**

	<b>Estuary</b> (Sq. Miles)	<b>Reservoir</b> (Acres)	<b>River</b> (Miles)
Fecal Coliform - Total Impaired Size by Water Type:			1.27

Sources: Crop Production (Crop Land or Dry Land); Livestock (Grazing or Feeding Operations); On-site Treatment Systems (Septic Systems and Similar Decentralized Systems); Unspecified Domestic Waste; Unspecified Urban Stormwater

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L78R-03-BAC** **Allen Creek**

Cause Location: Allen Creek from its headwaters to Cox Creek.

Cause City/County: Mecklenburg County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: Station ID:

4AALN009.12 (Ambient)(2018)

E. coli - 7/36 Exceedance Rate

4AALN016.38 (Ambient)(2018)

E. coli - 3/12 Exceedance Rate

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L78R_ALN03A04 / Allen Creek / Layton Creek downstream to Cox Creek (RL11).	4A	Escherichia coli (E. coli)	2006	L	8.97
VAW-L78R_ALN04A06 / Allen Creek / From its headwaters to Layton Creek (RL10).	4A	Escherichia coli (E. coli)	2012	L	15.28

Allen Creek

**Recreation**

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:			24.25

Sources: Crop Production (Crop Land or Dry Land); Livestock (Grazing or Feeding Operations); On-site Treatment Systems (Septic Systems and Similar Decentralized Systems); Unspecified Domestic Waste; Unspecified Urban Stormwater

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** L78R-03-BEN Allen Creek

Cause Location: Allen Creek from its headwaters to Layton Creek.

Cause City/County: Mecklenburg County

Use(s): Aquatic Life

Causes(s)/VA Category: Benthic Macroinvertebrates Bioassessments/5A

Cause Description: Station ID:

4AALN016.38 (Ambient/2013 Bio)

J - 4AALN016.38 exhibits significant seasonal variability. Sedimentation is a potential stressor. Additional data needed to accurately characterize the benthic community

4AALN020.60 (2013 Bio)

IM - Sedimentation is a probable stressor to the benthic community. Silviculture is taking place within the nearby watershed.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L78R_ALN04A06 / Allen Creek / From its headwaters to Layton Creek (RL10).	5A	Benthic Macroinvertebrates Bioassessments	2016	L	15.28

Allen Creek

**Aquatic Life**

Benthic Macroinvertebrates Bioassessments - Total Impaired Size by Water Type:

Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
		15.28

Sources: Source Unknown

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L78R-04-BAC** Cox Creek

Cause Location: Cox Creek from its headwaters to its confluence with Allen Creek

Cause City/County: Mecklenburg County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: The 2020 IR finds the Recreational Use impaired on Cox Creek. These waters are included in the Kerr Reservoir Tributaries Bacteria TMDLs, EPA approved 1/26/2017 and SWCB approved 12/7/2017.

4ACOX007.73 - The 2020 IR finds four of 12 E.coli samples in exceedance of the 235 cfu/100 ml instantaneous criterion.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L78R_COX01A04 / Cox Creek / Cox Creek from its headwaters to its confluence with Allen Creek (RL11).	4A	Escherichia coli (E. coli)	2020	L	10.81

Cox Creek

**Recreation**

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:			10.81

Sources: Crop Production (Crop Land or Dry Land); Livestock (Grazing or Feeding Operations); On-site Treatment Systems (Septic Systems and Similar Decentralized Systems); Unspecified Domestic Waste; Unspecified Urban Stormwater

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L78R-04-BEN** Cox Creek

Cause Location: Cox Creek from its headwaters to its confluence with Allen Creek

Cause City/County: Mecklenburg County

Use(s): Aquatic Life

Causes(s)/VA Category: Benthic Macroinvertebrates Bioassessments/5A

Cause Description: The Cox Creek Aquatic Life Use initial 303(d) listing occurred during the 2008 data window and was based on benthic macroinvertebrate community data collected at DEQ station 4COX007.73.

4ACOX007.73 (2005 Probmon, upstr/North of Rt 668) Bio 'IM' from VSCI scores. Lack of suitable habitat is negatively affecting the stream community. Beaver activity has made the reach unwadeable. Accurate assessment depends on locating a suitably accessible site.

Additional collections find Bio 'IM' at 4COX007.50 (Rt. 668 Bridge). Bio 'IM' from two 2017 VSCI scores of 32.6 (spring) and 57.2 (fall) and two 2020 VSCI scores avg 36 (spring 30, fall 42). This stream has slow-moving water and a soft, mucky/silty bottom. Biologist noted poor habitat, mostly consisting of rootwads and undercut banks.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L78R_COX01A04 / Cox Creek / Cox Creek from its headwaters to its confluence with Allen Creek (RL11).	5A	Benthic Macroinvertebrates Bioassessments	2008	L	10.81

Cox Creek

**Aquatic Life**

Benthic Macroinvertebrates Bioassessments - Total Impaired Size by Water Type:

Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
		10.81

Sources: Source Unknown

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** L78R-04-DO Cox Creek

Cause Location: Cox Creek from its headwaters to its confluence with Allen Creek

Cause City/County: Mecklenburg County

Use(s): Aquatic Life

Causes(s)/VA Category: Dissolved Oxygen/5A

Cause Description: Station ID:

4ACOX000.38 (Ambient) No new data since 2006 data window:

Dissolved Oxygen - 3/11 Violation Rate

4ACOX003.23 (Ambient) No new data since 2010 data window:

Dissolved Oxygen - 4/12 Violation Rate

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L78R_COX01A04 / Cox Creek / Cox Creek from its headwaters to its confluence with Allen Creek (RL11).	5A	Dissolved Oxygen	2004	L	10.81

Cox Creek

**Aquatic Life**

Dissolved Oxygen - Total Impaired Size by Water Type:

Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
		10.81

Sources: Source Unknown

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L78R-04-PH** Cox Creek

Cause Location: Cox Creek from its headwaters to its confluence with Allen Creek

Cause City/County: Mecklenburg County

Use(s): Aquatic Life

Causes(s)/VA Category: pH/5A

Cause Description: Station ID:

4ACOX000.38 (Ambient) No new data since 2006 data window:

pH - 2/11 Violation Rate

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L78R_COX01A04 / Cox Creek / Cox Creek from its headwaters to its confluence with Allen Creek (RL11).	5A	pH	2006	L	10.81

Cox Creek

**Aquatic Life**

pH - Total Impaired Size by Water Type:

Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
		10.81

Sources: Source Unknown

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L78R-05-BAC** Cotton Creek

Cause Location: Cotton Creek from its headwaters to its mouth on the Roanoke River

Cause City/County: Mecklenburg County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: Station ID:

4ACTT000.70 (Ambient)(2018)

E. coli - 8/24 Exceedance Rate

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L78R_CTT01A08 / Cotton Creek / Cotton Creek from its headwaters to its mouth on the Roanoke River (RL12).	4A	Escherichia coli (E. coli)	2008	L	4.4

Cotton Creek

**Recreation**

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:			4.4

Sources: Crop Production (Crop Land or Dry Land); Livestock (Grazing or Feeding Operations); On-site Treatment Systems (Septic Systems and Similar Decentralized Systems); Unspecified Domestic Waste; Unspecified Urban Stormwater

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L78R-06-BAC** Layton Creek

Cause Location: Form its headwaters to its confluence with Allen Creek

Cause City/County: Mecklenburg County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: Station ID:

4ALYT003.77 (Ambient)(2018)

E. coli - 11/36 Exceedance Rate

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L78R_LYT01A06 / Layton Creek / From its headwaters to its confluence with Allen Creek (RL10).	4A	Escherichia coli (E. coli)	2012	L	8.65

Layton Creek

**Recreation**

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:			8.65

Sources: Crop Production (Crop Land or Dry Land); Livestock (Grazing or Feeding Operations); On-site Treatment Systems (Septic Systems and Similar Decentralized Systems); Unspecified Domestic Waste; Unspecified Urban Stormwater

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L78R-06-BEN** Layton Creek

Cause Location: Form its headwaters to its confluence with Allen Creek

Cause City/County: Mecklenburg County

Use(s): Aquatic Life

Causes(s)/VA Category: Benthic Macroinvertebrates Bioassessments/5A

Cause Description: Station ID:

4ALYT003.77 (Bio)

IM - 2005-2012/2014 Bio

4ALYT003.77 was negatively affected by drought in 2007-2008, with periods of very low flow. Logging in the up gradient watershed appears to have negatively affected the benthic community with sedimentation. Current monitoring (2014) has yielded similar results.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L78R_LYT01A06 / Layton Creek / From its headwaters to its confluence with Allen Creek (RL10).	5A	Benthic Macroinvertebrates Bioassessments	2012	H	8.65

Layton Creek

**Aquatic Life**

Benthic Macroinvertebrates Bioassessments - Total Impaired Size by Water Type:

Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
		8.65

Sources: Source Unknown

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L78R-07-BAC** **Kettles Creek**

Cause Location: Kettles Creek from its headwaters to the mouth

Cause City/County: Mecklenburg County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: Station ID:

4AKTT001.15 (Ambient)(2018)

E. coli - 1/12 Exceedance Rate

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L78R_KTT01A12 / Kettles Creek / Kettles Creek from its headwaters to the mouth (RL11).	4A	Escherichia coli (E. coli)	2012	L	5.48

Kettles Creek

**Recreation**

Escherichia coli (E. coli) - Total Impaired Size by Water Type:	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
			5.48

Sources: Crop Production (Crop Land or Dry Land); Livestock (Grazing or Feeding Operations); On-site Treatment Systems (Septic Systems and Similar Decentralized Systems); Unspecified Domestic Waste; Unspecified Urban Stormwater

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L78R-07-DO** **Kettles Creek**

Cause Location: Kettles Creek from its headwaters to the mouth

Cause City/County: Mecklenburg County

Use(s): Aquatic Life

Causes(s)/VA Category: Dissolved Oxygen/5A

Cause Description: Station ID:

4AKTT001.15 (Ambient) No new data beyond 2016 data window:

DO - 9/22 Violation Rate

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L78R_KTT01A12 / Kettles Creek / Kettles Creek from its headwaters to the mouth (RL11).	5A	Dissolved Oxygen	2012	L	5.48

Kettles Creek

**Aquatic Life**

Dissolved Oxygen - Total Impaired Size by Water Type:

Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
		5.48

Sources: Source Unknown

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L79L-02-CHLA** Lake Gordon

Cause Location: Lake Gordon

Cause City/County: Mecklenburg County

Use(s): Aquatic Life

Causes(s)/VA Category: Chlorophyll-a/5A

Cause Description: Station ID:

4AMES007.54

2022: Only one year of monitoring during this IR window, Impairment carries. 2020: Chlorophyll a - 2/2 Samples (90% Calculated over 1 Sample Yr) Note: The 2020 IR was based on 2/2 Samples .

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L79L_MES01L00 / Lake Gordon / On Miles Creek.	5A	Chlorophyll-a	2016	L	107.48

Lake Gordon

**Aquatic Life**

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Chlorophyll-a - Total Impaired Size by Water Type:		107.48	

Sources: Source Unknown

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** L79L-02-HG Lake Gordon

Cause Location: Lake Gordon

Cause City/County: Mecklenburg County

Use(s): Fish Consumption

Causes(s)/VA Category: Mercury in Fish Tissue/5A

Cause Description: Station ID:

4AMES007.54 (2006 FT/Sed)

Hg 2 Species

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L79L_MES01L00 / Lake Gordon / On Miles Creek.	5A	Mercury in Fish Tissue	2010	L	107.48

Lake Gordon

**Fish Consumption**

Mercury in Fish Tissue - Total Impaired Size by Water Type:

Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
	107.48	

Sources: Source Unknown

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L79R-01-BAC** Flat Creek

Cause Location: Flat Creek from its headwaters to its mouth on the Roanoke River.

Cause City/County: Mecklenburg County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: Station ID:

4AFLT009.17 (Benthic & 2004 Flat Creek TMDL)

E. coli - 3/7 Exceedance Rate

4AFLT008.80 (2004 Flat Creek TMDL)

E. coli - 3/6 Exceedance Rate

4AFLT008.79 (Ambient, Benthic, 2002 FT/Sed, Flat Creek TMDL Station)

E. coli - 1/7 Exceedance Rate (No New Bacteria Data for 2010)

4AFLT002.60 (Ambient)(2018)

E. coli - 5/36 Exceedance Rate

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L79R_FLT01A00 / Flat Creek / Upstream of the South Hill STP discharge to its headwaters.	4A	Escherichia coli (E. coli)	2006	L	1.69
VAW-L79R_FLT02A96 / Flat Creek / From the South Hill STP discharge to the Belfield Road crossing.	4A	Escherichia coli (E. coli)	2006	L	6.24
VAW-L79R_FLT03A08 / Flat Creek / From the Belfield Road crossing to its mouth on the Roanoke River	4A	Escherichia coli (E. coli)	2016	L	1.42

Flat Creek

**Recreation**

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:			9.35

Sources: Livestock (Grazing or Feeding Operations); Unspecified Domestic Waste; Wastes from Pets; Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L79R-01-BEN** Flat Creek

Cause Location: Flat Creek from its headwaters to its mouth on the Roanoke River.

Cause City/County: Mecklenburg County

Use(s): Aquatic Life

Causes(s)/VA Category: Benthic Macroinvertebrates Bioassessments/4A

Cause Description: Station ID:

4AFLT009.17 (Benthic & 2004 Flat Creek TMDL)

The benthic TMDL completed in 2004 identified sediment as the stressor to the benthic community.

2008/2010-2011 Bio

IM - 4AFLT009.17 is in the headwater segment of Flat Creek with several small channels.

Flow regime related sedimentation seems to be negatively affecting the stream community.

4AFLT008.79 (Ambient, Benthic, 2002 FT/Sed, Flat Creek TMDL Station)

The benthic TMDL completed in 2004 identified sediment as the stressor to the benthic community.

2008 Bio

IM - 4AFLT008.79 has sparse habitat, effluent affected flow, and is subject to occasionally significant storm flows.

4AFLT002.60 (Ambient, Bio)

2008/2010-2011 Bio

IM - Flat Creek is a very slow moving stream at river mile 2.60. Habitat was adequate with abundant leaf packs. Field measurements indicate a slight depression of dissolved oxygen in the warmest summer months. August dissolved oxygen values around 6 mg/L since 2003. No DO measurements exceeded the standard of 4 mg/L.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L79R_FLT01A00 / Flat Creek / Upstream of the South Hill STP discharge to its headwaters.	4A	Benthic Macroinvertebrates Bioassessments	2008	L	1.69
VAW-L79R_FLT02A96 / Flat Creek / From the South Hill STP discharge to the Belfield Road crossing.	4A	Benthic Macroinvertebrates Bioassessments	1996	L	6.24
VAW-L79R_FLT03A08 / Flat Creek / From the Belfield Road crossing to its mouth on the Roanoke River	4A	Benthic Macroinvertebrates Bioassessments	1996	L	1.42

Flat Creek

**Aquatic Life**

Benthic Macroinvertebrates Bioassessments - Total Impaired Size by Water Type:

Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
		9.35

Sources: Clean Sediments; Source Unknown

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L79R-01-DO** Flat Creek

Cause Location: Flat Creek from upstream of the South Hill STP discharge to its headwaters.

Cause City/County: Mecklenburg County

Use(s): Aquatic Life

Causes(s)/VA Category: Dissolved Oxygen/5A

Cause Description: Station ID:

4AFLT009.17 (Benthic & 2004 Flat Creek TMDL)

Dissolved Oxygen - 2/8 Violation Rate

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L79R_FLT01A00 / Flat Creek / Upstream of the South Hill STP discharge to its headwaters.	5A	Dissolved Oxygen	2006	L	1.69

Flat Creek

**Aquatic Life**

Dissolved Oxygen - Total Impaired Size by Water Type:

Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
		1.69

Sources: Clean Sediments; Source Unknown

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L79R-02-BAC** **Smith Creek**

Cause Location: Smith Creek from the VA/NC state line to its mouth on Kerr Reservoir

Cause City/County: Mecklenburg County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: Station ID:

4ASMI003.58 (Ambient)(2018)

E. coli - 4/24 Exceedance Rate

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L79R_SMI01A08 / Smith Creek / Smith Creek from the VA/NC state line to its mouth (RL16)	4A	Escherichia coli (E. coli)	2008	L	1.91

Smith Creek

**Recreation**

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:			1.91

Sources: Crop Production (Crop Land or Dry Land); Livestock (Grazing or Feeding Operations); On-site Treatment Systems (Septic Systems and Similar Decentralized Systems); Unspecified Domestic Waste; Unspecified Urban Stormwater

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L79R-03-BAC** Miles Creek

Cause Location: Lake Gordon to the Roanoke River.

Cause City/County: Mecklenburg County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/5A

Cause Description: Station ID:

4AMES004.78 (Ambient)(2018)

E coli - 2/11 Exceedance Rate

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L79R_MES01A98 / Miles Creek / Lake Gordon to the Roanoke River (RL13).	5A	Escherichia coli (E. coli)	2016	L	5.98

Miles Creek

**Recreation**

Escherichia coli (E. coli) - Total Impaired Size by Water Type:	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
			5.98

Sources: Source Unknown

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code: L80L-01-HG Lake Gaston**

Cause Location: Roanoke River from the John H. Kerr Dam into Lake Gaston within Virginia.

Cause City/County: Mecklenburg County

Use(s): Fish Consumption

Causes(s)/VA Category: Mercury in Fish Tissue/5A

Cause Description: Fish tissue data are reviewed by the VDH in making an advisory determination. The VDH Advisory information is also available via the web at <http://www.vdh.virginia.gov>. 4AROA004.54 (Lake Gaston, off Point (Mecklenburg County) - 2019 (Hg) Collections: two species exceed the Mercury (Hg) WQS based tissue value (TV) of 0.3ppm; Largemouth Bass (2 fish) at .55ppm, (3 fish) at .32ppm and Redear Sunfish (5 fish) at .31ppm, one of the species (largemouth bass) was above the VDH level of concern (.50 ppm). 2018 (Hg) collections: one species exceeds (Hg) WQS (TV) of 0.3 ppm and the VDH screening value of 0.5 ppm; largemouth Bass (5 Fish) at 0.52ppm.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L78R_ROA06A98 / Roanoke River / Kerr Dam to Route 1 bridge (RL12).	5A	Mercury in Fish Tissue	2022	L	5.69
VAW-L79L_ROA07A98 / Lake Gaston / Upper portion of Lake Gaston - Route 1 to the confluence of Smith Creek.	5A	Mercury in Fish Tissue	2022	L	1369.25
VAW-L80L_ROA08A04 / Lake Gaston / Lower Portion of Lake Gaston on the Roanoke River- Smith Creek confluence downstream to the VA/NC State Line, including coves that enter the mainstem within VA.	5A	Mercury in Fish Tissue	2022	L	3071.70

Lake Gaston

<b>Fish Consumption</b>	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Mercury in Fish Tissue - Total Impaired Size by Water Type:		4440.95	5.69

Sources: Source Unknown

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code: L80L-01-PCB Lake Gaston**

Cause Location: Roanoke River from the John H. Kerr Dam into Lake Gaston within Virginia.

Cause City/County: Mecklenburg County

Use(s): Fish Consumption

Causes(s)/VA Category: PCBs in Fish Tissue/5A

Cause Description: 4AROA004.54 (near NC-VA State line): 2020 one species exceeds PCB (TV) of 18 ppb for PCB - Channel Catfish exceeds ; (3 fish composite [46.1-51.8 cm]) at 18 ppb. 2019 One species exceeds PCB (TV) of 18 ppb - Channel Catfish (3 fish composite [44.7-54.2 cm]) at 43.23 ppb; 2018 two species exceed PCBs (2006 FT/Sed) PCB 2 Species

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L78R_ROA06A98 / Roanoke River / Kerr Dam to Route 1 bridge (RL12).	5A	PCBs in Fish Tissue	2004	L	5.69
VAW-L79L_ROA07A98 / Lake Gaston / Upper portion of Lake Gaston - Route 1 to the confluence of Smith Creek.	5A	PCBs in Fish Tissue	2004	L	1369.25
VAW-L80L_ROA08A04 / Lake Gaston / Lower Portion of Lake Gaston on the Roanoke River- Smith Creek confluence downstream to the VA/NC State Line, including coves that enter the mainstem within VA.	5A	PCBs in Fish Tissue	2004	L	3071.70

Lake Gaston

<b>Fish Consumption</b>	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
PCBs in Fish Tissue - Total Impaired Size by Water Type:		4440.95	5.69

Sources: Source Unknown

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L80L-02-DO** **Lake Gaston**

Cause Location: Upper portion of Lake Gaston - Route 1 to the confluence of Smith Creek.

Cause City/County: Mecklenburg County

Use(s): Aquatic Life

Causes(s)/VA Category: Dissolved Oxygen/5A

Cause Description: Station ID: 4AROA008.66 exceeds the WQS of 4.0 mg/l; 31 out of 179 samples.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L79L_ROA07A98 / Lake Gaston / Upper portion of Lake Gaston - Route 1 to the confluence of Smith Creek.	5A	Dissolved Oxygen	2022	L	1369.25

Lake Gaston

**Aquatic Life**

Dissolved Oxygen - Total Impaired Size by Water Type:

Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
	1369.25	

Sources: Source Unknown

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L80R-01-BAC** Great Creek

Cause Location: Great Creek from its headwaters to Lake Gaston.

Cause City/County: Mecklenburg County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: The Great Creek Bacteria TMDL Study received U.S. EPA approval on 9/20/2007 [Fed. ID.33313] and SWCB approval on 7/31/2008 for this 2004 303(d) Listed waters for fecal coliform. Escherichia coli (E.coli) replaces fecal coliform (FC) bacteria as the indicator as per Water Quality Standards [9 VAC 25-260-170. Bacteria; other waters]. 33313, 9/20/2007

Three stations are located within the 6.69 miles of impaired waters. 4AGRT003.82 (Ambient/Bio)(2018), 4AGRT004.70 (Great Creek Bacteria TMDL), and 4AGRT008.49 (Great Creek Bacteria TMDL)

4AGRT003.82 (Ambient/Bio)(2018) Three of 12 samples in excess of the instantaneous criterion.

4AGRT004.70 (Great Creek Bacteria TMDL) Seven of 9 samples in excess of the instantaneous criterion.

4AGRT008.49 (Great Creek Bacteria TMDL) Two of 9 samples in excess of the instantaneous criterion.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L80R_GRT01A00 / Great Creek / Headwaters to Lake Gaston (RL18).	4A	Escherichia coli (E. coli)	2006	L	6.69

Great Creek

**Recreation**

Escherichia coli (E. coli) - Total Impaired Size by Water Type:

Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
		6.69

Sources: Livestock (Grazing or Feeding Operations); Unspecified Domestic Waste; Wastes from Pets; Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** L80R-01-BEN Great Creek

Cause Location: Great Creek from its headwaters to Lake Gaston.

Cause City/County: Mecklenburg County

Use(s): Aquatic Life

Causes(s)/VA Category: Benthic Macroinvertebrates Bioassessments/5A

Cause Description: The 2020 data window finds the Aquatic Life Use impaired on Great Creek based on Benthic Macroinvertebrate community collections.

4AGRT003.82 (Rt. 619) - Bio 'IM' from four VSCI scores (2014, 2018) averaging 33.2 and 59.4 in spring and fall, respectively. This station exhibits significant seasonal variation. The water is slow-moving and the stream bottom is very sandy. Habitat consists of good undercut banks and limited snags.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L80R_GRT01A00 / Great Creek / Headwaters to Lake Gaston (RL18).	5A	Benthic Macroinvertebrates Bioassessments	2020	L	6.69

Great Creek

**Aquatic Life**

Benthic Macroinvertebrates Bioassessments - Total Impaired Size by Water Type:

Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
		6.69

Sources: Source Unknown

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code: L80R-02-BAC Hagood Creek**

Cause Location: Hagood Creek from its headwaters to its mouth on Great Creek.

Cause City/County: Mecklenburg County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: NESTED 2014: 33313

The Great Creek Bacteria TMDL Study received U.S. EPA approval on 9/20/2007 [Fed. ID.33313] and SWCB approval on 7/31/2008 for this 2004 303(d) Listed waters for fecal coliform. Escherichia coli (E.coli) replaces fecal coliform (FC) bacteria as the indicator as per Water Quality Standards [9 VAC 25-260-170. Bacteria; other waters]. 33313, 9/20/2007

One station is located within the 6.8 miles of impaired waters. 4AHAG002.95 (TMDL Monitoring)

4AHAG002.95 (TMDL Monitoring) Three of 9 samples in excess of the instantaneous criterion.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L80R_HAG01A06 / Hagood Creek / From its headwaters to the mouth on Great Creek	4A	Escherichia coli (E. coli)	2008	L	6.8

Hagood Creek

**Recreation**

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:			6.8

Sources: Livestock (Grazing or Feeding Operations); Unspecified Domestic Waste; Wastes from Pets; Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L80R-03-BAC** **Long Branch**

Cause Location: Long Branch from its headwaters to its mouth on Great Creek.

Cause City/County: Mecklenburg County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: NESTED 2014: 33313

The Great Creek Bacteria TMDL Study received U.S. EPA approval on 9/20/2007 [Fed. ID.33313] and SWCB approval on 7/31/2008 for this 2004 303(d) Listed waters for fecal coliform. Escherichia coli (E.coli) replaces fecal coliform (FC) bacteria as the indicator as per Water Quality Standards [9 VAC 25-260-170. Bacteria; other waters]. 33313, 9/20/2007

One station is located within the 2.08 miles of impaired waters. 4ALYA000.60 (TMDL Monitoring)

4ALYA000.60 (TMDL Monitoring) Five of 9 samples in excess of the instantaneous criterion.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L80R_LYA01A06 / Long Branch / From its headwaters to the mouth on Great Creek	4A	Escherichia coli (E. coli)	2008	L	2.08

Long Branch

**Recreation**

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:			2.08

Sources: Livestock (Grazing or Feeding Operations); Unspecified Domestic Waste; Wastes from Pets; Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L81R-02-BAC** **Lizard Creek**

Cause Location: Lizard Creek from its headwaters to Lake Gaston.

Cause City/County: Brunswick County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/4A

Cause Description: Station ID:

4ALIZ003.42 (Ambient)(2018)

E. coli - 4/12 Exceedance Rate

\*Segment was shortened in 2014 to only include VA Portion of Lizard Creek

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L81R_LIZ01A10 / Lizard Creek / Lizard Creek from its headwaters to Lake Gaston (RL22).	4A	Escherichia coli (E. coli)	2010	L	2.73

Lizard Creek

**Recreation**

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:			2.73

Sources: Crop Production (Crop Land or Dry Land); Livestock (Grazing or Feeding Operations); On-site Treatment Systems (Septic Systems and Similar Decentralized Systems); Unspecified Domestic Waste; Unspecified Urban Stormwater

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L81R-02-DO** **Lizard Creek**

Cause Location: Lizard Creek from its headwaters to Lake Gaston.

Cause City/County: Brunswick County

Use(s): Aquatic Life

Causes(s)/VA Category: Dissolved Oxygen/5A

Cause Description: The 2022 data window finds the initial dissolved oxygen (DO) 303(d) listing for the entire length of Lizard Creek. 4ALIZ003.42 (Rt. 667 Br.) - The 2022 data window finds two DO observations exceed the 4.0 mg/L WQS at 3.4 (7/21/20) and 2.2 mg/L (8/26/20) out of 10 total samples.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L81R_LIZ01A10 / Lizard Creek / Lizard Creek from its headwaters to Lake Gaston (RL22).	5A	Dissolved Oxygen	2022	L	2.73

Lizard Creek

**Aquatic Life**

Dissolved Oxygen - Total Impaired Size by Water Type:	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
			2.73

Sources: Source Unknown

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L81R-03-BAC** **Little Poplar Creek**

Cause Location: Little Poplar Creek from its headwaters to its mouth on Poplar Creek.

Cause City/County: Brunswick County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/5A

Cause Description: Station ID:

4ALPP002.66 (ProbAmbient)

E coli - 2/12 Exceedance Rate

4ALPP004.46 (2013 Probambient)(2018)

E coli - 2/12 Exceedance Rate

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L81R_LPP01A16 / Little Poplar Creek / Little Poplar Creek from its headwaters to its mouth on Poplar Creek (RL20).	5A	Escherichia coli (E. coli)	2016	L	6.51

Little Poplar Creek

**Recreation**

Escherichia coli (E. coli) - Total Impaired Size by Water Type:

Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
		6.51

Sources: Source Unknown

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L81R-03-BEN** **Little Poplar Creek**

Cause Location: Little Poplar Creek from its headwaters to its mouth on Poplar Creek.

Cause City/County: Brunswick County

Use(s): Aquatic Life

Causes(s)/VA Category: Benthic Macroinvertebrates Bioassessments/5A

Cause Description: The 2020 data window finds the initial Aquatic Life Use impairment on Little Poplar Creek based on Virginia Stream Condition Index information.

4ALPP004.46 (Little Poplar @ Dr. Purdy Rd) - Bio 'IM' from one 2017 VSCI score of 30.8 (Spring). This site serves as a follow-up to the probabilistic monitoring site 4ALPP004.52, which is on private property and will not be revisited. This stream has gravelly, embedded riffles and incised clay banks. Habitat measures indicate a high probability of stress to aquatic life.

Additional Information:

4ALPP004.52 (Little Poplar Creek east of Route 659) - Bio 'J' based on 2016 data window VSCI Scores of 46 (Spring 2013) and 66.1 (Fall 2013). This station exhibits significant seasonal variation. 4ALPP004.52 is on private property and was sampled as part of the Probabilistic Monitoring program; therefore it will not be revisited.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L81R_LPP01A16 / Little Poplar Creek / Little Poplar Creek from its headwaters to its mouth on Poplar Creek (RL20).	5A	Benthic Macroinvertebrates Bioassessments	2020	L	6.51

Little Poplar Creek

<b>Aquatic Life</b>	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Benthic Macroinvertebrates Bioassessments - Total Impaired Size by Water Type:			6.51

Sources: Loss of Riparian Habitat; Silviculture Harvesting

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **L82R-01-BAC** **Pea Hill Creek**

Cause Location: Pea Hill Creek from its headwaters to Lake Gaston.

Cause City/County: Brunswick County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/5A

Cause Description: Station ID:

4APHC006.38 (Ambient)(2018)

E coli - 4/12 Exceedance Rate

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-L82R_PHC01A00 / Pea Hill Creek / Headwaters to Lake Gaston (RL23).	5A	Escherichia coli (E. coli)	2016	L	4.86

Pea Hill Creek

**Recreation**

Escherichia coli (E. coli) - Total Impaired Size by Water Type:	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
			4.86

Sources: Source Unknown

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **M02L-01-DDD** Lovills Creek Lake

Cause Location: The Lovills Creek flood control impoundment east of Cana.

Cause City/County: Carroll County

Use(s): Fish Consumption

Causes(s)/VA Category: DDD (Dichlorodiphenyldichloroethane)/5A

Cause Description: Fish tissue collected at 4BLOV009.45 on 8/8/2007 show levels of dichlorodiphenyldichloroethane (DDD), dichlorodiphenyldichloroethylene (DDE), and dichlorodiphenyltrichloroethane (DDT) above tissue values in two samples of carp.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAS-M02L_LOV01B10 / Lovills Creek Lake / Lovills Creek flood control impoundment east of Cana; completed in 1990 and owned by Carroll County.	5A	DDD (Dichlorodiphenyldichloroethane)	2010	L	42.46

Lovills Creek Lake

**Fish Consumption**

DDD (Dichlorodiphenyldichloroethane) - Total Impaired Size by Water Type:

Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
	42.46	

Sources: Atmospheric Deposition - Toxics; Source Unknown

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **M02L-01-DDE** **Lovills Creek Lake**

Cause Location: The Lovills Creek flood control impoundment east of Cana.

Cause City/County: Carroll County

Use(s): Fish Consumption

Causes(s)/VA Category: DDE (Dichlorodiphenyldichloroethylene)/5A

Cause Description: Fish tissue collected at 4BLOV009.45 on 8/8/2007 show levels of dichlorodiphenyldichloroethane (DDD), dichlorodiphenyldichloroethylene (DDE), and dichlorodiphenyltrichloroethane (DDT) above tissue values in two samples of carp.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAS-M02L_LOV01B10 / Lovills Creek Lake / Lovills Creek flood control impoundment east of Cana; completed in 1990 and owned by Carroll County.	5A	DDE (Dichlorodiphenyldichloroethylene)	2010	L	42.46

Lovills Creek Lake

**Fish Consumption**

DDE (Dichlorodiphenyldichloroethylene) - Total Impaired Size by Water Type:

Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
	42.46	

Sources: Atmospheric Deposition - Toxics; Source Unknown

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **M02L-01-DDT** Lovills Creek Lake

Cause Location: The Lovills Creek flood control impoundment east of Cana.

Cause City/County: Carroll County

Use(s): Fish Consumption

Causes(s)/VA Category: DDT in Fish Tissue/5A

Cause Description: Fish tissue collected at 4BLOV009.45 on 8/8/2007 show levels of dichlorodiphenyldichloroethane (DDD), dichlorodiphenyldichloroethylene (DDE), and dichlorodiphenyltrichloroethane (DDT) above tissue values in two samples of carp.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAS-M02L_LOV01B10 / Lovills Creek Lake / Lovills Creek flood control impoundment east of Cana; completed in 1990 and owned by Carroll County.	5A	DDT in Fish Tissue	2010	L	42.46

Lovills Creek Lake

**Fish Consumption**

DDT in Fish Tissue - Total Impaired Size by Water Type:

Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
	42.46	

Sources: Atmospheric Deposition - Toxics; Source Unknown

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **M02L-01-HG** **Lovills Creek Lake**

Cause Location: The Lovills Creek flood control impoundment east of Cana.

Cause City/County: Carroll County

Use(s): Fish Consumption

Causes(s)/VA Category: Mercury in Fish Tissue/5A

Cause Description: Fish tissue collected on 9/16/2020 show mercury levels above the tissue value of 300 ppb in two composite samples of largemouth bass. Previous fish tissue samples collected on 8/8/2007 show elevated levels of mercury in 6 samples. In 2008, VDH issued a fish consumption advisory limiting consumption of largemouth bass to no more than two meals per month.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAS-M02L_LOV01B10 / Lovills Creek Lake / Lovills Creek flood control impoundment east of Cana; completed in 1990 and owned by Carroll County.	5A	Mercury in Fish Tissue	2010	L	42.46

Lovills Creek Lake

**Fish Consumption**

Mercury in Fish Tissue - Total Impaired Size by Water Type:

Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
	42.46	

Sources: Atmospheric Deposition - Toxics; Source Unknown

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **M02R-01-BAC** **Lovills Creek, Stewarts Creek and Pauls Creek**

Cause Location: Lovills Creek mainstem from the North Carolina state line upstream to just above the Route 686 crossing. Stewarts Creek from the North Carolina state line upstream near Route 696 at Lambsburg. Pauls Creek mainstem parallel to Rt. 52 from the VA/NC line upstream to Rt. 691 just downstream of the Garner Creek confluence.

Cause City/County: Carroll County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/5A

Cause Description: The ambient water quality monitoring station 4BPAU007.19 had 2 STV exceedances in one or multiple 90-day periods. Station 4BLOV007.92 had 1 STV exceedance in one or multiple 90-day periods and station 4BSTE007.99 had 0 STV exceedances but insufficient data to analyze a geomean.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAS-M02R_LOV01A02 / Lovills Creek / Lovills Creek mainstem southeast of Cana, from the NC state line upstream to Lovills Lake dam.	5A	Escherichia coli (E. coli)	2008	L	2.16
VAS-M02R_PAU01A02 / Pauls Creek Lower / Pauls Creek mainstem parallel Rt. 52, from the VA / NC state line upstream to Rt. 691 just downstream of the Garner Creek confluence on Pauls Creek.	5A	Escherichia coli (E. coli)	2020	L	4.27
VAS-M02R_STE01A02 / Stewarts Creek / Stewarts Creek mainstem from the VA / NC state line upstream to near Rt. 696 south of Lambsburg.	5A	Escherichia coli (E. coli)	2010	L	2.06

Lovills Creek, Stewarts Creek and Pauls Creek

**Recreation**

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:			8.49

Sources: Source Unknown; Unrestricted Cattle Access

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **M03R-01-BAC** **Ararat River**

Cause Location: Ararat River mainstem from the VA/NC State Line upstream to the Rt. 823 crossing.

Cause City/County: Patrick County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/5A

Cause Description: The Ararat River is 303(d) listed the Recreational Use due to Escherichia coli (E.coli) data collections.

4BARA035.13 (Rt. 739 Bridge, near VA/NC State Line)- No additional data. The 2008 and 2010 assessments find escherichia E.coli exceeds the WQS instantaneous criterion of 235 cfu/100 ml in three of nine samples. Exceeding values range from 250 to 950 cfu/100 ml. There are no additional data within the 2012, 2014, 2016, 2018, 2020, or 2022 data windows.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-M03R_ARA01A00 / Ararat River / Ararat River mainstem from the VA/NC State Line upstream to the Rt. 823 crossing Class IV sec. 1 PWS (YA03).	5A	Escherichia coli (E. coli)	2010	L	6.14

Ararat River

**Recreation**

Escherichia coli (E. coli) - Total Impaired Size by Water Type:

Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
		6.14

Sources: Livestock (Grazing or Feeding Operations); On-site Treatment Systems (Septic Systems and Similar Decentralized Systems); Unspecified Domestic Waste; Wet Weather Discharges (Non-Point Source); Wildlife Other than Waterfowl

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **M03R-01-HG** **Ararat River**

Cause Location: Ararat River mainstem from the VA/NC State Line upstream to the Rt. 823 crossing.

Cause City/County: Patrick County

Use(s): Fish Consumption

Causes(s)/VA Category: Mercury in Fish Tissue/5A

Cause Description: This initial 2010 303(d) Listing is based on 2007 fish tissue collections and new Water Quality Standards (WQS) effective 2/01/10. Mercury (Hg) exceedances of the DEQ 0.3 parts per million (ppm) tissue value cause impairment of the Fish Consumption Use. No VDH Fish Consumption or Drinking Water Advisories are issued for mercury for these waters. The Virginia Department of Health (VDH) level of concern is 0.5 ppm. Please visit <http://www.deq.virginia.gov> for more information about mercury contamination and <http://www.vdh.virginia.gov>

4BARA035.07 (Rt. 739 Bridge near VA/NC State Line)- 2007 fish tissue analysis finds mercury (Hg) exceeds the WQS based tissue value (TV) of 0.30 ppm in three species; yellow bullhead catfish (1 fish 27.7 cm) at 0.495 ppm; white sucker (4 fish composite 31.0-39.1 cm) at 0.369 ppm; and two groups of redhorse sucker (6 fish composite 36.5 - 38.6 cm) at 0.535 ppm and (7 fish composite 28.5 - 34.6 cm) at 0.412 ppm. A 2002 golden redhorse sucker collection (4 fish 25.7-34.3 cm) exceeds the WQS TV at 0.35 ppm.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-M03R_ARA01A00 / Ararat River / Ararat River mainstem from the VA/NC State Line upstream to the Rt. 823 crossing Class IV sec. 1 PWS (YA03).	5A	Mercury in Fish Tissue	2010	L	6.14

Ararat River

**Fish Consumption**

Mercury in Fish Tissue - Total Impaired Size by Water Type:

Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
		6.14

Sources: Source Unknown

**Virginia Department of Environmental Quality**  
**Appendix 4 - Fact Sheets for**  
**Impaired (Category 4 or 5) Waters in 2022**

---

**Roanoke and Yadkin River Basins**

**Cause Group Code:** **M03R-02-BAC Johnson Creek**

Cause Location: Johnson Creek mainstem from the VA / NC State Line upstream to its headwaters Class V.

Cause City/County: Carroll County; Patrick County

Use(s): Recreation

Causes(s)/VA Category: Escherichia coli (E. coli)/5A

Cause Description: This 2014 initial 303(d) Listing results in impairment of the Recreational Use.

4BJOH004.45 (Rt. 672 Bridge, Johnson Creek Rd.) There is no additional data since the 2014 data window. The 2014 assessment finds two escherichia coli (E.coli) observations exceed the WQS 235 cfu/100 ml instantaneous criterion from 12 observations at 350 and 475 cfu/100 ml.

Assessment Unit / Water Name / Location Desc.	Cause Category	Cause Name	Cycle First Listed	TMDL Dev. Priority	Water Size
VAW-M03R_JOH01A02 / Johnson Creek / Johnson Creek mainstem from the VA / NC State Line upstream to its headwaters Class V sec. 1 PWS (YA04).	5A	Escherichia coli (E. coli)	2014	L	9.16

Johnson Creek

**Recreation**

	Estuary (Sq. Miles)	Reservoir (Acres)	River (Miles)
Escherichia coli (E. coli) - Total Impaired Size by Water Type:			9.16

Sources: Livestock (Grazing or Feeding Operations); On-site Treatment Systems (Septic Systems and Similar Decentralized Systems); Unspecified Domestic Waste; Wet Weather Discharges (Non-Point Source); Wildlife Other than Waterfowl