

COMPLAINT INVESTIGATION REPORT

Project Name:		Mountain Valley Pipeline	Inspector:				Matthew Grant
Inspection Date & Time:		5-23-2018 2:00 p.m.	Project Contact:				Tracy Hilbun
Location:		Spread I, Cahas Mt. Rd, MP 255.5	Weather (Wet/Dry/Rain):			Rain): Dry, 80°
STAC	GE OF CONSTRUCTI	ION: (Check all that apply)					
	Clearing	Rough Grading	Trench Exca	vatio	n		Pipe Assembly, Testing & Installation
	Backfilling and Grade	e Restoration Final Grading	& Stabilization	on			Other: Excavating bore pit
	SWPPP AMEND	MENTS, MODIFICATIONS AND UPDA	ATES	Yes	No	N/A	Reviewed during re-inspection? ☐Yes ⊠No Location / Description
1	construction, operat discharge of pollutar	g amended whenever there is a change in tion, or maintenance that has a significant nts to surface waters? (Va. Code §62.1-4 Specifications for VA, pp. 5, 6).	t effect on the				
2	Has the SWPPP been amended if inspections or investigations by the operator's qualified personnel or by state or federal officials find that existing control measures are ineffective in minimizing pollutants in discharges? (Va. Code §62.1-44.15:31) (MVP Standards & Specifications for VA, pp. 5, 6).						
2	implementation have grading activities occ cease on a portion of	dates to the SWPPP when any modificative occurred, including a record of dates whour, construction activities temporarily or pof the site or stabilization measures are in (MVP Standards & Specifications for V	nen major permanently itiated? (Va.				
4	Is there documentation in the SWPPP of replaced or modified controls? (Va. Code §62.1-44.15:31) (MVP Standards & Specifications for VA, p. 5						
5		en updated to indicate areas that have rea Code §62.1-44.15:31) (MVP Standards & A, p. 5).	ached final				
	INSPECTI	IONS AND CORRECTIVE ACTIONS		Yes	No	N/A	Reviewed during re-inspection? ☐Yes ☒No Location / Description
6	frequency, including TMDL(s), and excep	quired by the SWPPP been conducted at a modified frequency for impaired water(stional waters when applicable? (Va. Codndards & Specifications for VA, pp. 4, 5,	s), approved le §62.1-				Complete SWPPP was not evaluated during the complaint response
7		ts completed and appropriately signed?(VP Standards & Specifications for VA, pp.			√		Inadequate information, lacking specific locations of controls and associated maintenance of controls
8	approved Annual Sta	ns taken consistent with the requirements andards and Specifications? (Va. Code § ndards & Specifications for VA, pp. 3, 5).			✓		Controls noted for repair on 5/21/18 had not been repaired per the MVP Std & Spec corrective action 24 hr requirement.
	ESC AND SWM PLAN IMPLEMENTATION			Yes	No	N/A	Reviewed during re-inspection? ⊠Yes □No Location / Description
9	accordance with the stormwater manager	uencing of the project being implemented approved erosion and sediment control pment plans? (Va. Code §62. 1-44.15:31) cations for VA, p. 1) (9VAC25-870-54.B at	olan and (MVP	✓			



10	Is topsoil segregation being carried out in accordance with the SWPPP? (Va. Code §62.1-44.15:31) (MVP Standards & Specifications for VA, pp. 10, 11).	√			
11	Have all denuded areas requiring temporary or permanent stabilization been stabilized within 7 days, and have stabilization requirements for impaired waters, approved TMDL(s), pollutants of concern and exceptional waters, when applicable, been met? (Va. Code §62.1-44.15:31) (MVP Standards & Specifications for VA, p. 1) (9VAC25-870-54.B) (9VAC 25-840-40.1).		✓		Area between cleared ROW and south side of road is denuded. Provide temporary or permanent stabilization. Noted on 5/21/18 DEQ report
12	Are soil stockpiles adequately stabilized with seeding and/or protected with sediment trapping measures? (Va. Code §62.1-44.15:31) (MVP Standards & Specifications for VA, p. 1) (9VAC 25-840-40.2).	√			8
13	Has a permanent vegetative cover has been established that is uniform, mature enough to survive and will inhibit erosion? (Va. Code §62.1-44.15:31) (MVP Standards & Specifications for VA, pp. 1, 15, 16) (9VAC 25-840-40.3).			✓	8
14	Have sediment trapping facilities been constructed as the first step in land disturbance activities? (Va. Code §62.1-44.15:31) (MVP Standards & Specifications for VA, p. 1) (9VAC 25-840-40.4).	✓			
15	Have earthen structures been stabilized immediately after installation? (Va. Code §62.1-44.15:31) (MVP Standards & Specifications for VA, p. 1) (9VAC 25-840-40.5).	✓			
16	Are sediment traps and basins installed in accordance with MS-6 and the approved plan? (Va. Code §62.1-44.15:31) (MVP Standards & Specifications for VA, p. 1) (9VAC 25-840-40.6).			✓	
17	Are finished cut and fill slopes adequately stabilized to prevent or correct excessive erosion? (Va. Code §62.1-44.15:31) (MVP Standards & Specifications for VA, p. 1) (9VAC 25-840-40.7).			√	
18	Is concentrated runoff flowing down cut or fill slopes contained in an adequate permanent or temporary structure? (Va. Code §62.1-44.15:31) (MVP Standards & Specifications for VA, p. 1) (9VAC 25-840-40.8).		i i	√	
19	Is adequate drainage or other protection provided for water seeps? (Va. Code §62.1-44.15:31) (MVP Standards & Specifications for VA, p. 1) (9VAC 25-840-40.9).		6 5	√	
20	Do all operational storm sewer inlets have adequate inlet protection? (Va. Code §62.1-44.15:31) (MVP Standards & Specifications for VA, p. 1) (9VAC 25-840-40.10).	✓	G C		Culvert passing under road west of crossing protected with filter socks in roadside ditch.
21	Are stormwater conveyance channels adequately stabilized with channel lining and/or outlet protection? (Va. Code §62.1-44.15:31) (MVP Standards & Specifications for VA, p. 1) (9VAC 25-840-40.11).			√	
22	Is in-stream construction conducted using measures to minimize channel damage? (Va. Code §62.1-44.15:31) (MVP Standards & Specifications for VA, p. 1) (9VAC 25-840-40.12).			√	
23	Are temporary stream crossings of non-erodible material installed where applicable? (Va. Code §62.1-44.15:31) (MVP Standards & Specifications for VA, p. 1) (9VAC 25-840-40.13).	√			Timber mat bridge over Little Creek.
24	Is necessary restabilization of in-stream construction complete? (Va. Code §62.1-44.15:31) (MVP Standards & Specifications for VA, p. 1) (9VAC 25-840-40.15).			✓	
25	Are utility trench operations conducted and stabilized in accordance with MS-16? (Va. Code §62.1-44.15:31) (MVP Standards & Specifications for VA, p. 1) (9VAC 25-840-40.16).			√	
26	Are soil and mud kept off paved or public roads to minimize the transport of sediment? (Va. Code §62.1-44.15:31) (MVP Standards & Specifications for VA, p. 1) (9VAC 25-840-40.17).	✓			Stone CE and sweeper truck operating.
27	Have all temporary control structures that are no longer needed been removed and disturbed soil resulting from their removal permanently stabilized? (Va. Code §62.1-44.15:31) (MVP Standards & Specifications for VA, p. 1) (9VAC 25-840-40.18).			√	



29	Are properties and waterways downstream from development adequately protected from erosion, sediment and damage in accordance with the standards and criteria specified by 9VAC25-840.19(a-n)? (Va. Code §62.1-44.15:31) (MVP Standards & Specifications for VA, p. 1) (9VAC 25-840-40.19). Are all E&S control measures and systems being inspected, maintained and repaired as necessary to ensure functionality? (Va. Code §62.1-44.15:31) (MVP Standards & Specifications for VA, p. 1) (9VAC 25-840-60.A). Are permanent control measures included in the SWPPP in place? (Va. Code §62.1-44.15:31) (MVP Standards & Specifications for VA, p. 1) (9VAC 25-840-54.C).	✓	✓	✓	Controls at 13476+16 and 13489+10 require repair.
	POLLUTION PREVENTION PLAN IMPLEMENTATION	Yes	No	N/A	Reviewed during re-inspection? ☐Yes ⊠No Location / Description
31	Are chemicals, fertilizers, pesticides and other potential pollutants being properly stored (e.g., under cover or within secondary containment) and handled? (Va. Code §62.1-44.15:31) (MVP Standards & Specifications for VA, p. 1) (9VAC25-870-54.D).				
32	Are construction products, materials, and wastes being properly stored, handled, and disposed of? (Va. Code §62.1-44.15:31) (MVP Standards & Specifications for VA, p. 1) (9VAC25-870-54.D).				
33	Is trash and debris being controlled and properly disposed of? (Va. Code §62.1-44.15:31) (MVP Standards & Specifications for VA, p. 1) (9VAC25-870-54.D).				
34	Are measures in place to prevent discharge of spills or leaks from fueling, operation or storage of vehicles, motors and other mechanical equipment? (Va. Code §62.1-44.15:31) (MVP Standards & Specifications for VA, p. 1) (9VAC25-870-54.D).				
35	Have spills, leaks, or stains (e.g., from hydraulic hoses, vehicle/equipment maintenance and fueling operations, etc.) been cleaned up in accordance with the pollution prevention plan? (Va. Code §62.1-44.15:31) (MVP Standards & Specifications for VA, p. 1) (9VAC25-870-54.D).				
367	Are chemicals, soaps, solvents, and wash water from construction materials or vehicle washing (e.g., form release oils and curing compounds from hand tools) prevented from leaving the site or properly treated prior to discharge? (Va. Code §62.1-44.15:31) (MVP Standards & Specifications for VA, p. 1) (9VAC25-870-54.D).				
37	Is concrete wash-out water being directed into a properly installed and maintained leak-proof container or leak-proof settling basin? (Va. Code §62.1-44.15:31) (MVP Standards & Specifications for VA, p. 1) (9VAC25-870-54.D).				
38	Are measures in place to prevent the discharge of sanitary wastes? (Va. Code §62.1-44.15:31) (MVP Standards & Specifications for VA, p. 7).				
39	Are all unauthorized non-stormwater discharges prevented from leaving the site, including untreated hydrostatic testing water? (Va. Code §62.1-44.15:31) (MVP Standards & Specifications for VA, pp. 1, 13) (9VAC25-870-54.D).				



COMPLAINT INVESTIGATION REPORT REQUEST FOR CORRECTIVE ACTION

Project Name: <u>MVP, MP 255.5</u> Date: <u>May 23, 2018</u>

Location or Checklist #	Regulatory Citation/Legal requirement ¹	Occurrence	Observation/Recommended Corrective Action
7	(Va. Code §62.1- 44.15:31) (MVP Standards & Specifications for VA, pp. 5, 6).	1	Observation: Inspection reports lack adequate identification of controls requiring maintenance. Recommended Corrective Action: Provide adequate identification of all controls requiring maintenance on self-inspection reports.
8	(Va. Code §62.1- 44.15:31) (MVP Standards & Specifications for VA, pp. 3, 5).	1	Observation: Controls noted for repair on 5/21/18 had not been repaired per the MVP Std&Spec corrective action 24 hour requirement. Recommended Corrective Action: Repair controls per the MVP Std & Spec time frame requirement.
29	(Va. Code §62.1- 44.15:31) (MVP Standards & Specifications for VA, p. 1) (9VAC 25-840-60.A).	1	Observation: Controls at 13476+16 and 13489+10 require repair. Recommended Corrective Action: Repair controls per the MVP Std & Spec
			Observation: Recommended Corrective Action:
			Observation: Recommended Corrective Action:

Comments: DEQ staff met with Mr. Charles Flora and was given permission to access his property to conduct an off the ROW investigation. The off the ROW investigation revealed controls at 13476+16 and 13489+10 required repair.

Recommended Corrective Action Deadline: Repair within 24 hr notification

Targeted Re-Inspection Date: Repaired by MVP within the 24hr notification

¹ Refers to applicable regulation found in the most recent publication of the State Water Control Law (Va. Code § 62.1-44.2 et seq.), Virginia Erosion and Sediment Control Regulations (9VAC25-840), or the Virginia Stormwater Management Program (VSMP) Regulations (9VAC25-870).

Page 4 of 6



The recommended corrective action deadline date applies to <u>all conditions</u> noted on this report unless otherwise noted. If listed condition(s) currently constitute non-compliance and/or corrective actions are not completed by the deadline, other enforcement actions may be issued to the entity responsible for ensuring compliance on the above project.

Inspector Signature:

__ Date: <u>6-14-18</u>

COMPLAINT INVESTIGATION REPORT PHOTO LOG

Project Name:

Date:







