

COMPREHENSIVE PIPELINE INSPECTION REPORT

Project Name:		Mountain Valley Pipeline	Inspector:			Matt Grant			
Inspection Date:		10/17/2018							
Spread: Giles County, G-I 234 MP 202 St#10698, MP 209 St#11064 Montgomery County, MP220 St#11657, MP221St#11686, St#11703-11796		Spread G	Weather (Wet/Dry/Rain):			Rain)	: Dry		
STAG	E OF CONSTRUCTI	ON: (Check all that apply)							
	Clearing	Rough Grading	Trench Excav	atior	1		Pipe Assembly, Testing & Installation		
⊠ E	Backfilling and Grade Restoration Final Grading & Stabilization Other:								
	SWPPP AMEND	MENTS, MODIFICATIONS AND UPDA	ATES	Yes	No	N/A	Reviewed during re-inspection? ⊠Yes □No Location / Description		
1	construction, operat	g amended whenever there is a change ir ion, or maintenance that has a significant nts to surface waters? (Va. Code §62.1-4 Specifications for VA, pp. 5, 6).	t effect on the	\boxtimes					
2	operator's qualified existing control mea	en amended if inspections or investigation personnel or by state or federal officials find itsures are ineffective in minimizing pollutate ode §62.1-44.15:31) (MVP Standards & A, pp. 5, 6).	ind that	\boxtimes					
3	implementation have grading activities occease on a portion of	dates to the SWPPP when any modificative occurred, including a record of dates where cur, construction activities temporarily or of the site or stabilization measures are in the MVP Standards & Specifications for N	hen major permanently hitiated? (Va.	\boxtimes					
4		tion in the SWPPP of replaced or modified .15:31) (MVP Standards & Specifications							
5		en updated to indicate areas that have re Code §62.1-44.15:31) (MVP Standards & A, p. 5).				\boxtimes			
	INSPECT	IONS AND CORRECTIVE ACTIONS		Yes	No	N/A	Reviewed during re-inspection? ⊠Yes □No Location / Description		
6	frequency, including TMDL(s), and except	quired by the SWPPP been conducted at a modified frequency for impaired water otional waters when applicable? (Va. Coondards & Specifications for VA, pp. 4, 5, 6	(s), approved de §62.1-	\boxtimes					
7		rts completed and appropriately signed? VP Standards & Specifications for VA, pp		\boxtimes					
8	approved Annual St	ns taken consistent with the requirements andards and Specifications? (Va. Code § ndards & Specifications for VA, pp. 3, 5).	§62.1-		\boxtimes		Items not completed within 24hr corrective action time frame.		
	ESC AN	ND SWM PLAN IMPLEMENTATION		Yes	No	N/A	Reviewed during re-inspection? ⊠Yes □No Location / Description		



9	Is the specified sequencing of the project being implemented in accordance with the approved erosion and sediment control plan and stormwater management plans? (Va. Code §62. 1-44.15:31) (MVP Standards & Specifications for VA, p. 1) (9VAC25-870-54.B and C).	\boxtimes			
10	Is topsoil segregation being carried out in accordance with the SWPPP? (Va. Code §62.1-44.15:31) (MVP Standards & Specifications for VA, pp. 10, 11).	\boxtimes			
11	Have all denuded areas requiring temporary or permanent stabilization been stabilized within 7 days, and have stabilization requirements for impaired waters, approved TMDL(s), pollutants of concern and exceptional waters, when applicable, been met? (Va. Code §62.1-44.15:31) (MVP Standards & Specifications for VA, p. 1) (9VAC25-870-54.B) (9VAC 25-840-40.1).		\boxtimes		
12	Are soil stockpiles adequately stabilized with seeding and/or protected with sediment trapping measures? (Va. Code §62.1-44.15:31) (MVP Standards & Specifications for VA, p. 1) (9VAC 25-840-40.2).	\boxtimes			
13	Has a permanent vegetative cover has been established that is uniform, mature enough to survive and will inhibit erosion? (Va. Code §62.1-44.15:31) (MVP Standards & Specifications for VA, pp. 1, 15, 16) (9VAC 25-840-40.3).			\boxtimes	
14	Have sediment trapping facilities been constructed as the first step in land disturbance activities? (Va. Code §62.1-44.15:31) (MVP Standards & Specifications for VA, p. 1) (9VAC 25-840-40.4).	\boxtimes			
15	Have earthen structures been stabilized immediately after installation? (Va. Code §62.1-44.15:31) (MVP Standards & Specifications for VA, p. 1) (9VAC 25-840-40.5).	\boxtimes			
16	Are sediment traps and basins installed in accordance with MS-6 and the approved plan? (Va. Code §62.1-44.15:31) (MVP Standards & Specifications for VA, p. 1) (9VAC 25-840-40.6).	\boxtimes			
17	Are finished cut and fill slopes adequately stabilized to prevent or correct excessive erosion? (Va. Code §62.1-44.15:31) (MVP Standards & Specifications for VA, p. 1) (9VAC 25-840-40.7).				
18	Is concentrated runoff flowing down cut or fill slopes contained in an adequate permanent or temporary structure? (Va. Code §62.1-44.15:31) (MVP Standards & Specifications for VA, p. 1) (9VAC 25-840-40.8).	\boxtimes			
19	Is adequate drainage or other protection provided for water seeps? (Va. Code §62.1-44.15:31) (MVP Standards & Specifications for VA, p. 1) (9VAC 25-840-40.9).			\boxtimes	
20	Do all operational storm sewer inlets have adequate inlet protection? (Va. Code §62.1-44.15:31) (MVP Standards & Specifications for VA, p. 1) (9VAC 25-840-40.10).	\boxtimes			
21	Are stormwater conveyance channels adequately stabilized with channel lining and/or outlet protection? (Va. Code §62.1-44.15:31) (MVP Standards & Specifications for VA, p. 1) (9VAC 25-840-40.11).	\boxtimes			
22	Is in-stream construction conducted using measures to minimize channel damage? (Va. Code §62.1-44.15:31) (MVP Standards & Specifications for VA, p. 1) (9VAC 25-840-40.12).	\boxtimes			
23	Are temporary stream crossings of non-erodible material installed where applicable? (Va. Code §62.1-44.15:31) (MVP Standards & Specifications for VA, p. 1) (9VAC 25-840-40.13).	\boxtimes			
24	Is necessary restabilization of in-stream construction complete? (Va. Code §62.1-44.15:31) (MVP Standards & Specifications for VA, p. 1) (9VAC 25-840-40.15).				
25	Are utility trench operations conducted and stabilized in accordance with MS-16? (Va. Code §62.1-44.15:31) (MVP Standards & Specifications for VA, p. 1) (9VAC 25-840-40.16).	\boxtimes			
26	Are soil and mud kept off paved or public roads to minimize the transport of sediment? (Va. Code §62.1-44.15:31) (MVP Standards & Specifications for VA, p. 1) (9VAC 25-840-40.17).	\boxtimes			



27	Have all temporary control structures that are no longer needed been removed and disturbed soil resulting from their removal permanently stabilized? Va. Code §62.1-44.15:31) (MVP Standards & Specifications for VA, p. 1) (9VAC 25-840-40.18).			\boxtimes	
28	Are properties and waterways downstream from development adequately protected from erosion, sediment and damage in accordance with the standards and criteria specified by 9VAC25-840.19(a-n)? Va. Code §62.1-44.15:31) (MVP Standards & Specifications for VA, p. 1) (9VAC 25-840-40.19).	\boxtimes			
29	Are all E&S control measures and systems being inspected, maintained and repaired as necessary to ensure functionality? Va. Code §62.1-44.15:31) (MVP Standards & Specifications for VA, p. 1) (9VAC 25-840-60.A).		\boxtimes		
30	Are permanent control measures included in the SWPPP in place? Va. Code §62.1-44.15:31) (MVP Standards & Specifications for VA, p. 1) (9VAC 25-840-54.C).			\boxtimes	
	POLLUTION PREVENTION PLAN IMPLEMENTATION	Yes	No	N/A	Reviewed during re-inspection? ⊠Yes □No Location / Description
31	Are chemicals, fertilizers, pesticides and other potential pollutants being properly stored (e.g., under cover or within secondary containment) and handled? Va. Code §62.1-44.15:31) (MVP Standards & Specifications for VA, p. 1) (9VAC25-870-54.D).				
32	Are construction products, materials, and wastes being properly stored, handled, and disposed of? Va. Code §62.1-44.15:31) (MVP Standards & Specifications for VA, p. 1) (9VAC25-870-54.D).	\boxtimes			
33	Is trash and debris being controlled and properly disposed of? Va. Code §62.1-44.15:31) (MVP Standards & Specifications for VA, p. 1) (9VAC25- 870-54.D).	\boxtimes			
34	Are measures in place to prevent discharge of spills or leaks from fueling, operation or storage of vehicles, motors and other mechanical equipment? Va. Code §62.1-44.15:31) (MVP Standards & Specifications for VA, p. 1) (9VAC25-870-54.D).	\boxtimes			
35	Have spills, leaks, or stains (e.g., from hydraulic hoses, vehicle/equipment maintenance and fueling operations, etc.) been cleaned up in accordance with the pollution prevention plan? Va. Code §62.1-44.15:31) (MVP Standards & Specifications for VA, p. 1) (9VAC25-870-54.D).				
36	Are chemicals, soaps, solvents, and wash water from construction materials or vehicle washing (e.g., form release oils and curing compounds from hand tools) prevented from leaving the site or properly treated prior to discharge? Va. Code §62.1-44.15:31) (MVP Standards & Specifications for VA, p. 1) (9VAC25-870-54.D).	\boxtimes			
37	Is concrete wash-out water being directed into a properly installed and maintained leak-proof container or leak-proof settling basin? Va. Code §62.1-44.15:31) (MVP Standards & Specifications for VA, p. 1) (9VAC25-870-54.D).			\boxtimes	
38	Are all unauthorized non-stormwater discharges prevented from leaving the site, including untreated hydrostatic testing water? Va. Code §62.1-44.15:31) (MVP Standards & Specifications for VA, pp. 1, 13) (9VAC25-870-54 D)	\boxtimes			



PIPELINE INSPECTION REPORT REQUEST FOR CORRECTIVE ACTION

Project Name: <u>Mountain Valley Pipeline</u> Date: Wednesday, October 17, 2018

Location or Checklist #	Regulatory Citation/Legal requirement ¹	Observation/Recommended Corrective Action
8	Va. Code §62.1- 44.15:31) (MVP Standards & Specifications for VA, pp. 3, 5)	Observation: Issues above ARG-I 234 have not completed within 24hr corrective action time frame. Recommended Corrective Action: All corrective action are required to be corrected within the time frame requirement in the annual standard and specs.
11	(Va. Code §62.1-44.15:31) (MVP Standards & Specifications for VA, p. 1) (9VAC25-870-54.B) (9VAC 25-840-40.1).	Observation: Between St#11064 and St#11227 lacks adequate stabilization. Recommended Corrective Action: Stabilize areas per the approved plan and annual standard and spec.
26	Va. Code §62.1- 44.15:31) (MVP Standards & Specifications for VA, p. 1) (9VAC 25-840-40.19).	Observation: At designated streams G-32, S-MN 21, and s-MN 22 have been impacted by sediment. ECD's have been repaired at the stream crossings and escaped sediment has been removed. Recommended Corrective Action: n/a
29	Va. Code §62.1- 44.15:31) (MVP Standards & Specifications for VA, p. 1) (9VAC 25-840-60.A).	Observation: Above AR G- I 234 on the farmer access road the ECD's have been damaged. Recommended Corrective Action: Reinstall ECD's on farmer's access road leading to the ROW in the No Activity Area per the FERC.

Comments:						
ecommended Corrective Action Deadline:Within 24hr notification						
Targeted Re-Inspection Date:TBD						

¹ Refers to applicable regulation found in the most recent publication of the State Water Control Law (Va. Code § 62.1-44.2 et seq.), Virginia Erosion and Sediment Control Regulations (9VAC25-840), the Virginia Stormwater Management Program (VSMP) Regulations (9VAC25-870), or the General Permit for Discharges of Stormwater from Construction Activities (9VAC25-880).



The recommended corrective action deadline date applies to all conditions noted on this report unless otherwise noted. If listed condition(s) currently constitute non-compliance and/or corrective actions are not completed by the deadline, other enforcement actions may be issued to the entity responsible for ensuring compliance on the above project.

Inspector Signature:_____ Date: ___11/5/18______

PIPELINE INSPECTION PHOTO LOG

Project Name: Mountain Valley Pipeline Date: Wednesday, October 17, 2018


Description: Above AR G- I234 farmer access rd




Description: At designated stream G-32 ECD's have been repaired and escaped sediment has been remvoed.



Description: At St#11064+84 slope lacks stabilization.



Description: At designated stream SM N 21 ECD's have been repaired and escaped sediment has been removed.





PIPELINE INSPECTION PHOTO LOG

Date:Wednesday, October 17, 2018 Project Name: Mountain Valley Pipeline

Description: At designated stream SM N 21 ECD's have been repaired and escaped sediment has been removed.



Description: At designated stream SM N 21 ECD's have been repaired and escaped sediment has been removed. **West Elevation**



Description: At St#11703+00 the ECD has been repaired **West Elevation** ₱ 112°E (T) ● 37°14'51"N, 80°22'46"W ±9843.0ft ▲ 1875ft



Description: At designated stream S- MN 22 ECD's have been repaired and escaped sediment has been removed.

